



# Howard Nurseries Ltd

Hardy Perennials

**2023-2025**



*Where tradition & values flourish*







# Welcome to our 2023 – 2025 Wholesale Catalogue

*Where tradition & values flourish*

Our nation has come together for a Jubilee and a Coronation and is feeling the impacts of turbulent political decisions at home, crises in the wider world and changes in weather patterns.

In 2022, I completed the 'Conquer the Cold' outdoor water challenge for a local charity. The process invigorated my aim to support mental health and wellbeing and I now volunteer with a couple of regional charities. Embracing Acts of Kindness is one way I express my gratitude towards our staff for their work and commitment to producing the best product we can for our customers.

Mum's 80th was in 2023: Sheila has been integral to the shaping of our independent family nursery. We also celebrated Long Service Awards: Giles - 25 yrs; Rachel - 30 yrs and Gavin, Container Manager, and Peter, Team Leader of Open Ground, both marked 40 yrs - gaining the RHS Long Service Award certificate and medal.

Amanda has taken over from Diane in the Accounts Department and we welcome Leonie to assist in the Office with customer orders.

From sunsets over frosted grasses to the migratory return of House Martins skimming our fields gathering insects, we are grateful for the beautiful countryside we are nestled and working within. An Oystercatcher pair has nested here for 5 years now.

In 2024 we will widen and dig more deeply our 2nd reservoir to strengthen our resilience and remain self-sufficient for water for the entire container and propagation area

The Propagation Department is trialling different growing media, aiming to be peat-free by 2025. We are 100% peat-free when potting on. A coding system on the availability list highlights our progress: *PR* (peat reduced - grown in 60% peat-free media); *APF* (almost peat-free - a peat plug grown in peat-free media); *PF* (peat-free - grown in 100% peat-free media). A new logo is on our retail labels.

We aim to work sensitively within our environment: we gained 50% funding in 2022 for installing 116 solar panels bringing our total to 156 supported with 2 Tesla batteries; biological pest control has been fully integrated into our plant management systems; a wildflower meadow is being created and we are also installing raised (heated) propagation beds, fuelled by our solar energy.

We have been interrogating our waste stream: all our tie-on labels are now fully kerbside-recyclable, and our trolley wrap has bigger holes (better for plants and less waste). What we can't repurpose, we offer to local charities; we are working with the new packaging waste regulations (EPR) and have retained our Gold Suffolk Carbon Charter Award.

Do check *Instagram* for up-to-date Nursery news: in 2022 we held a customer open day, in 2023 we offered limited Iris field viewings, in the winter we'll offer new customer mornings.

Thank you to all our customers long-standing and new; individual and corporate; we value your support and look forward to continually serving you.

Wishing you all the best,

*Christine Howard*

Christine Howard, Managing Director



## Howard Nurseries Limited

We are specialist producers of Herbaceous Perennial Plants, growing two million plants annually in over 1600 varieties, as either field grown plants or in a range of container sizes, predominantly 9 cm or 2 Litre. We also do a small range in 5L. Our main markets are other nurseries, garden centres, garden designers, landscapers and local authorities.

Howard Nurseries was founded over fifty years ago and has steadily grown so that it now covers over 150 acres of land employing approximately 40 people plus seasonal staff as required.

As a **wholesale** nursery we are almost unique in the United Kingdom in offering an extensive range of field and container grown perennials. By propagating over 90% of our crops in house, we have control of quality and trueness to type. We have a good reputation for the generous size of our field grown plants. At all times we will strive to provide the best quality plants. We take great pride in our plants and to ensure they reach you in good condition we use our own transport and drivers where possible.

### Visits Welcome to the Nursery

We welcome (potential) customers to visit the nursery on special customer or open days which will be communicated via Instagram. We regret we are no longer able to have customers walk the nursery on their own. Collection days are only on Thursday and Friday.

Monday - Thursday 8.00am - 4.30pm  
and Friday 8.00am - 3.30pm  
We regret we are not normally open on a Saturday or Sunday.

### Prices

Prices will continue to be shown solely on our regularly refreshed Availability List ensuring you can make your selection from our widest and most up to date range at the best price available. We have included a Recommended Retail Price (RRP) for our garden centre customers but those can change to suit customer requirements.

### Payment

We accept payment only by credit or debit cards, and BACS

### Ordering and Availability

All plants are offered subject to availability at the point of call-off, e.g. advanced orders for spring can be affected by weather induced losses. We will not knowingly oversell but will contact you if orders seem to be lingering to free up stock in time if necessary. Orders are processed in order of receipt and an acknowledgement is emailed as appropriate. Retail nurseries and landscapers are now able to order online.

### Deliveries

We deliver throughout the UK 12 months of the year and have varying transport options available to cater for all sizes of order. Whether it is a small carrier delivery or a lorry full, our sales team review each order and will always work with you to find the most practical and cost-effective delivery option based on your requirements and delivery timescale. For more information on delivery costing, please contact our sales team with your requirements.

### RHS Plant Finder


Wherever possible we use the RHS Plant Finder as our guide for the correct naming of plants. The details of the plants however are still under their "old" names.

We previously introduced the RHS hardiness scale in the catalogue, H1 (soft) to H7 (fully hardy). This year we have added drought resistance, suitable for cut flower and harmful to the columns.

### Catalogue legend

**Genus** ('Common name')  
General description of plant

**'Species'**  
Specific Plant description



Front cover image : Echinacea purpurea 'Rubinstern' with Apis mellifera



# Where tradition & values flourish

## Slot pot label.

Locks in place on the rim of a 2L pot



## Slot pot label

Locks in place on the rim of a 9cm pot



## Spike label

Ideal when potting up bare-root or when buying stock to grow on.



**Garden Centre labels** are made in house and are adjustable to our customers needs. You can choose to have fields included or excluded as you wish. The background colour will match your house style or logo and we can add your logo, barcode, retail price, Suffolk or Norfolk grown. British grown flag, AGM logo Pollinators logo and peat information are standard.



## [www.howardnurseries.co.uk](http://www.howardnurseries.co.uk)

You can now catch up on our Latest News, download our Availability List, email us direct from the site or if you are new to us, use the application form to contact our Office Team.

## Find Us On Twitter and Instagram

Keep up to date with our latest News and events by following  
**X @HowardNurseries**  
**Instagram @howardnurseries**



## Forthcoming Shows

We will be attending shows again in the future, but for now we will concentrate on communicating via social media and email.

## Disclaimer

Howard Nurseries assumes no responsibility or liability for any errors or omissions in the content of this catalogue. The information contained in this catalogue is provided on an "as is" basis with no guarantees of completeness, accuracy, or usefulness.





## Some of our new additions available this year



**Actaea m.  
'White Pearl'**



**Agapanthus  
'Fireworks'**

**NEW**



**Agapanthus  
'Windsor Grey'**



**Campanula p.  
'Pinkins' <sup>PBR</sup>**





## Some of our new additions available this year



**Geranium m.  
'Czakor'**



**Geranium m.  
'Ingwersens's Variety'**

**NEW**



**Geranium xc.  
'Biokovo'**



**Geranium xc.  
'Intense'**





## Some of our new additions available this year



**Gillenia  
trifoliata**



**Helenium a.  
'Short and Sassy' PBR**

**NEW**



**Iris 'Benton  
Cordelia'**



**Iris  
'Benton Olive'**





## Some of our new additions available this year



**Kniphofia**  
**'Redhot Popsicle'** PBR



**Monarda d.**  
**'Bee-Happy'** PBR

**NEW**



**Nepeta xf.**  
**'Purrsian Blue'** PBR



**Origanum l.**  
**'Herrenhausen'**





## Some of our new additions available this year



**Paeonia  
'Coral Charm'**



**Paeonia l.  
'Immaculée'**

**NEW**



**Pennisetum a.  
'Hameln'**



**Penstemon  
'King George V'**





## Some of our new additions available this year



**Persicaria a.  
'Pink Elephant'**



**Persicaria  
a. 'Taurus'**

**NEW**




**Sedum s.  
'Variegatum'**




**Saxifraga  
x urbium**






Acanthus mollis




Achillea 'Credo'



Achillea 'Fanal'



Achillea 'Cerise Queen'



Achillea 'Paprika'

## Acanthus ('Bear's Breeches')

Architectural plant for hot sunny borders.

3-5  
per m<sup>2</sup>

<b>mollis</b> – dark green pinnate foliage, tall spikes of prickly white and mauve flowers		100-150h 100-150s	July Sept				H6		
<b>spinosus</b> – deeply segmented, dark shiny green leaves, impressive mauve spikes		100-150h 50-100s	July Sept				H6		

## Achillea ('Yarrow')

Best in sun and good drainage. For repeat flowering, cut back spent flower stems.

3-5  
per m<sup>2</sup>

<b>'Apfelblüte'</b> – (Galaxy Series) (Appleblossom) – two-tone pink as flowers mature		50-100h 10-50s	June Aug				H7		
<b>'Coronation Gold'</b> – true form, bright yellow		50-100h 10-50s	June Aug				H7		
<b>'Credo'</b> – good creamy yellow flowers		50-100h 50-100s	June Aug				H7		
<b>'Fanal'</b> – (The Beacon) – strong red, fading as flowers mature		50-100h 10-50s	June Aug				H7		
<b>'Feuerland'</b> – bright fiery red flowers with yellow eye, fading to burnt orange, sturdy		50-100h 10-50s	June Sept				H7		
<b>filipendulina 'Gold Plate'</b> – large flat yellow heads held on tall stiff stems		100-150h 50-100s	June Aug				H7		
<b>'Forngett Fletton'</b> – (Forngett Series) – two-tone brick orange		50-100h 10-50s	June Aug				H7		
<b>'Inca Gold'</b> – terracotta orange flowers		50-100h 50-100s	June Aug				H7		
<b>'Lachsschönheit'</b> – (Galaxy Series) (Salmon Beauty) – light salmon pink		50-100h 50-100s	June Aug				H7		
<b>'Little Moonshine'</b> <sup>PBR</sup> – compact form of 'Moonshine'		10-50h 10-50s	May Sept				H7		
<b>'Martina'</b> – large pale yellow flowers		50-100h 50-100s	June Oct				H7		
<b>'Moonshine'</b> – soft yellow heads, soft silvery foliage		50-100h 10-50s	June Aug				H7		
<b>millefolium 'Cerise Queen'</b> – rosy cerise		50-100h 10-50s	June Aug				H7		
<b>– 'Pomegranate'</b> – clusters of magenta-pink flowers above bushy ferny foliage. Flowers hold their colour well throughout the season		10-50h 10-50s	April Aug				H7		
<b>– 'Red Velvet'</b> – red flowers which may darken to crimson		50-100h 50-100s	June Sept				H7		
<b>– 'Rose Madder'</b> – bright salmon-pink flowers		10-50h 10-50s	June Aug				H7		
<b>– 'Paprika'</b> – (Galaxy Series) – scarlet-red flowers, fern-like feathery foliage		50-100h 10-50s	June Aug				H7		
<b>'Summerwine'</b> – clusters of deep claret flowers, slender stems		50-100h 10-50s	July Sept				H7		





Achillea 'Terracotta'



Aconitum c. 'Arendsii'



Actaea m. 'White Pearl'



Actaea m. 'Brunette'



Actaea s. 'Pink Spike'

## Achillea ('Yarrow')

Continued.

3-5  
per m²

<b>'Terracotta'</b> – brown-orange maturing to pale yellow		100-150h 10-50s	June Sept				H7			
<b>'Walther Funcke'</b> – orange-red flowers		10-50h 10-50s	June Aug				H7			

## Aconitum ('Monk's hood')

An underrated plant with distinctive erect flower spikes for part shade or sun.

3-5  
per m²

<b>'Spark's Variety'</b> – one of the most prolific and useful monk's hoods. Branched flower stems bear dense spikes of violet-blue flowers.		100-150h 10-50s	July Aug				H7			
<b>carmichaelii 'Arendsii'</b> – upright spires of deep blue flowers, of rich green divided foliage		100-150h 10-50s	July Aug				H7			

## Actaea ('Bugbane')

Actaea thrive in shade and partial shade, although they dislike boggy conditions.

3-5  
per m²

<b>'matsumurae 'White Pearl'</b> - tall with pale green stems, leaves and flower buds. One of the easiest to grow. Best in a dappled border		100-150h 50-100s	Sept Oct				H7			
<b>simplex 'Atropurpureum'</b> – upright, with a flush of purple on the stems, leaves and flowers. Spikes sometimes arching downwards at the apex, carry strongly fragrant flowers with two cup shaped nectaries on flower stalks up to 2cm long		150-250h 50-100s	Sept Oct				H7			
<b>– 'Brunette'</b> – tall spikes of scented white bottle-brush-like flowers against contrasting dark purple foliage and dark stems		100-150h 50-100s	Sept Oct				H7			
<b>– 'Chocoholic'</b> – tall spikes of fragrant mauve-pink flowers that fade to white with age above contrasting deep purple foliage		100-150h 50-100s	Aug Sept				H7			
<b>– 'Hillside Black Beauty'</b> - tall stems of pale pink bottle brush like flowers above deeply divided rich deep purple foliage		150-250h 50-100s	Sept Oct				H7			
<b>– 'Pink Spike'</b> – fluffy white flowers open from pink buds on tall, slender stems above divided mahogany leaves		100-150h 50-100s	Aug Sep				H7			

## Agapanthus ('African Lily')

Increasingly popular for spectacular displays in sunny border or container. Flowers best in pot when restricted.

3-5  
per m²

<b>'African Queen'</b> PBR® – deep purple buds open to purple-blue flowers with a darker purple central midrib		50-100h 10-50s	July Sept				H3			
<b>'Black Beauty'</b> – very dark violet-blue flowers with paler centres, ideal habit for the front of border or container, prefers full sun and a free draining soil		50-100h 10-60s	July Aug				H3			





Agapanthus 'Black Pantha' PBR



Agapanthus 'Fireworks'



Agapanthus campanulatus



Agapanthus 'Lilliput'



Agapanthus 'Queen Mum' PBR

## Agapanthus ('African Lily')

Continued.

3-5  
per m<sup>2</sup>

<b>'Black Pantha' PBR</b> – rounded umbels of dark violet-blue flowers on upright stems above broad, evergreen leaves		50-100h 10-50s	July Aug							
<b>'Charlotte' PBR</b> – a compact variety with rounded heads of pale blue star shaped flowers with contrasting dark violet-blue striping held above strap like green foliage		50-100h 10-50s	June Aug							
<b>'Fireworks'</b> – rounded heads of bi-coloured flowers with white petals and contrasting purple bases held above strap like green foliage		50-100 10-50	June Aug							
<b>campanulatus</b> – rounded umbels of blue flowers, clump forming, strong stems above narrow grey-green leaves		100-150h 10-50s	July Aug							
<b>– var. albidus</b> – graceful heads of white flowers		50-100h 10-50s	July Aug							
<b>– 'Cobalt Blue'</b> – violet-blue flowers, slightly darker base, anthers purple turning black		50-100h 10-60s	July Aug							
<b>'Gayle's Lilac'</b> – inside of flower very pale violet, margin pale violet, mid rib violet, anthers purple with yellow pollen		50-100h 10-50s	July Aug							
<b>Headbourne hybrids</b> – a selection of blue shades		50-100h 10-50s	July Aug							
<b>'Lilliput'</b> – dark violet blue, anthers violet with yellowish pollen, deciduous leaves		10-50h 10-50s	July Aug							
<b>'Midnight Star' ('Navy Blue')</b> – rather glossy, dark violet-blue, upright buds opening to very deep violet-blue flowers on long stems		50-100h 10-50s	July Aug							
<b>'Peter Pan'</b> – dwarf, with flared, light blue flowers, noticeably darker over mid-rib, above glossy, evergreen leaves		10-50h 10-50s	July Aug							
<b>'Purple Cloud'</b> – stunning form with dark green strap like leaves. Tall stems with rounded heads of deep purple flowers. Ideal for a large container		50-100h 10-50s	June Aug							
<b>Queen Mum' PBR</b> – a beautiful new cultivar producing an abundance of extra-large dual coloured white and blue flowers above dark green clumping foliage		100-150h 10-50s	July Aug							
<b>'Sea Coral'</b> – palest white-blue, coral hints		50-100h 10-50s	July Aug							
<b>'Sandringham'</b> – light violet-blue flowers on tall stems, contrasting with the mid-green leaves		50-100h 10-50s	July Aug							
<b>'Streamline'</b> – violet blue flowers, small grass like leaves, dwarf habit		10-50h 10-50s	July Aug							
<b>'Torbay'</b> – free flowering with loose, sky blue heads		50-100h 10-50s	July Sept							
<b>'Twister' PBR</b> – crystal white flutes turning inky blue at the tips		10-50h 10-50s	July Aug							
<b>white dwarf hybrids</b> – compact forms with heads full of white flowers		10-50h 10-50s	July Sept							





## Agapanthus ('African Lily')

Continued.

3-5  
per m<sup>2</sup>

<b>'White Heaven' PBR</b> – pure white trumpet-shaped flowers		50-100h 10-50s	July Aug				H4			
<b>'Windsor Grey'</b> – large heads of pale, grey-blue flowers		50-100h 10-50s	June Oct				H5			
<b>Africanus</b> – globes of trumpet shaped flowers in shades of blue above clumps of strap like green foliage		100-150h 50-100s	July Sept				H5			

## Agastache ('Giant Hyssop') Great for butterflies and sun!

3-5  
per m<sup>2</sup>

<b>'Blackadder'</b> – upright lilac blue flowers, aniseed scent		50-100h 10-50s	July Oct				H4			
<b>'Blue Boa' PBR</b> – spikes of deep violet flowers		50-100h 10-50s	July Oct				H5			
<b>'Blue Fortune'</b> – spikes of lilac-blue flowers		50-100h 10-50s	July Oct				H6			
<b>'Firebird'</b> – intense aromatic grey foliage and short spikes of copper-red flowers		50-100h 10-50s	July Sept				H2			
<b>mexicana 'Red Fortune' PBR</b> – spikes of coral and mulberry pink flowers		50-100h 10-50s	July Sept				H2			
<b>rugosa f.albiflora 'Liquorice White'</b> large white flower spikes, aromatic leaves		50-100h 100-150s	July Sept				H4			
<b>– 'Golden Jubilee'</b> – blue flowers, unique golden foliage		50-100h 50-100s	June Oct				H5			
<b>– 'Liquorice Blue'</b> – large blue flower spikes, aromatic leaves		50-100h 10-50s	July Sept				H3			
<b>– 'Little Adder'</b> – A compact variety with rich purple flower spikes that carry many small lilac-blue flowers on short stems. The aromatic foliage produces an aniseed-like scent when crushed		10-50h 10-50s	July Sept				H3			
<b>– 'Alabaster'</b> – spikes of bottlebrush-like white flowers above light green aromatic foliage		50-100h 10-50s	July Oct				H3			
<b>'Tangerine Dreams'</b> – narrow spikes of soft tangerine flowers, grey-green leaves		50-100h 10-50s	June Sept				H3			
<b>x Beelicious® Purple PBR</b> – large purple flowers, compact bushy habit		10-50h 10-50s	July Oct				H5			

## Ageratina ('Snakeroot') Can be found under its previous genus Eupatorium.

## Ajuga ('Bugle') Excellent groundcover for moisture retentive, part shady, borders or containers.


5-7  
per m<sup>2</sup>

<b>reptans 'Black Scallop' PBR</b> – bold, very dark purple foliage, blue flowers		10-50h 50-100s	April June				H7			
<b>'Catlin's Giant'</b> – large purple foliage, rich blue flowers		10-50h 50-100s	May June				H7			





Albuca shawii



Alchemilla mollis



Allium senecens



Anaphalis 'Sommerschnee'



Anchusa 'Loddon Royalist'

**Albuca** South African bulb. Sheltered, sunny and free draining positions.  
Good in pot.

5-7  
per m<sup>2</sup>

<b>shawii</b> – stems of yellow bell-shaped flowers, scented		10-50h 0-10s	July Aug							
--	--	-----------------	-------------	--	--	--	--	--	--	--

**Alchemilla** ('Lady's Mantle') Hardly needs introducing!  
Brilliant for edging in sun or shade, will gently seed about.

3-5  
per m<sup>2</sup>

<b>mollis</b> – sulphur yellow flowers and sculptured leaves which hold water droplets		10-50h 10-50s	June Aug							
--	--	------------------	-------------	--	--	--	--	--	--	--

**Allium** ('Decorative Onion') Best in a well-drained soil and sun.  
A magnet for butterflies & bees.

7-8  
per m<sup>2</sup>

<b>schoenoprasum 'Forescate'</b> – globular heads of rosy-red flowers		10-50h 10-50s	June Aug							
<b>senecens</b> – mauve flowers and rosettes of twisted prostrate leaves, good for front of border/rockery		10-20h 5-20s	Aug							

**Alstroemeria** ('Peruvian Lily')

Prefers moist conditions, making an impact in the midst of mixed borders.

3-4  
per m<sup>2</sup>

<b>psittacina 'Royal Star'</b> – branched clusters of dark red flowers over leaves with irregular cream edges		50-100h 10-50s	June Aug							
---	--	-------------------	-------------	--	--	--	--	--	--	--

N.B. Look out for the extensive range of modern Alstroemeria hybrids on our Looking good! Availability Lists.

**Amsonia** ('Blue Star')

Easy and adaptable, for summer flowers and brilliant autumn colour.

5-7  
per m<sup>2</sup>

<b>tabernaemontana</b> – clusters of light blue starry flowers, fine narrow leaves with a conspicuous pale green central vein, leaves turning yellow in autumn		50-100h 10-50s	May Aug							
--	--	-------------------	------------	--	--	--	--	--	--	--

**Anaphalis** ('Pearl Everlasting') Useful groundcover in sun or part shade, especially if moist.

Repeat flowering when cut back hard after flowering.

3-5  
per m<sup>2</sup>

<b>triplinervis 'Sommerschnee'</b> (Summer Snow) – silvery grey foliage, small bunched papery heads of white flowers		10-50h 10-50s	July Sept							
--	--	------------------	--------------	--	--	--	--	--	--	--

**Anchusa** ('Alkanet') Richest blue flowers for a sunny position. Repeat flowers when cut back hard after flowering.

3-5  
per m<sup>2</sup>

<b>azurea 'Loddon Royalist'</b> – the most popular variety, for good reason, bright blue		50-100h 10-50s	May July							
– 'Opal' – a rarely offered form, notable for its light Cambridge blue flowers		50-100h 10-50s	May July							





Anemone 'Königin Charlotte'



Anemone x. 'Robustissima'



Anemone 'Whirlwind'



Anemone 'Rubra'



Angelica gigas

## Anemone ('Windflower')

Long flowering at useful time of year. For sun or part shade.

3-5  
per m<sup>2</sup>

– <b>hupehensis</b> var. <b>japonica</b> ' <b>Pamina</b> ' very symmetrical dainty deep pink double flowers		50-100h 10-50s	Aug Oct				H7		
– ' <b>Praecox</b> ' – single, dark pink flowers		10-50h 10-50s	Aug Oct				H7		
<b>x hybrida</b> ' <b>Andrea Atkinson</b> ' – single, white		50-100h 50-100s	Aug Oct				H7		
– ' <b>Honorine Jobert</b> ' – ('Alba') – strong grower with large white flowers		100-150h 50-100s	Aug Oct				H7		
– ' <b>Königin Charlotte</b> ' – (Queen Charlotte) – semi-double, pink		100-150h 50-100s	Aug Oct				H7		
– ' <b>Richard Ahrens</b> ' – semi-double, deep pink flowers,		50-100h 50-100s	Aug- Nov				H7		
– ' <b>Robustissima</b> ' – light pink flowers, vigorous		100-150h 10-50s	July Aug				H7		
– ' <b>September Charm</b> ' – masses of soft pink single flowers with darker tinted outer petals are held on slender stems above vine shaped foliage		50-100h 50-100s	June Oct				H7		
– ' <b>Whirlwind</b> ' – semi-double, white		50-100h 10-50s	Aug Oct				H7		
<b>multifida</b> – creamy yellow flowers followed by cottony seed heads		10-50h 10-50s	May June				H6		
– ' <b>Rubra</b> ' – carmine red flowers		10-50h 10-50s	May June				H6		
<b>sylvestris</b> – large white flowers followed by woolly seed heads, yellow centre, good ground cover		50-100h 10-50s	May July				H6		
<b>tomentosa</b> – lilac-pink		100-150h 50-100s	Aug Oct				H6		

## Angelica Great for adding height and structure to the border.

1-3  
per m<sup>2</sup>


<b>archangelica</b> – ('Angelica') – greenish-white to cream umbels		150-250h 50-100s	June Aug				H6		
<b>gigas</b> – showy, beetroot-red flowers on thick branched stems up to 200cm		150-250h 100-150s	July Aug				H6		

## Anthemis ('Chamomile') Ideal clump forming perennial for full sun. Cut back after flowering to encourage new growth.

3-5  
per m<sup>2</sup>

<b>tinctoria</b> ' <b>E.C. Buxton</b> ' – ferny green leaves, creamy-yellow daisies		50-100h 50-100s	June Nov				H6		
---	--	--------------------	-------------	--	--	--	----	--	--





Anthriscus 'Ravenswing'



Aquilegia 'Black Barlow'



Aquilegia 'Nora Barlow'



Artemisia 'Powis Castle'



Artemisia  
'Silver Queen'

## Anthriscus ('Cow Parsley')

Suitable for flower meadows and wild gardens as well as a feature in borders.

3-5  
per m<sup>2</sup>

<b>sylvestris 'Golden Fleece'</b> – flat umbels of creamy white flowers above delicate yellow green fern like foliage		50-100h 10-50s	May July				H6		
<b>sylvestris 'Ravenswing'</b> – purple bronze divided foliage, white flowers		100-150h 10-50s	June Aug				H6		

## Aquilegia ('Columbine') Another classic favourite. Gently seeds around in sun or part shade.

5-7  
per m<sup>2</sup>

<b>'Blue Star'</b> – (Star Series) blue with creamy white centre		50-100h 10-50s	May June				H7		
<b>'Red Star'</b> – (Star Series) – red with creamy white centre,		50-100h 10-50s	May June				H7		
<b>'Yellow Star'</b> – (Star Series) – large up facing yellow flowers		50-100h 10-50s	May June				H7		
<b>vulgaris var. 'Alba'</b> – Pure white downward facing bonnet like flowers are produced on tall slender stems above a clump of pale green foliage. Will gently seed about		50-100h 10-50s	April June				H6		
<b>– var. stellata 'Black Barlow'</b> – (Barlow Series) – double upright purple-black flowers		50-100h 10-50s	May July				H7		
<b>– 'Blue Barlow'</b> – (Barlow Series) – double upright violet-blue flowers		50-100h 10-50s	May July				H7		
<b>– 'Nora Barlow'</b> – (Barlow Series) – double red flowers, pale green tips		50-100h 10-50s	May July				H7		
<b>– 'Ruby Port'</b> – dark ruby, double		50-100h 10-50s	June Aug				H7		
<b>– 'William Guinness'</b> – unusual dark purple-black flowers with white trumpet		50-100h 10-50s	April June				H7		

## Artemisia ('Wormwood') Superb silver foliage for full sun. Trim in late spring if straggly.

1-3  
per m<sup>2</sup>

<b>'Powis Castle'</b> – non-flowering, billowing clump of silver filigree foliage		10-50h 50-100s				H3			
<b>absinthium 'Lambrook Mist'</b> – soft, misty grey-green aromatic foliage		50-100h 10-50s	July Aug			H6			
<b>lactiflora Guizhou Group</b> – mahogany-brown stems, black-green foliage, creamy-white flowers		100-150h 50-100s	Aug Oct			H7			
<b>ludoviciana 'Silver Queen'</b> – attractive silver-white foliage, free flowering		50-100h 50-100s	July Sept			H6			
<b>– 'Valerie Finnis'</b> – very silver foliage, shorter in stature		50-100h 50-100s	July Sept			H6			





Arum pictum



Asclepias tuberosa



Aster amellus 'Brilliant'



Aster a. 'Rosa Erfüllung'



Aster 'Harrington's Pink'

## Artemisia ('Wormwood')

Continued.

1-3  
per m<sup>2</sup>

<b>stelleriana 'Boughton Silver'</b> – excellent silver foliage, short, spreading ground cover, yellowish flowers		10-50h 10-50s	Aug Sept				H5			
---	--	------------------	-------------	--	--	--	----	--	--	--

**Arum** ('Snakeshead') Tuberous perennials with arrow-head shaped leaves and tiny flowers at the base of a yellow or purple spadix, within a showy, hood-like spathe.

3-5  
per m<sup>2</sup>

<b>pictum</b> – green leaves develop creamy-white veins during the winter months, followed by a purple-black spathe in the autumn		10-50h 10-50s	Sep Oct				H6			
---	--	------------------	------------	--	--	--	----	--	--	--

**Aruncus** ('Goat's Beard') Very accommodating handsome plant for almost any soil or site, especially moist.

3-5  
per m<sup>2</sup>

<b>dioicus</b> – stunning ivory plumes		150-250h 50-100s	June July				H6			
--	--	---------------------	--------------	--	--	--	----	--	--	--

**Asclepias** ('Milk Weed') Tuberous perennial for sunny position. Exudes milky sap when cut.

5-7  
per m<sup>2</sup>

<b>tuberosa</b> – unusual flower heads of brilliant orange		50-100h 10-50s	July Sept				H4			
--	--	-------------------	--------------	--	--	--	----	--	--	--

**Asphodeline** ('Jacob's Rod') Dry open positions and sunny meadows.

5-7  
per m<sup>2</sup>

<b>lutea</b> – rosettes of long grey-green leaves, tall, stiff spikes of fragrant bright yellow flowers		100-150h 10-50s	June Sept				H4			
---	--	--------------------	--------------	--	--	--	----	--	--	--

**Aster amellus** ('Michaelmas Daisy') Excellent mildew resistant Asters for late summer colour.

3-5  
per m<sup>2</sup>

<b>'Brilliant'</b> – bright pink		50-100h 10-50s	Aug Sept				H7			
<b>'King George'</b> – ever popular violet blue		50-100h 10-50s	Aug Sept				H7			
<b>'Rosa Erfüllung'</b> – (Pink Zenith) – good clear pink, erect growth		90-100h 10-50s	Aug Sept				H7			
<b>'Veilchenkönigin'</b> (Violet Queen) – deep violet flower heads		10-50h 10-50s	Aug Oct				H7			

**Aster novae-angliae** ('New England Aster')


Aster novae-angliae is now classified under the genus Symphyotrichum.

Very hardy and accommodating. Divide every 2-3 years to maintain vigour.

3-5  
per m<sup>2</sup>

<b>'Andenken an Alma Pötschke'</b> – large salmon-tinged rose pink flowers		100-150h 50-100s	Aug Oct				H7			
<b>'Barr's Purple'</b> – bright lilac-purple flowers on tall stems		110-150h 50-100s	Sep Oct				H7			
<b>'Harrington's Pink'</b> – clear rose-pink, good for cutting		100-150h 50-100s	Aug Oct				H7			
<b>'Herbstschnee'</b> (Autumn Snow) – large white flowers		100-150h 10-50s	Aug Oct				H7			






Aster 'Jenny'




Aster 'Lady in Blue'



Aster 'Snowsprite'



Aster 'Marie Ballard'



Aster 'Winston Churchill'

## Aster novae-angliae ('New England Aster')

Continued.

3-5  
per m<sup>2</sup>

'Purple Dome' – smothered in vivid violet purple flowers, compact		50-100h 10-50s	Sep Oct				
---	--	-------------------	------------	--	--	--	--

## Aster novi-belgii (dwarf varieties) ('New York Aster')

Aster novae-belgii is now classified under the genus Symphyotrichum.

These Asters offer late colour for front of the border. Need dividing every 2-3 years to maintain vigour.

3-5  
per m<sup>2</sup>

'Anneke' – a compact variety with pink daisy like flowers and yellow centres		10-50h 10-50s	Sept Oct				
'Crimson Brocade' – deep crimson daisy like flowers with golden yellow centres held on tall stems		50-100h 10-50s	July Sept				
'Dandy' – purple-red		10-50h 10-50s	Sep Oct				
'Jenny' – beetroot red, double		10-50h 10-50s	Sep Oct				
'Kristina' – strong dark green clumps producing crisp, semi-double white flowers		10-50h 10-50s	Sep Oct				
'Lady in Blue' – rich blue, semi-double, compact habit		10-50h 10-50s	Aug Oct				
'Little Pink Beauty' – clear pink		10-50h 10-50s	Sep Oct				
'Snowsprite' – compact, white, popular variety		10-50h 10-50s	Sep Oct				
'Starlight' – semi double vivid pink flowers with yellow centres above clump forming narrow deep green foliage		10-50h 10-50s	Sept Oct				

## Aster novi-belgii (taller varieties) ('New York Aster')

Aster novae-belgii is now classified under the genus Symphyotrichum

These Asters offer late colour for mid-back of the border. Need dividing every 2-3 years to maintain vigour.


3-5  
per m<sup>2</sup>

'Fellowship' – tall stems of clear double pink flowers with yellow centre		50-100h 10-50s	Sep Oct				
'Marie Ballard' – large daisy-like, blue, double and full flower heads		50-100h 10-50s	Sep Oct				
'Patricia Ballard' – tall, pink semi-double for a great show of colour in the autumn		50-100h 10-50s	Sep Oct				
'White Ladies' – white double flowers, deep-green glossy foliage		50-100h 10-50s	Aug Oct				
'Winston Churchill' – bright cerise semi-double flowers on tall stems		50-100h 10-50s	Sep Oct				





Aster divaricatus



Aster 'Pink Cloud'



Aster 'Mönch'



Aster l.'Lady in Black'



Astilbe 'Aphrodite'

## Aster

An assortment of Asters nearly all requiring sun and well-drained soil.

3-5  
per m<sup>2</sup>

<b>divaricatus</b> – now classified under the genus Eurybia divaricata – shiny black stems with star-like white flowers		50-100h 50-100s	Aug Sept				H7		
– <b>'Beth Chatto'</b> – small starry white flowers with yellow-pink centres		50-100h 50-100s	June Sept				H7		
<b>ericoides 'Pink Cloud'</b> – now classified under the genus Symphyotrichum – forms wide sprays, densely set with small starry pink flowers		50-100h 50-100s	Sep Oct				H7		
<b>x frikartii</b> – Lavender blue		50-100h 10-50s	Aug Oct				H7		
– <b>'Mönch'</b> – lavender-blue, very long flowering period		50-100h 10-50s	July Oct				H7		
– <b>'Wunder von Stäfa'</b> – bright lavender-blue		50-100h 10-50s	Aug Oct				H7		
<b>x herveyi (macrophyllus 'Twilight')</b> – now classified under the genus Eurybia – violet flowers, large leaves, part shade		50-100h 10-50s	Aug Sept				H7		
<b>lateriflorus var. horizontalis</b> now classified under the genus Symphyotrichum – tiny foliage turning coppery purple by September, tiny pale white flushed pink flowers		10-50h 10-50s	Aug Sept				H7		
– <b>'Lady in Black'</b> – bright bronze-purple spring foliage maturing to dark purple-green, tall graceful flowering with masses of white flowers		100-150h 50-100s	July Oct				H7		
<b>'Little Carlow'</b> (cordifolius hybrid) now classified under the genus Symphyotrichum – masses of violet-blue single flowers		50-100h 10-50s	Sep Oct				H7		
<b>'ageratoides 'Starshine' PBR</b> – White daisy-like flowers with yellow centres over a mound of deep green toothed foliage		50-100h 50-100s	June Sept				H5		
<b>pyrenaicus 'Lutetia'</b> – single, light lilac blue		50-100h 50-100s	Aug Sept				H7		
<b>sedifolius</b> – neat clumps of grey-green grassy foliage, massed lavender blue flowers		100-150h 50-100s	Aug Sept				H7		

## Astilbe Happiest in rich, moisture retentive soil in sun or part shade.

3-5  
per m<sup>2</sup>

<b>'Aphrodite'</b> (simplicifolia hybrid) – dark green leaves, oval plumes of light red-purple flowers		50-100h 50-100s	June Aug				H7		
<b>'Bressingham Beauty'</b> (x arendsii) – rich pink plumes, free flowering		50-100h 50-100s	June Aug				H7		
<b>chinensis var. pumila</b> – bright lilac-rose plumes		10-50h 10-50s	July Oct				H7		
– <b>var. taquetii 'Purpurlanze'</b> (Purple Lance) – thick, erect plumes of purple flowers, statuesque		100-150h 10-50s	Aug Sept				H7		





Astilbe 'Vision in Red' PBR



Astilbe 'Irrlicht'



Astilbe 'Red Sentinel'



Astilbe 'Snowdrift'



Astilbe 'Weisse Gloria'

## Astilbe

Continued.

3-5  
per m<sup>2</sup>

– 'Veronika Klose' – purple pink plumes		10-50h 10-50s	June Aug				H7	
– 'Vision in Red' PBR – dark glossy foliage and upright red plumes		10-50h 10-50s	June Aug				H7	
'Deutschland' (japonica hybrid) – white, dense spikes		50-100h 10-50s	June Aug				H7	
'Dusseldorf' (japonica hybrid) – cerise-pink compact plumes		10-50h 10-50s	June July				H7	
'Elizabeth Bloom' PBR ('Eliblo') (x arendsii) – full spikes of pink flowers, dark green leaves		50-100h 10-50s	June Aug				H7	
'Etna' (japonica hybrid) – intense salmon-red plumes above vigorous foliage		50-100h 10-50s	June Aug				H7	
'Europa' (japonica hybrid) – feathery plumes of soft pink flowers, divided deep-green leaves		50-100h 50-100s	June Aug				H7	
'Federsee' (x arendsii) ('Catherine Deneuve') – fluffy plumes of deep salmon-pink		50-100h 10-50s	June Aug				H7	
'Glut' (x arendsii) (Glow) – clear deep red plumes		50-100h 10-50s	June Aug				H7	
'Granat' (x arendsii) – deep rose pink		50-100h 10-50s	June Aug				H7	
'Irrlicht' (x arendsii) – snow white plumes, dark, vigorous foliage		50-100h 10-50s	June Aug				H7	
'Montgomery' (japonica hybrid) – deep red plumes on tapering sprays, with very attractive dark foliage		50-100h 10-50s	June Aug				H7	
'Red Sentinel' (japonica hybrid) – deep crimson-red open plumes, dark tinted foliage		50-100h 50-100s	June Sept				H7	
'Rheinland' (japonica hybrid) – clear pink		10-50h 10-50s	June July				H7	
'Rotlicht' (x arendsii) (Red Light) – mid green leaves, tinged red in spring, dark red flowers in feathery plumes		50-100h 10-50s	June Aug				H7	
'Snowdrift' (x arendsii) – white flowers, set against bright green leaves		50-100h 50-100s	June Aug				H7	
'Sprite' (simplicifolia hybrid) – compact, shell pink flower spikes, dark foliage		10-50h 10-50s	Aug Sept				H7	
'Straussenfeder' (thunbergii hybrid) (Ostrich Plume) – arching, coral pink plumes		50-100h 10-50s	June Aug				H7	
'Walter Bitner' – striking pink with excellent form		50-100h 10-50s	June Aug				H7	
'Weisse Gloria' (x arendsii) (White Gloria) – large clear white plumes		50-100h 10-50s	June Aug				H7	





Astrantia Gill  
Richardson Group



Astrantia 'Rose Symphony'



Astrantia 'Shaggy'



Baptisia 'Caspian Blue'



Bergenia 'Bressingham White'

## Astilbe

Continued.

3-5  
per m<sup>2</sup>

'Willie Buchanan' (simplicifolia hybrid) – dwarf, crimson tinged foliage, creamy-white flower spikes		10-50h 10-50s	June Aug				H7		
--	--	------------------	-------------	--	--	--	----	--	--

## Astrantia ('Masterwort') Forming dense clumps in moisture retentive soils. Happy in sun or part shade.

5-7  
per m<sup>2</sup>

<b>major</b> – pale green, suffused rose-white		50-100h 10-50s	June Aug				H7		
– <b>Gill Richardson Group</b> – a fine selection with excellent deep crimson flowers		50-100h 10-50s	May July				H7		
– ' <b>Pink Pride</b> ' – clear pink flowers are held on slender stems above clump forming deeply cut foliage		50-100h 10-50s	June Sept				H7		
– ' <b>Rose Symphony</b> ' – Shades of rose pink-red flowers with an almost metallic like shimmer are held on strong upright stems above mounds of deeply cut green foliage. Strong stems make this a good cut flower variety		50-100h 10-50s	June Sept				H7		
– <b>subsp. involucrata 'Shaggy'</b> – exceptionally large flower heads formed by long white bracts, tipped green, held well over deeply divided dark green leaves		50-100h 10-50s	June Aug				H7		

## Ballota ('False dittany') Perfect for poor, perfectly drained soil in full sun.

3-5  
per m<sup>2</sup>

<b>pseudodictamnus</b> – attractive grey foliage		10-50h 10-50s	May Aug				H7		
--	--	------------------	------------	--	--	--	----	--	--

## Baptisia ('False Indigo') Deep rooted plants from American plains.

3-5  
per m<sup>2</sup>

<b>australis 'Caspian Blue'</b> – Almost lupin like in appearance, stems of Indigo-blue flowers above grey green foliage		100-150h 50-100s	June Aug				H7		
--	--	---------------------	-------------	--	--	--	----	--	--

## Bergenia ('Elephant Ears') Invaluable for bold evergreen groundcover. Grows almost anywhere.

5-7  
per m<sup>2</sup>

' <b>Abendglut</b> ' – leaves turn dark purple in winter, deep magenta blooms		10-50h 10-50s	April May				H5		
' <b>Abendglut</b> ' – leaves turn dark purple in winter, deep magenta blooms		10-50h 10-50s	April May				H5		
' <b>Bach</b> ' – neat glossy red-flushed winter foliage with massive heads of lovely pale sugar-pink flowers that mature into a soft white		10-50h 10-50s	April May				H5		
' <b>Bressingham Ruby</b> ' <sup>PBR</sup> – neat, compact, leaves rich dark ruby red in winter, strong red-pink flowers		10-50h 10-50s	April May				H5		
' <b>Bressingham White</b> ' – rich green leaves, abundant white flowers, blushing pink with age		10-50h 10-50s	April May				H6		





## Propagation at Howard Nurseries

Our propagation department is responsible for producing more than 90% of our own stock for both field and container production. Propagation methods include, division, seed sowing, stem/tip cuttings, root cuttings as well as the pricking out of tissue culture. We utilise 6 different growing environments, 5 of which can be controlled for optimum growing conditions, before finally going outside to harden off before planting out or potting on. We clean and reuse our plug trays every year, some are now more than 15 years old and still going strong!









Bergenia 'Diamond Drops'



Bergenia 'Ice Queen'



Bergenia 'Kerstin'



Bergenia 'Pink Dragonfly' PBR



Brunnera macrophylla

## Bergenia ('Elephant Ears')

Continued.

5-7  
per m<sup>2</sup>

<b>cordifolia 'Purpurea'</b> – bright magenta flowers		10-50h 50-100s	April May				H7			
– <b>'New Hybrids'</b> – varying shades of pink and red flowers on red flushed stems, large green evergreen foliage		10-50h 10s	April May				H7			
<b>'Diamond Drops'</b> – pure white flowers, large green evergreen foliage that blush rose and bronze tints in the autumn through to the winter		10-50h 10-50s	April May				H7			
<b>'Eden's Dark Margin'</b> – large green leaves with deep maroon edges in winter. Short stems of magenta-purple flowers		10-50h 50-100s	April May				H7			
<b>'Eden's Magic Giant'</b> – impressively large glossy foliage, turning deep red in winter, pale pink flowers on striking red stems		50-100h 50-100s	April May				H7			
<b>'Flirt'</b> PBR – clump forming evergreen foliage with clusters of bright rosy-pink flowers		10-50h 10-50s	April May				H7			
<b>'Ice Queen'</b> – creamy-green flowers above red-flushed edged leaves		10-50h 10-50s	April May				H6			
<b>'Kerstin'</b> – mid-pink flowers, large green evergreen foliage		10-50h 10-50s	Mar April				H6			
<b>'Overture'</b> – fine compact selection, leaves turn rich claret-red in winter, striking magenta-red flowers		10-50h 10-50s	Mar April				H6			
<b>'Pink Dragonfly'</b> PBR – pink flowers with darker centres, red flushed stems above evergreen foliage, good autumn colour		10-50h 10-50s	Mar April				H6			
<b>'Spring Fling'</b> PBR – eye-catching magenta flowers above glossy green foliage which turns purple-black in winter		10-50h 10-50s	April June				H6			
<b>'Sunningdale'</b> – deep reddish pink flowers, bronze red foliage		10-50h 50-100s	April May				H7			

**Betonica** Can be found under its previous genus *Stachys*.

**Bistorta** Can be found under its previous genus *Persicaria*.

**Brunnera** ('Perennial forget-me-not') Happiest in light shade in moisture retentive soil.

3-5  
per m<sup>2</sup>

<b>macrophylla</b> – blue 'forget-me-not' type flowers, bold foliage		10-50h 10-50s	April May				H6			
– <b>'Betty Bowring'</b> – pure white 'forget-me-not' type flowers above large green leaves		10-50h 10-50s	April May				H6			
– <b>'Blaukuppel'</b> – excellent blue flowers		10-50h 10-50s	April May				H6			
– <b>'Dawson's White'</b> – grey-green, leaves boldly edged with white, blue flowers		10-50h 50-100s	April May				H6			
– <b>'Langtrees'</b> – large silver grey spotted dark green leaves, sprays of tiny blue flowers		10-50h 10-50s	April May				H6			





Calamintha nepeta



Caltha 'Plena'



Camassia cusickii



Campanula 'Caroline'



Campanula 'Joan Elliott'

## Calamintha ('Calamint')

Magnets for bees and butterflies on sunny, well-drained soil.

3-5  
per m<sup>2</sup>

<b>nepeta</b> – thyme-like lilac flowers, crushed leaves smell of mint		50-100h 50-100s	Aug Oct						
– <b>subsp. glandulosa 'White Cloud'</b> – clouds of petite white flowers hover above fragrant, dark green foliage		10-50h 10-50s	Aug Oct						

## Caltha ('Marsh Marigold') Glorious spring flowers for an open, moist position.

5-7  
per m<sup>2</sup>

<b>palustris</b> – deep golden yellow cups		10-50h 10-50s	Mar May						
– <b>var. alba</b> – early flowering, single white		10-50h 10-50s	Mar May						
– <b>var. palustris 'Plena'</b> – fully double, rich yellow flowers		50-100h 50-100s	Mar May						

## Camassia ('Cussick's camass') Great for naturalising in wild areas.

5-7  
per m<sup>2</sup>

<b>cusickii</b> – clumps of long leaves well-established by flowering time. Delicate, pale starry flowers upon a dense raceme		50-100h 10-50s	May June						
---	--	-------------------	-------------	--	--	--	--	--	--

## Campanula ('Bellflower') Offer easy grace and style for every garden, in sun or shade.

3-5  
per m<sup>2</sup>

<b>alliariifolia</b> ('Ivory Bells') – cream flowers on arching stems		50-50h 10-50s	June Aug						
<b>garganica 'Dickson's Gold'</b> – mats of vivid golden foliage, blue flowers		10-50h 10-50s	July Aug						
<b>glomerata var. alba</b> – erect stems of white flowers		10-50h 50-100s	May July						
– <b>'Caroline'</b> – clusters of tubular, mauve-pink flowers tinged with darker markings on the petal edges		10-50h 50-100s	May July						
– <b>'Joan Elliott'</b> – large violet flowers		10-50h 50-100s	June July						
– <b>'Superba'</b> – clusters of bright violet flowers		10-50h 50-100s	June July						
<b>'Kent Belle'</b> – stunning, tall stems of large rich violet flowers		50-100h 10-50s	June Aug						
<b>lactiflora</b> – shades of light blue, bushy habit		100-150h 10-50s	June Sept						
– <b>'Loddon Anna'</b> – soft pink		100-150h 10-50s	June Sept						
– <b>'Assendon Pearl'</b> – an elegant white-flowering form of lactiflora bearing tall stems of white bell-shaped flowers		100-150h 10-50s	June Sept						





Campanula 'Monica's Dream'



Campanula 'Prichard's Variety'



Campanula 'Wortham Belle'



Campanula p. 'Telham Beauty'



Campanula p. 'Wedding Bells'

## Campanula ('Bellflower')

Continued.

3-5  
per m<sup>2</sup>

<b>- 'Monica's Dream'</b> – discovered in 2015 on the nursery by Michael Steggles and named in honour of his granddaughter, Monica. Beautiful white flowers fade to a pale cloudy white, remains strong and compact, if trimmed lightly after flowering		100-150h 10-50s	June Sept				H7			
<b>- 'Prichard's Variety'</b> – deep violet blue flowers		50-100h 10-50s	June Sept				H7			
<b>- 'White Pouffe'</b> – mounding foliage, white		10-50h 10-50s	June Sept				H7			
<b>latiloba 'Hidcote Amethyst'</b> – light lilac-pink flowers		50-100h 10-50s	May July				H7			
<b>- 'Highcliffe Variety'</b> – violet-blue flowers		50-100h 10-50s	June Aug				H7			
<b>- 'Percy Piper'</b> – glossy, bright green leaves on erect stems, rich lavender-purple flowers		50-100h 10-50s	June Aug				H7			
<b>persicifolia 'Telham Beauty'</b> – large blue cups		50-100h 10-50s	July Sept				H7			
<b>- 'Wortham Belle'</b> – introduced by founder of Howard Nurseries, David Howard. Found as chance seedling in stock beds in 1993, released in 1996. A beautiful selection with light blue double flowers, a very upright variety, strong grower		50-100h 10-50s	June July				H7			
<b>poscharskyana 'E.H.Frost'</b> – a low spreading Campanula with small matt forming green foliage and white star shaped flowers that emerge from pale blue tinged buds		10-50h 10-50s	June Sept				H5			
<b>- 'Stella'</b> – a low spreading Campanula with small matt forming green foliage and light violet-blue star shaped flowers		10-50h 10-50s	June Sept				H5			
<b>- 'Pinkins' PBR</b> – a low spreading Campanula with small matt forming green foliage and lilac-pink star shaped flowers with paler centres. Offers a tidier, less invasive habit than other Campanulas of this type		10-50h 10-50s	June Sept				H5			
<b>punctata f. rubriflora</b> – cream bells, flushed purple, heavily speckled bright red inside		10-50h 10-50s	July Aug				H7			
<b>- Wedding Bells</b> – vigorous, forming a colony of soft, slightly hairy stems, heart shaped leaves, pale pink flushed, creamy white, hose in hose, double flowers		50-100h 10-50s	June Aug				H7			
<b>'Samantha'</b> – creeping foliage, large violet cup-shaped flowers		10-50h 10-50s	June Aug				H7			
<b>'Sarastro'</b> – nodding, deep violet-blue, tubular bell shaped flowers over clump of downy leaves		50-100h 10-50s	July Aug				H7			





Campanula 'Elizabeth'



Catananche 'Alba'



Centaurea 'John Coutts'



Centaurea 'Purple Heart'



Cephalaria gigantea

## Campanula ('Bellflower')

Continued.

3-5  
per m²

<b>takesimana</b> – bright green leaves, white-lilac bells, maroon inside		50-100h 50-100s	June Aug				H7			
– 'Elizabeth' – large, pendulous plum pink flowers, suffused with white and maroon inside and out		50-100h 50-100s	July Sept				H7			

## Catananche ('Cupid's Dart') Happiest in free-draining soil and full sun.

Excellent for cut and dried flowers. Can be short lived.

3-5  
per m²

<b>caerulea</b> – swaying stems, covered in bright blue cornflowers with papery calyx		50-100h 10-50s	July Aug				H5			
– 'Alba' – pure white with a hint of blue in centre completing the look		50-100h 10-50s	July Aug				H5			

## Centaurea ('Knapweed') Impressive plants for open, sunny position.

Magnets for butterflies and bees.

3-5  
per m²

<b>'John Coutts'</b> – leaves finely cut and silver backed, large rich mauve-pink		10-50h 10-50s	June Sept				H6			
<b>montana 'Alba'</b> – white flowers		10-50h 10-50s	June Sept				H7			
– 'Amethyst Dream' PBR – bright purple thistle like flowers above low mounding grey-green foliage covered in fine silvery hairs		10-50h 50-100s	April July				H7			
– 'Parham' – purple flowers, fragrant		50-100h 50-100s	June Sept				H6			
– 'Purple Heart' – large white-fringed flower heads with striking deep-purple centres		50-100h 50-100s	May July				H5			
<b>orientalis</b> – masses of papery buds opening to yellow thistle-like flowers over long period		50-100h 50-100s	June Sept				H6			

## Centranthus ('Valerian') Thrives in poor, chalky soils and exposed position.

Gently seeds around. Keep dead-headed for repeat flowering.

3-5  
per m²

<b>ruber 'Albus'</b> – white flowers		50-100h 10-50s	June Aug				H5			
– var. <b>coccineus</b> – clouds of red flowers		50-100h 50-100s	June Sept				H5			

## Cephalaria ('Giant Scabious')

Tall border plant often effective planted with late flowering grasses.

1-3  
per m²

<b>gigantea</b> – large primrose yellow flowers		150-200h 50-100s	June Aug				H7			
---	--	---------------------	-------------	--	--	--	----	--	--	--

## Ceratostigma ('Leadwort') Marvellous for late colour in a sheltered sunny border.

5-7  
per m²

<b>plumbaginoides</b> – clusters of sky-blue flowers, crimson-red autumn foliage		10-50h 10-50s	July Sept				H5			
--	--	------------------	--------------	--	--	--	----	--	--	--





Chelone obliqua




Cichorium 'Roseum'



Cirsium 'Mount Etna'



Clematis 'Cassandra'



Coreopsis 'Astellat'

## Chelone ('Turtle-head')

Arresting late summer flowers for partial shade and moisture retentive soil.

3-5  
per m²

<b>obliqua</b> – dark green leaves, lilac pink flowers		50-100h 10-50s	Aug Sept				H5			
--	--	-------------------	-------------	--	--	--	----	--	--	--

## Chrysanthemum ('Mums')

Having investigated the morphology of the whole genus, botanists now appear to be satisfied that these Hardy Border Chrysanthums no longer belong to Leucanthemum (generally the white flowered forms) or Dendranthemum.

3-5  
per m²

<b>'Clara Curtis'</b> – a good clear single pink		50-100h 50-100s	Aug Oct				H5			
--	--	--------------------	------------	--	--	--	----	--	--	--

## Cichorium ('Chicory')

Beautiful perennials for sunny, open position.

3-5  
per m²

<b>intybus f. album</b> – long branched spikes of pure white flowers		100-150h 50-100s	July Oct				H5			
<b>– 'Roseum'</b> – beautiful spikes of rose-pink flowers		100-150h 10-50s	July Oct				H5			

## Cirsium ('Plume Thistle')

Magnetic attraction for butterflies and bees.

3-5  
per m²

<b>'Mount Etna'</b> – pastel-coloured form of thistle		50-100h 10-50s	July Sept				H5			
<b>rivulare 'Atropurpureum'</b> – heads of deep purple, thistle like flowers		100-150h 10-50s	May June				H7			
<b>– 'Trevor's Blue Wonder'</b> – tall ornamental thistle with rich blue-purple flower-heads on silver-purple stems		100-150h 50-100s	May June				H7			

## Clematis

These herbaceous forms are worthy of all gardens. Easy, long-lived and hardy for good soil in sun or part shade.

3-4  
per m²

<b>x diversifolia 'Hendersonii'</b> – deep blue 'turks'-cap' flowers		150-250h 100-150s	June Sept				H6			
<b>heracleifolia 'Cassandra'</b> – clusters of superb Oxford blue, tubular flowers, heavily scented, compact, self-supporting habit, magnet for butterflies and bees		50-100h 10-50s	July Sept				H5			
<b>'Praecox'</b> – clusters of small fragrant pale blue flowers		250-400h 150-250s	Aug Oct				H6			
<b>tubulosa 'Wyevale'</b> – large fragrant blue flowers with wavy petal edges on strong stems		50-100h 50-100s	June Aug				H6			

## Coreopsis ('Tickseed')

Easy and reliable for well-drained sunny borders. Good cut flower.

3-5  
per m²

<b>'Astellat'</b> – yellow flowers, maroon centre, green oval leaves		50-100h 10-50s	June Aug				H5			
<b>'Ladybird'</b> – A mass of red flowers over a mound of feathery foliage. Great for attracting beneficial insects into the garden		10-50h 10-50s	June Sept				H5			





Coreopsis v. 'Golden Gain'



Crambe cordifolia



Crocoshmia 'James Coey'



Crocoshmia 'Emberglow'



Crocoshmia 'Orange Devil'

## Coreopsis ('Tickseed')

Continued.

3-5  
per m<sup>2</sup>

<b>grandiflora 'Mayfield Giant'</b> – large deep yellow flowers, broader leaves		50-100h 10-50s	June Aug				H5			
<b>lanceolata 'Walter'</b> – dwarf form, producing a long succession of golden daisy like flowers, wine-red centre		10-50h 10-50s	June Aug				H5			
<b>rosea 'American Dream'</b> – rich pink flowers, narrow dark green pointed leaves		10-50h 10-50s	July Aug				H5			
<b>verticillata 'Golden Gain'</b> – bright yellow flowers, robust habit		10-50h 10-50s	July Sept				H5			
– <b>'Grandiflora'</b> – long lasting yellow daisy-like flowers, neat bushes of fine wiry leaves		50-100h 10-50s	June Sept				H5			
– <b>'Zagreb'</b> – compact with golden yellow flower		50-100h 10-50s	June Sept				H5			

## Crambe ('Flowering Sea Kale')

Spectacular when in flower. Sun or part shade, good drainage.

1-3  
per m<sup>2</sup>

<b>cordifolia</b> – impressive panicles of small white flowers		150-250h 100-150s	June July				H5			
--	--	----------------------	--------------	--	--	--	----	--	--	--

## Crocoshmia ('Montbretia') Happiest in sun and well-drained soil that doesn't dry out. Excellent cut flower/seed heads.


5-7  
per m<sup>2</sup>

<b>x crocosmiiflora 'Citronella'</b> – upright slightly arched clear yellow flowers, grey-green leaves		50-100h 10-50s	July Aug				H5			
– <b>'George Davison'</b> – masses of soft yellow flowers		50-100h 10-50s	July Sept				H5			
– <b>'Honey Angels'</b> – large yellow flowers, free flowering		50-100h 10-50s	July Sept				H5			
– <b>'James Coey'</b> – nodding dark orange-red flowers, pale inside with yellow throat		50-100h 10-50s	July Aug				H4			
– <b>'Zeal Tan'</b> – attractive, medium sized, bright orange-red flowers with a fine yellow eye		50-100h 10-50s	July Sept				H4			
<b>x crocosmioides 'Castle Ward Late'</b> – burnt orange-red flowers on tall slender stems with pleated leaves		50-100h 10-50s	July Sept				H4			
<b>'Emberglow'</b> – masses of rich, sultry red flowers		50-100h 10-50s	July Aug				H4			
<b>'Limpopo'</b> – dense flower heads of large, broad, pink flowers with apricot throat		50-100h 10-50s	July Oct				H5			
<b>'Lucifer'</b> – stunning bright flame-red flowers, ideal for cutting, good clumper		100-150h 10-50s	June July				H5			
<b>masoniorum</b> – beautiful large sprays of orange, flame red flowers held against sword-like leaves		100-150h 10-50s	July Sept				H4			
<b>'Orange Devil'</b> – rich orange-red flowers with prominent suffusion of golden orange inside the centre of flowers		50-100h 10-50s	July Sept				H5			





Cynara cardunculus



Dahlia 'David Howard'



Dahlia 'Piper's Pink'



Dahlia 'Sarah'



Darmara peltata

## Cynara ('Cardoon' or Globe Artichoke')

A popular plant for adding structure and interest to any border.

1-3  
per m<sup>2</sup>

<b>cardunculus</b> – magnificent and statuesque! Huge silver-grey deeply divided leaves, stout stems topped by enormous prickly purple thistle-heads. Pick flowers just before opening, place in water where they will open fully and remain so for drying.		150-250h 100-150s	July Sept				H5			
---	--	----------------------	--------------	--	--	--	----	--	--	--

## Cynoglossum ('Hound's Tongue') Best in sun but not over-rich soil.

3-5  
per m<sup>2</sup>

<b>nervosum</b> – spectacular blue flowers		50-100h 50-100s	June July				H7			
--	--	--------------------	--------------	--	--	--	----	--	--	--

## Dahlia Increasingly popular and more widely used in plantings with hardier herbaceous plants.

May require winter protection and are still best stored in a frost-free shed for winter.

3-5  
per m<sup>2</sup>

<b>'Bishop of Llandaff'</b> – a tall, stately Dahlia with purple-bronze, deeply divided foliage and large, single, open centred vivid red flowers		50-100h 10-50s	July Sept				H3			
<b>'David Howard'</b> – Introduced by the owner of Howard Nurseries, David Howard. A seedling from D. 'Bishop of Llandaff', raised in the late 1950s. Burnt orange flowers, with dark foliage, ideal for the herbaceous border		50-100h 10-50s	July Sept				H3			
<b>'Moonfire'</b> – a striking introduction, bronze foliage providing the ideal foil to coppery-yellow flowers with a red centre		50-100h 10-50s	July Sept				H3			
<b>'Mystic Dreamer' PBR</b> – Deep mahogany to black foliage with pale pink-white flowers with a pale purple stripe on the individual petals. Perfect for borders and containers		10-50h 10-50s	June Sept				H3			
<b>'Piper's Pink'</b> – a brilliant, intense pink unfurling from a solid pink centre		50-100h 10-50s	July Sept				H3			
<b>'Roxy'</b> – attractive bronze-purple foliage, contrasting well with hot cerise pink flowers		50-100h 10-50s	July Sept				H3			
<b>'Sarah'</b> – dark leaves contrast with many stunning bright red flowers		50-100h 10-50s	July Sept				H3			
<b>'Tally Ho'</b> – purple-green foliage with flame red flowers, yellow stamens over a dark eye,		50-100h 10-50s	July Sept				H3			
<b>'Twynning's After Eight'</b> – white petals with yellow centres set against very dark to blackish foliage		50-100h 50-100s	July Sept				H3			

## Darmara ('Umbrella Plant')

A slowly spreading rhizomatous perennial that is native to woodland mountain streams in the western United States.

1-3  
per m<sup>2</sup>

<b>peltata</b> – wide leaves set on single stems, flowers are starry pink set in large round heads		100-150 50-100	Mar Apr				H6			
--	--	-------------------	------------	--	--	--	----	--	--	--





Delphinium  
Black Knight Group



Delphinium Galahad Group



Delphinium 'Pagan Purples'



Dianthus 'Memories' PBR



Dicentra s. 'Valentine'

**Delphinium** No introduction is necessary,  
as both gardeners and slugs appreciate their beauty!

3-5  
per m<sup>2</sup>

<b>Astolat Group</b> – large, rose tinted flowers on stately spikes, giving a stunning display, likes a good rich soil in sun		150-200h 50-100s	June Aug				H5			
<b>Black Knight Group</b> – stately spikes of beautiful dark violet blue blooms with black centres, plant in rich soil in sun		150-200h 50-100s	June Aug				H5			
<b>'Crystal Delight' PBR</b> – Tall spikes of ruffled pale lilac double flowers with contrasting lime centres above a mound of deeply cut green foliage		100-150h 50-100s	June Aug				H5			
<b>Galahad Group</b> – a striking variety, producing spikes of pure white flowers, it will thrive in any fertile soil in a sunny position		150-200h 50-100s	June Aug				H5			
<b>'Pagan Purples'</b> (New Millennium Series) – double dark blue-purple flowers above deeply divided green foliage		100-150h 50-100s	June Aug				H6			
<b>'Purple Surprise'</b> – Tall spikes of ruffled deep purple-white double flowers above a mound of deeply cut green foliage		50-100h 10-50s	June July				H5			

**Dianthus** ('Border Pinks') Essential for the well-drained, sunny border.  
Regularly cut or dead-head to encourage further flowers.

5-7  
per m<sup>2</sup>

<b>'Bridal Star' PBR</b> – pure white double flowers with ruffled petals		10-50h 10-50s	April Sept				H6			
<b>'Devon Wizard' PBR</b> – fragrant, cyclamen purple with a ruby-red centre		10-50h 10-50s	June Sept				H6			
<b>'Doris'</b> – pale semi-double pink with carmine centre		10-50h 10-50s	June Sept				H6			
<b>'Memories' PBR</b> – part of the Scent First Series®, a compact variety with double white flowers and spicy fragrance		10-50h 10-50s	April Sept				H6			

**Dicentra** ('Bleeding Heart' or 'Dutchman's Breeches')  
Prefer sheltered cool light shade.

4-5  
per m<sup>2</sup>

<b>formosa (eximia)</b> – green glaucous pinnately divided leaves, pendant rose-purple-pink flowers		50-100h 50-100s	April July				H5			
<b>spectabilis</b> – rose-pink to purple-pink with white, heart-shaped flowers in arching sprays		50-100h 50-100s	May July				H6			
<b>– 'Alba'</b> – pure white lockets arching gracefully		50-100h 50-100s	May July				H6			
<b>– 'Valentine'</b> – Deep red flowers with fantastic burgundy stems and dark green lobed foliage		50-100h 50-100s	April May				H6			

**Dierama** ('Angel's fishing rod') With its graceful, arching flower stems and bell-shaped blooms, it is easy to understand why Dierama is commonly called Angel's fishing rod.

5-7  
per m<sup>2</sup>

<b>pendulum</b> – tall arching stems of large pink pendulous flowers		50-100h 10-50s	June Sept				H4			
<b>pulcherrimum</b> – large and distinctively tubular, pendulous flowers. Colours range from pale pink and magenta to rich purple		100-150h 10-50s	July Aug				H4			






Digitalis 'Grandiflora'



Digitalis x mertonensis



Digitalis p. 'Snow Thimble'



Echinacea purpurea



Echinacea  
'Fatal Attraction' PBR

## Digitalis ('Foxglove')

Ever popular plants for sheltered part-shade.

3-5  
per m<sup>2</sup>

<b>grandiflora</b> (ambigua) – spikes of soft creamy-yellow flowers		50-100h 10-50s	June Aug				H6			
<b>lanata</b> – spikes of creamy-yellow flowers tinted purplish-grey and dark leaves		50-100h 10-50s	May July				H5			
<b>lutea</b> – delicate narrow cream flowers		50-100h 10-50s	May July				H6			
<b>x mertonensis</b> – the colour of crushed strawberries! Soft green leaves		50-100h 10-50s	June Aug				H5			
<b>purpurea f. albiflora</b> – tall spikes of outstanding tubular white flowers		150-250h 10-50s	June Aug				H7			
– <b>'Pam's Choice'</b> – creamy-white bell flowers with burgundy splotches on throat. A great addition to any border		100-150h 10-50s	June Aug				H7			
– <b>'Snow Thimble'</b> – tall spikes of pure white bell-shaped flowers		50-100h 10-50s	June Aug				H7			
– <b>Excelsior Group</b> – large flowers, mixed in glowing colours		100-150h 10-50s	June July				H7			
– <b>'Sutton's Apricot'</b> – hybrids selected for predominantly apricot flowers		100-150h 10-50s	May June				H7			

## Echinacea ('Coneflower') Showy flowers for open border, especially attractive to bees and butterflies.


5-7  
per m<sup>2</sup>

<b>'Purple Emperor' PBR</b> – compact variety, showy magenta-pink flowers and a darker central cone		10-50h 10-50s	July Sept				H5			
<b>pallida</b> – distinctive pale pink flowers with long drooping petals surrounding a large brown-orange central cone are carried on tall slender stems		100-150h 10-50s	June Sept				H5			
<b>purpurea</b> – large rich pink-purple flowers with prominent orange-brown centres and slightly reflexed petals. Great for attracting bees into the garden		100-150h 10-50s	June Sept				H5			
– <b>Bressingham hybrids</b> – large, red-purple flowers with central cone		50-100h 10-50s	July Sept				H5			
– <b>'Fatal Attraction' PBR</b> – large magenta flowers with orange-brown core, held upright on red stems		50-100h 10-50s	July Sept				H5			
– <b>'Green Twister'</b> – a striking bi-coloured variety, vibrantly pink/purple flowers with lime green tips		50-100h 10-50s	July Sept				H5			
– <b>'Happy Star'</b> – handsome, horizontally held white petals, vigorous with a sturdy growth habit		50-100h 10-50s	July Sept				H5			
– <b>'Magnus Superior'</b> – blooms and stems darker in colour with more consistent growth than original strain, dark carmine-red flowers		100-150h 10-50s	July Sept				H5			
– <b>'Rubinstern'</b> (Ruby Star) – intense carmine-red, horizontal flower petals		50-100h 10-50s	July Sept				H5			
– <b>'White Swan'</b> – large pure white flowers		50-100h 10-50s	June Sept				H5			





Echinops 'Taplow Blue'



Epimedium x p. 'Fröhnleiten'



Epimedium x v. 'Sulphureum'



Erigeron 'Adria'



Erigeron 'Dignity'

## Echinops ('Globe Thistle')

Statuesque plants for poor well-drained soil in full sun. Appreciated by bees.

3-5  
per m<sup>2</sup>

<b>bannaticus 'Blue Globe'</b> – large dark blue flower heads, cut flower		100-150h 50-100s	July Sept				H7			
– 'Taplow Blue' – intense steel blue flowers		100-150h 50-100s	July Sept				H7			
<b>ritro</b> – grey-blue drumstick flower heads		120h 50s	July Aug				H7			
– 'Veitch's Blue' – bright blue		50-100h 10-50s	July Aug				H7			
<b>sphaerocephalus 'Arctic Glow'</b> – large white flowers, impressive grey-green foliage		50-100h 10-50s	June Sept				H7			

## Epimedium ('Barrenwort') Invaluable early spring flowering, semi-evergreen ground cover plants for humus-rich shady position. Many have beautiful new leaves so cut back tatty old leaves in early spring.

5-7  
per m<sup>2</sup>

<b>'Akebono'</b> – masses of white flowers flushed pale pink above low mounding foliage which emerges red in the spring and fades to green as it matures		10-50h 10-50s	April May				H5			
<b>x perralchicum 'Fröhnleiten'</b> – pendant bright yellow flowers, glossy deep green marbled leaves, bronze when young, clump forming		10-50h 50-100s	April May				H6			
<b>x rubrum</b> – a deciduous variety with heart shaped foliage which emerges with a red-bronze tint which colours to a reddish-brown in the autumn. Small crimson and pale-yellow flowers are suspended on delicate stems during the spring		10-50h 10-50s	April May				H6			
<b>x versicolor 'Sulphureum'</b> – sulphur yellow star shaped flowers with pink insides, mid-green leaves		10-50h 10-50s	April May				H7			
<b>x youngianum 'Niveum'</b> – elegant ivory-white flowers amidst attractive foliage. Invaluable early spring flowering, semi-evergreen ground cover plant for humus-rich shady position		10-50h 10-50s	April May				H5			

## Erigeron ('Fleabane') Masses of daisy-like flowers for the well-drained, sunny border. Good for cutting.

3-5  
per m<sup>2</sup>

<b>'Adria'</b> – violet blue, semi-double		50-100h 50-100s	June Aug				H6			
<b>'Charity'</b> – clear pale pink flowers with big yellow centres		50-100h 50-100s	June Aug				H6			
<b>'Dignity'</b> – violet-mauve flowers		10-50h 50-100s	June Aug				H6			
<b>'Dunkelste Aller'</b> (Darkest of All) – semi-double, deep violet-blue flowers with a yellow centre carried over dark green leaves		50-100h 50-100s	June Aug				H6			
<b>'Foerstes Liebling'</b> – very deep rose pink, semi-double flowers, erect stems above grey-green leaves		10-50h 50-100s	June Aug				H6			
<b>'Nachthimmel'</b> – yellow-eyed, deep violet semi-double flowers with a hint of blue		50-100h 50-100s	June Aug				H6			





Erigeron 'Blütenmeer'



Erigeron karvinskianus



Eryngium bourgatii



Eryngium x z.'Jos Eijking' PBR



Erysimum 'Bowles's Mauve'

## Erigeron ('Fleabane')

Continued.

3-5  
per m<sup>2</sup>

<b>Quakeress</b> – white flushed pale pink		50-100h 10-50s	June Aug				H6			
<b>'Schneewittchen' (Snow White)</b> – clean white		50-100h 10-50s	June Aug				H6			
<b>glaucus 'Sea Breeze'</b> – a compact variety with masses of lilac pink flowers and yellow centres above a carpet of green foliage		10-50h 10-50s	June Aug				H6			
<b>karvinskianus</b> – small daisy like flowers with yellow centres that emerge white and turn to pink as the flowers mature		10-50h 50-100s	June Oct				H5			
– <b>'Blütenmeer'</b> – an attractive low growing daisy with yellow centred white flowers that fade to rose pink as they mature		10-50h 50-100s	June Aug				H5			
– <b>'Lavender Lady'</b> – similar in habit to the ever-popular Erigeron karvinskianus, this variety bears slightly larger pale lavender-coloured flowers		10-50h 50-100s	June Aug				H5			

## Eryngium ('Sea Holly') Statuesque and drought resistant perennials for sunny, poor, well-drained soils. Magnet for bees and excellent cut-flower.

3-5  
per m<sup>2</sup>

<b>agavifolium</b> – statuesque, rich green sharply toothed leaves, thistle-like green-white flowers		100-150h 50-100s	June Aug				H4			
<b>bourgatii</b> – silver-blue thistle like flower heads		10-50h 10-50s	July Aug				H5			
– <b>'Picos Amethyst'</b> – striking deep-blue flowers with spiky bracts, veined green and white foliage		10-50h 10-50s	June Aug				H5			
– <b>'Picos Blue' PBR</b> – bright blue flowers with silver bracts, dark green silver veined leaves		50-100h 10-50s	June Aug				H5			
<b>planum 'Flüela'</b> – rich violet heads and bracts		50-100h 10-50s	July Aug				H5			
– <b>'Seven Seas'</b> – dark blue		50-100h 10-50s	June Aug				H5			
<b>x tripartitum</b> – beautiful widespread branches, carrying metallic blue flower heads		50-100h 10-50s	July Aug				H5			
<b>variifolium</b> – dark green leaves with white veins, stiff stems carrying grey-blue flowers		10-50h 10-50s	July Aug				H4			
<b>x zabelii 'Big Blue'</b> – large central cones surrounded by prominent spikey bracts are held on branching stems above silvery-green veined foliage. Flowers emerge a soft steely blue and mature to a richer electric blue with age		50-100h 10-50s	June Aug				H5			
– <b>'Jos Eijking'</b> – statuesque and drought resistant perennial with rich blue tinted flower heads, broad bracts giving a starry appearance		50-100h 10-50s	July Aug				H5			

## Erysimum ('Wallflower') Erysimum can be annuals, biennials or woody-based perennials with narrow leaves and dense raemes of, often fragrant, 4-petalled flowers.

3-5  
per m<sup>2</sup>

<b>'Bowles's Mauve'</b> – erect spikes of lilac-mauve flowers		50-100h 50-100s	April Aug				H4			
---	--	--------------------	--------------	--	--	--	----	--	--	--






Eupatorium 'Baby Joe' PBR®




Eupatorium 'Chocolate'



Euphorbia a. v. robbiae



Euphorbia 'Portuguese Velvet'



Euphorbia c. 'Fens Ruby'

**Eupatorium** ('Hemp Agrimony' or 'Joe Pye Weed') Ideal for mid to back of border, giving structure and height, happiest in moist, well-drained soils in sun or part shade.

1-3  
per m<sup>2</sup>

<b>dubium 'Baby Joe' PBR®</b> – a compact variety, large, showy mauve purple flower heads on strong stems		50-100h 50-100s	July Sept				H7		
<b>fortunei 'Pink Elegance'</b> – purple-pink flowers, variegated foliage		100-150h 50-100s	Aug Sept				H7		
<b>maculatum 'Red Dwarf'</b> – compact variety, bears reddish-lavender flower heads		50-100h 50-100s	Aug Sept						
<b>rugosum 'Chocolate'</b> now classified under the genus <i>Ageratina</i> – maroon brown leaves, white flowers		50-100h 50-100s	June Oct				H5		


**Euphorbia** ('Spurge' or 'Milkweed')

Carefully remove spent flower heads. Best in sun and well-drained soil.

1-3 or 3-5  
per m<sup>2</sup>

<b>amygdaloides var. robbiae</b> – good evergreen space-filler for shade, sulphur yellow flowers, dark glossy green foliage		10-50h 100-150s	June July				H6		
– ' <b>Purpurea</b> ' – a bushy perennial with deep purple-red evergreen foliage and stems of contrasting lime green flowers		50-100h 50-100s	April Aug				H6		
– ' <b>Ruby Glow</b> ' – new foliage emerges a bright vibrant red and matures to a deep maroon-purple with stems of contrasting lime green flowers		50-100h 50-100s	April Aug				H5		
<b>characias 'Ascot Moonbeam'</b> – compact and bushy with white-edged foliage and all year interest		50-100h 50-100s	April June				H4		
– ' <b>Portuguese Velvet</b> ' – distinctive round flower heads, pale green flowers with brown-black centres, velvety grey-green leaves		50-100h 50-100s	Mar May				H4		
– ' <b>Silver Swan PBR</b> ' – eye catching variegated form, glaucous-green foliage with an irregular cream margin, topped with bracts of small green and white cup shaped flowers		50-100h 100-150s	April Aug				H4		
– <b>subsp. wulfenii</b> – yellow-green flowers, evergreen		100-150h 100-150s	April May				H4		
– ' <b>Margery Fish Group</b> ' – bright green-yellow flower heads over glaucous foliage		100-150h 100-150s	April May				H4		
<b>cyparissias 'Fens Ruby'</b> ('Clarice Howard') – honey scented early lime green flowers, narrow blue-grey leaves with maroon tips		10-50h 100-150s	April June				H7		
– ' <b>Orange Man</b> ' – soft narrow foliage, bright yellow maturing through orange flowers, green leaves		10-50h 10-50s	April May				H4		
<b>griffithii 'Fireglow'</b> – brilliant orange-red heads carried on strong erect stems, attractive leaves		50-100h 50-100s	May June				H7		
<b>x martini 'Ascot Rainbow' PBR</b> – narrow, grey-green leaves that have a striking yellow edge, the foliage is topped by clusters of variegated cream, lime and green flowers		100-150h 50-100s	Mar July				H5		





Euphorbia palustris



Fascicularia bicolor



Filipendula 'Venusta'



Foeniculum 'Purpureum'



Fragaria 'Red Ruby' PBR

## Euphorbia

Continued.

1-3 or 3-5  
per m<sup>2</sup>

<b>- 'Baby Charm'</b> – dark green foliage forming dwarf mounds, olive-yellow flowers freely produced		50-100h 50-100s	April July				H5			
<b>myrsinites</b> – prostrate, blue-grey evergreen leaves, sulphur yellow flowers, most effective on a bank		10-50h 10-50s	Mar April				H5			
<b>palustris</b> – dramatic heads of sulphur yellow bracts on strong stems, good for naturalizing		50-100h 10-100s	June July				H7			
<b>polychroma</b> – domes of bright yellow bracts after the daffodils		10-50h 50-100s	April May				H4			

## Eurybia

Can be found under its previous genus Aster.

## Eutrochium

Can be found under its previous genus Eupatorium

## Fascicularia ('Hardy Bromeliad') unusual perennial with an almost tropical appearance.

3-5  
per m<sup>2</sup>

<b>bicolor</b> – exotic-looking spiny foliage rosettes with flowers produced from the centre		10-50h 50-100s	Aug Oct				H3			
--	--	-------------------	------------	--	--	--	----	--	--	--

## Filipendula ('Queen of the Prairies') Happiest in moist, well-drained soils in sun or part shade.

3-5  
per m<sup>2</sup>

<b>rubra 'Venusta'</b> – exquisite fluffy deep rose heads		150-250h 50-100s	June Aug				H5			
<b>ulmaria 'Aurea'</b> – leaves bright yellow in spring, creamy-white flowers		50-100h 10-50s	June July				H6			

## Foeniculum ('Fennel')

Distinctive feathery, aniseed-scented foliage, a must for the dry sunny garden.

3-5  
per m<sup>2</sup>

<b>vulgare 'Purpureum'</b> – dark red-bronze leaved fennel		150-250h 50-100s					H5			
--	--	---------------------	--	--	--	--	----	--	--	--

## Fragaria ('Ornamental Strawberry')

Delightful prolific ground-cover for hanging-basket, pot or border in sun or shade.

3-5  
per m<sup>2</sup>

<b>x ananassa Pink Panda</b> PBR – vigorous, low growing semi-evergreen ground cover, pink flowers for months, edible fruits		10-50h 50-100s	May Nov				H6			
<b>- 'Red Ruby'</b> PBR – distinct red flowers for months		10-50h 50-100s	May Nov				H6			

## Francoa ('Bridal Wreath')

An excellent cut flower, very hardy.

3-5  
per m<sup>2</sup>

<b>sonchifolia 'Pink Giant'</b> – consistently larger pink bicoloured flowers, more attractive and longer lasting		50-100h 10-50s	July Sept				H4			
---	--	-------------------	--------------	--	--	--	----	--	--	--






Gaillardia 'Burgunder'




Gaillardia x g. 'Kobold'



Gaura 'Papillon'



Gaura 'Passionate Blush'



Gaura 'Siskiyou Pink'

## Gaillardia ('Blanket Flower')

Can be short lived. Best in well-drained and sunny position.

5-7  
per m<sup>2</sup>

<b>x grandiflora 'Burgunder'</b> – pure deep scarlet		10-50h 10-50s	June Oct				H5			
– <b>'Celebration' PBR</b> – a dwarf variety with deep orange-red flowers atop a compact mound of green foliage.		10-50h 10-50s	June Sept				H5			
– <b>'Dazzler'</b> – golden yellow with maroon centre		50-100h 10-50s	June Oct				H5			
– <b>'Kobold' (Goblin)</b> – dwarf yellow and red		10-50h 10-50s	June Oct				H5			
– <b>'Sunset Snappy'</b> – a dwarf variety with large vibrant pink-red flowers that are fringed creamy yellow atop a compact mound of green foliage		10-50h 10-50s	June Sept				H5			

## Gaura ('Beeblossom') Now classified under the genus Oenothera.

Prefers full sun and well-drained position.

3-5  
per m<sup>2</sup>

<b>'Papillon'</b> – upright stems of white flowers over green foliage		10-50h 10-50s	April Sept				H4			
<b>lindheimeri Cherry Brandy PBR</b> – tall slender pink flowers, dark green spoon-shaped leaves, forming foliage that remains compact		10-50h 10-50s	June Sept				H4			
– <b>Gaudi Red PBR</b> – a compact variety with bright pink flowers held on red stems above low mounding green foliage		10-50h 10-50s	June Sept				H4			
– <b>'Passionate Blush' PBR</b> – spikes of pastel pink star shaped flowers, lance shaped leaves forming foliage flushed burgundy		10-50h 10-50s	May Sept				H4			
– <b>'Rosyjane'</b> – tall graceful stems of white flowers with a contrasting pink edge open from dark pink buds. Green foliage is mottled purple		50-100h 10-50s	April Sept				H4			
– <b>'Siskiyou Pink'</b> – combination of pale and deep pink flowers, dark green spooned shaped leaves		100-150h 50-100s	June Sept				H4			
– <b>'The Bride'</b> – graceful, willowy stems of white flowers		100-150h 50-100s	July Sept				H4			
– <b>'Tutti Frutti'</b> – a compact variety with large pink flowers held on red flushed stems above purple mottled green foliage		10-50h 10-50s	June Sept				H4			
<b>'Whirling Butterflies'</b> – white flowers with long stamens open from pink buds on many airy stems		50-100h 10-50s	July Sept				H4			









## Field growing at Howard Nurseries

As with any planting project correct ground preparations are the key to getting a good result and this is also true for our field grown production. From cultivating the ground to more extreme measures such as the renewal of drainage, every effort is taken to ensure that we can produce the best quality plants.

We begin field planting as soon as weather and soil conditions allow and utilise both a module and disc planter to help plant the wide range of field grown varieties that we have available.

Irrigation is at times necessary during our dry Suffolk summers, often providing its own logistical puzzle. At times the borehole water used to irrigate our field crops can need to travel as far as 1.5 miles from extraction point to end destination!






Geranium 'Alan Mayes'



Geranium 'Blue Cloud'



Geranium 'Coombland White'



Geranium 'Dusky Crûg'



Geranium 'Jean Armour'

**Geranium** ('Crane's Bill') One of the most valued and versatile of garden plants.  
Varieties for sun, shade, dry and moist positions.

3-5  
per m<sup>2</sup>

<b>'Alan Mayes'</b> – improved autumn foliage colour, violet-blue flowers		10-50h 10-50s	May Aug				H7			
<b>'Ann Folkard'</b> – rich magenta flowers with black veins, deeply cut yellow-green leaves, effective if left to climb through other plants, sun		10-50h 50-100s	June Sept				H7			
<b>'Anne Thomson'</b> – rich magenta flowers, more compact than 'Ann Folkard'		10-50h 50-100s	June Sept				H7			
<b>'Blue Cloud'</b> – long flowering hybrid producing large, loose mounds of finely divided leaves, many pale blue, starry flowers with blue-purple veining		50-100h 150-250s	May Aug				H7			
<b>'Blushing Turtle'</b> <sup>PBR</sup> – pink flowers with darker veining, mounding green foliage		10-50h 50-100s	May Sept				H5			
<b>'Brookside'</b> – beautiful large deep blue flowers with paler eye, long flowering		10-50h 10-50s	June Sept				H7			
<b>'Coombland White'</b> – attractive mounds of downy evergreen foliage give rise to upward facing flowers of white in close up revealed to be the palest mauve-pink with delicate veining		10-50h 10-50s	June Aug				H5			
<b>'Dragon Heart'</b> <sup>PBR</sup> – large, magenta flowers with black centres and dark venation		50-100h 10-50s	June Aug				H7			
<b>Dreamland (Bremdream)</b> <sup>PBR</sup> – a low creeping variety with delicate pale pink flowers bearing white centres and dark pink veining. A prolific flowerer that will keep going long into the season		10-50h 10-50s	April Sept				H7			
<b>'Dusky Crûg'</b> – prolific flowering, soft pink blooms, set off against purple-bronze, spreading foliage		10-50h 10-50s	June Sept				H7			
<b>'Elke'</b> – masses of small purple-pink flowers, fading to white at edge, set off by darker veining, carpet of deeply divided foliage turning red in autumn		10-50h 10-50s	June Sept				H7			
<b>'Ivan'</b> – showy with bold mid-green basal leaves, large magenta flowers with black veins, borne in profusion		50-100h 50-100s	June Aug				H7			
<b>'Jean Armour'</b> – pale pink flowers with a white centre, trailing foliage		10-50h 50-100s	June Sept				H6			
<b>'Johnson's Blue'</b> – classical mid-blue flowers, deeply cut foliage		10-50h 50-100s	June Aug				H7			
<b>'Lawijk Star'</b> – dark blue-violet flowers with dark veining and purple-flushed foliage		10-50h 50-100s	June Aug				H7			
<b>'Little David'</b> – bright magenta-pink flowers, deeply cut foliage		10-50h 10-50s	June Sept				H7			
<b>'Mavis Simpson'</b> – masses of pale pink flowers veined purple with a silvery sheen for months, mats of low growing foliage		10-50h 10-50s	June Sept				H6			
<b>'Nimbus'</b> – mass of large starry dark violet-purple flowers with white centre, dark veining, divided leaves		50-100h 10-50s	May Sept				H7			





Geranium 'Patricia'




Geranium 'Red Admiral'



Geranium 'Rozanne' PBR



Geranium x c. 'Biokovo'



Geranium 'Laurence Flatman'

## Geranium ('Crane's Bill')

Continued.

3-5  
per m<sup>2</sup>

<b>'Orion'</b> – exceptionally large dark blue flowers, striking autumn leaf colour		10-50h 50-100s	May Aug				H7			
<b>'Orkney Cherry'</b> PBR – bronze-flushed foliage with small vibrant pink flowers		10-50h 50-100s	May Aug				H6			
<b>'Patricia'</b> – carmine-pink flowers		50-100h 150-250s	June Sept				H7			
<b>'Philippe Vapelle'</b> – lovely soft grey-green leaves forming mounds, large bluish-purple flowers with strong, dark veins and notched petals		10-50h 10-50s	June July				H7			
<b>'Red Admiral'</b> – a well named hybrid of G. psilostemon and G. sylvaticum offering a major step towards a truly red flowered hardy Geranium. A vigorous plant with surprisingly large, reddish pink flowers with a dark centre and veining		50-100h 10-50s	June Sept				H7			
<b>'Rozanne'</b> PBR – large single violet-blue with paler centre and charcoal grey anthers, terrific in pot, ground-cover or border, best in full sun		50-100h 50-100s	June Nov				H7			
<b>'Sanne'</b> – dark bronzy leaves with masses of small round white flowers		50-100h 50-100s	June Aug				H7			
<b>'Sirak'</b> – striking mauve pink flowers		10-50h 100-150s	May July				H7			
<b>'Spinners'</b> – young shoots are gold-flushed, developing deeply lobed dissected leaves. Richly coloured flowers, among the closest to a true blue		50-100h 50-100s	May June				H7			
<b>'Tiny Monster'</b> – pink flowers with dark wine-red veining, green foliage often turning purple-bronze in autumn		10-50h 10-50s	May June				H7			
<b>x cantabrigiense 'Biokovo'</b> – an aromatic carpeter, the trailing stems retaining their foliage into winter. The light green leaves are almost invisibly hairy. Blush-pink flowers with contrasting deep pink stamens		10-50h 50-100s	June Aug				H6			
<b>– 'Cambridge'</b> – bushy plant covered in mauve flowers in summer. The rounded leaves are scented and have a low spreading habit		10-50h 50-100s	April Aug				H6			
<b>– 'Intense'</b> – intense magenta pink flowers above low, spreading, aromatic foliage which develops red colouration in the autumn. Ideal for adding a shot of colour to a shady area		10-50h 10-50s	June Sept				H7			
<b>– 'St.Ola'</b> – the flowers, among the largest of the species, are almost pure white, ageing to light rose-pink, with overlapping petals		10-50h 10-50s	April Aug				H6			
<b>cinereum 'Laurence Flatman'</b> – lilac pink flowers intensely veined crimson purple		<10h 10-50s	May Sept				H5			
<b>clarkei 'Kashmir Pink'</b> – rosy-pink flowers		10-50h 50-100s	June Sept				H5			
<b>– 'Kashmir White'</b> – masses of cup shaped white flowers, attractive leaves, good ground cover		10-50h 100-150s	June Aug				H6			





Geranium 'Plenum'



Geranium m. 'White Ness'



Geranium 'Silver Wood'



Geranium x o. 'Walter's Gift'



Geranium phaeum

## Geranium ('Crane's Bill')

Continued.

3-5  
per m<sup>2</sup>

– (Purple-flowered Group) 'Kashmir Purple' – delightful drooping purple flowers		10-50h 100-150s	June Sept				H6			
himalayense 'Gravetye' – blue, very profuse		10-50h 10-50s	June Aug				H7			
– 'Plenum' – showy, double, lavender-blue flowers		10-50h 10-50s	June Aug				H7			
macrorrhizum 'Bevan's Variety' – crimson flowers with purple tints		10-50h 50-100s	April June				H7			
– 'Czako' – one of the most valued and versatile of garden plants. Rich magenta flowers from red-brown calyces, light green semi-evergreen aromatic foliage		10-50h 50-100s	April Aug				H7			
– 'Ingwersen's Variety' – soft pink flowers held above deeply cut aromatic foliage. Perfect for ground cover		10-50h 50-100s	June Aug				H7			
– 'White-Ness' – pure white flowers, low growing forming a mound, glossy light green semi-evergreen foliage		10-50h 50-100s	April June				H7			
nodosum – small lilac flowers, glossy green leaves, ideal for shade		10-50h 10-50s	June Aug				H5			
– 'Silverwood' – pure white form of the more common pink species		10-50h 10-50s	June Aug				H5			
– 'Svelte Lilac' – cup shaped lilac flowers heavily veined, thin glossy foliage		10-50h 10-50s	June Aug				H5			
x magnificum – masses of rich violet blue flowers over deeply-cut mounds of leaves		50-100h 50-100s	June Aug				H7			
– 'Rosemoor' – improved form, relatively compact, less likely to flop over, lavender-blue flowers		50-100h 10-50s	June Aug				H7			
x oxonianum 'Lace Time' – striking pink veining over white background, occasionally flushed pink		10-50h 50-100s	May Aug				H7			
– 'Rebecca Moss' – soft clear pink flowers		50-100h 50-100s	June Aug				H7			
– 'Rosenlicht' – dark pink-magenta flowers		10-50h 50-100s	May Aug				H7			
– 'Walter's Gift' – soft pink flowers with darker veining, contrasting well with leaves which are marked with brown		10-50h 50-100s	April Sept				H7			
– 'Wargrave Pink' – bright salmon pink flowers		10-50h 50-100s	June Sept				H7			
phaeum – reflexed maroon purple flowers, lobed soft green leaves, good in shade		50-100h 10-50s	May July				H7			
– 'Album' – reflexed white flowers, light green foliage		100-150h 50-100s	May July				H7			





Geranium 'Lily Lovell'



Geranium p.  
'Mrs Kendall Clark'



Geranium richardsonii



Geranium sanguineum  
'Album'



Geranium 'Elsbeth'

## Geranium ('Crane's Bill')

Continued.


3-5  
per m<sup>2</sup>

– 'Lily Lovell' – unblotched leaves emerge yellowish becoming bright green, the large, dark violet flowers, nodding only slightly, have a white eye surrounded by a deep purple zigzagged line		50-100h 10-50s	May July				H7			
– var. <b>phaeum</b> 'Samobor' – brilliant foliage plant with deep black zonal rings and typical phaeum flowers		50-100h 10-50s	May July				H7			
<b>pratense</b> 'Laura' <sup>PBR</sup> – fully double white flowers above a mound of deeply cut green foliage		50-100h 50-100s	April Aug				H7			
– 'Mrs Kendall Clark' – clear slate blue flowers with veining and charcoal anthers		50-100h 50-100s	June Aug				H7			
– 'Plenum Album' – double white form with a contrasting green flower centre, bright green foliage		50-100h 50-100s	April Aug				H7			
– var. <b>pratense</b> f. <b>albiflorum</b> 'Silver Queen' – large light silver-blue flowers with dark anthers		50-100h 50-100s	May July				H7			
<b>psilostemon</b> – brilliant magenta flowers with black centres		50-100h 10-50s	June Aug				H7			
– 'Eva' – magenta flowers with black veining and centres above divided green foliage. Similar to psilostemon but with a more compact habit		50-100h 10-50s	June Aug				H7			
<b>renardii</b> – white flowers, violet veins, low mounds of decorative, puckered sage green foliage		10-50h 10-50s	May June				H6			
<b>richardsonii</b> – bright green, glossy, deeply lobed leaves, flat white flowers which light up its favoured damp, light shade		10-50h 10-50s	May Sept				H7			
<b>x riversleaianum</b> 'Russell Prichard' – intense carmine-red, creeping habit		10-50h 50-100s	June Sept				H4			
<b>sanguineum</b> – deep magenta, long flowering		10-50h 10-50s	June Aug				H7			
– 'Album' – excellent pure white flowers		10-50h 10-50s	June Aug				H7			
– 'Elke' – vibrant flowers with white edging, red foliage in autumn		10-50h 10-50s	June Aug				H7			
– 'Elsbeth' – large, light magenta-purple flowers on spreading plant		10-50h 10-50s	May June				H7			
– 'Glenluce' – masses of clear pink flowers		10-50h 10-50s	May June				H7			
– 'John Elsley' – mounds of carmine pink flowers		10-50h 10-50s	July Sept				H7			
– 'Max Frei' – compact with dark magenta flowers		10-50h 10-50s	June Aug				H7			
– 'Nyewood' – light purple flowers on neat mounded foliage		10-50h 10-50s	May July				H7			





Geranium 'Mayflower'



Geum 'Blood Orange'



Geum 'Emory Quinn'



Geum 'Karlskaer'



Geum 'Lemon Drops'

## Geranium ('Crane's Bill')

Continued.

3-5  
per m<sup>2</sup>

<b>- var. striatum</b> – beautiful clear, soft pink form		10-50h 10-50s	June Sept				H7			
<b>subcaulescens 'Giuseppii'</b> – vivid magenta pink		10-50h 10-50s	May Sept				H5			
<b>sylvaticum 'Album'</b> – upright plant, light green leaves with pure white flowers		50-100h 10-50s	May June				H7			
<b>- 'Amy Doncaster'</b> – excellent foliage with striking, beautiful, deep blue flowers and a clear white eye		50-100h 100-150s	May June				H7			
<b>- 'Mayflower'</b> – large lavender-blue flowers with a white eye		50-100h 10-50s	May June				H7			
<b>wallichianum 'Buxton's Variety'</b> – blue flowers with large white centres		10-50h 50-100s	July Oct				H6			
<b>wlassovianum</b> – magenta-purple, heavily veined flowers, velvety stems and leaves, brilliant autumn colour		50-100h 50-100s	June Aug				H7			

## Geum ('Avens') Brightly coloured and useful plants for sunny, moist, well-drained position.

5-7  
per m<sup>2</sup>

<b>'Bell Bank'</b> – large red-pink flowers above a compact mound of broad leaved foliage		10-50h 10-50s	May July				H7			
<b>'Blood Orange'</b> – deep red stems and buds open to orange flowers above a mound of ruffled foliage		10-50h 10-50s	May Oct				H7			
<b>'Borisii'</b> – intense orange flowers, compact habit		10-50h 10-50s	May Sept				H7			
<b>'Emory Quinn'</b> – large golden yellow flowers held on red stems above low ruffled foliage		10-50h 10-50s	May Sept				H7			
<b>'Fireball'</b> – branched stems carrying a profusion of semi-double golden yellow, suffused scarlet-orange flowers giving an overall warm glowing apricot-orange effect		50-100h 50-100s	May Sept				H7			
<b>'Fire Storm' PBR</b> – vigorous and compact with vibrant bright orange, double flowers		10-50h 10-50s	April Aug				H7			
<b>Flames of Passion' PBR</b> – semi-double deep red-pink flowers held on contrasting reddish-brown stems above low mounding ruffled foliage		10-50h 10-50s	April Aug				H7			
<b>'Karlskaer'</b> – apricot-orange flowers, compact		10-50h 10-50s	May Aug				H7			
<b>'Lemon Drops'</b> – low-growing variety with single, yellow flowers, forms a neat dome of fresh green leaves		10-50h 10-50s	May June				H7			






Geum 'Moonlight Serenade'



Geum 'Prinses Juliana'



Geum 'Rusty Young'



Geum 'Queen of Orange'



Gillenia trifoliata

## Geum ('Avens')

Continued.

5-7  
per m<sup>2</sup>

<b>'Moonlight Serenade'</b> – delicate white hairs give a silvery sheen to stems and leaves, lovely creamy-yellow flowers fading to cream-white		10-50h 10-50s	April June				H7			
<b>'Mrs J. Bradshaw'</b> – popular, semi-double scarlet red		10-50h 10-50s	May Sept				H7			
<b>'Pink Petticoats'</b> – compact and highly floriferous. Flowers are made up of layers of ruffled peach-pink petals and a lemon yellow centre		10-50h 10-50s	April Aug				H7			
<b>'Poco'</b> – deep red stems and buds, golden apricot flowers, tinged coppery orange		10-50h 10-50s	April June				H7			
<b>'Prinses Juliana'</b> – double orange flowers, vigorous and repeat flowering		10-50h 10-50s	May Oct				H7			
<b>'Red Wings'</b> – bright scarlet, semi-double flowers, larger flower in comparison to 'Mrs J. Bradshaw'		10-50h 10-50s	May July				H7			
<b>'Rusty Young'</b> – strong red stems hold bright yellow flowers splashed with red well clear of the foliage, very free flowering		10-50h 10-50s	April June				H7			
<b>'Salmon Delight'</b> ® – semi-double salmon pink flowers emerge from red flushed buds, held on slender red flushed stems above soft hairy ruffled foliage		10-50h 10-50s	April May				H7			
<b>'Savanna Sunset'</b> – brown-red stems and buds, slightly frilled petals and a hint of doubling add to dusky apricot flowers held well above the plant		10-50h 10-50s	April June				H7			
<b>Tempo™ 'Orange'</b> – semi-double orange-peach flowers emerge from red flushed buds, held on slender red flushed stems above soft hairy ruffled green foliage		10-50h 10-50s	April July				H7			
<b>Tempo™ 'Yellow'</b> – semi-double creamy yellow flowers emerge from red flushed buds, held on slender red flushed stems above soft hairy ruffled green foliage		10-50h 10-50s	April Aug				H7			
<b>'Totally Tangerine'</b> PBR – warm apricot-orange flowers		50-100h 10-50s	June Aug				H7			
<b>coccineum 'Cooky'</b> – bright orange flowers held on slender wiry stems above hairy, ruffled foliage		10-50h 10-50s	April Aug				H7			
– <b>'Queen of Orange'</b> – bright orange flowers are up to 4cm across held on slender stems above soft hairy lobed foliage		10-50h 10-50s	April Aug				H7			
<b>rivale 'Album'</b> – nodding white flowers, prefers cool moist spot		10-50h 10-50s	April June				H7			
– <b>'Leonard's Variety'</b> – nodding rose coloured bell-shaped flowers on reddish stems, dark green leaves, prefers cool moist spot		10-50h 10-50s	April June				H7			

## Gillenia ('Bowman's Root') Graceful sprays of flowers, perfect for adding interest to a shady spot.

5-7  
per m<sup>2</sup>

<b>trifoliata</b> – A mass of delicate white star-shaped flowers on deep red stems. Mid-green, three-leaved foliage turns orange-red during the autumn		50-100h 10-50s	April Aug				H7			
--	--	-------------------	--------------	--	--	--	----	--	--	--





**Gypsophila 'Rosenschleier'**  
(*'Rosy Veil'*)




**Helenium**  
'Moerheim Beauty'



**Helenium**  
'Ruby Tuesday'



**Helenium**  
'Wesergold'



**Helleborus**  
*argutifolius (corsicus)*

## Gypsophila (*'Baby's Breath'*)

Treasured for their wiry clouds of flowers. Best in sunny, well-drained soil. Great cut flower.

5-7  
per m<sup>2</sup>

<b>paniculata 'Compacta Plena'</b> – double white, suffused pink		10-50h 10-50s	June Aug				H6			
<b>'Rosenschleier' ('Rosy Veil')</b> – compact, free flowering, double rosy pink		10-50h 10-50s	June Aug				H6			

## Helenium (*'Sneezewort'*) Rich coloured, free-flowering perennials for the sunny border.

Divide every 2-3 years to maintain vigour. Magnet for bees.

Great cut flower.

3-5  
per m<sup>2</sup>

<b>'Moerheim Beauty'</b> – beautiful rich bronze-red flowers, profuse		50-100h 10-50s	July Sept				H7			
<b>'Red Jewel'</b> – deep red flowers with a pronounced brown central cone		50-100h 10-50s	July Sept				H6			
<b>'Rubinzweg'</b> – dark red flowers with a brown cone, the tips slightly lobed or split sometimes show a light-pink tinge		50-100h 10-50s	July Sept				H6			
<b>'Ruby Tuesday'</b> – deep red flowers with a prominent red and saffron centre		50-100h 10-50s	July Sept				H6			
<b>'Sahin's Early Flowerer'</b> – streaked yellow, brown, red flowers		50-100h 10-50s	July Oct				H7			
<b>'The Bishop'</b> – upright perennial producing rich yellow florets with a dark brown centre		50-100h 10-50s	June Sept				H7			
<b>'Wesergold'</b> – upright stems of rich golden yellow flowers with prominent brown central cones		50-100h 10-50s	June Sept				H7			
<b>autumnale 'Short and Sassy' PBR</b> – a compact Helenium with striking golden yellow-orange petals surrounding a rich brown cone		10-50h 50-100s	June Aug				H7			
<b>– 'Siesta' PBR</b> – deep, true red, ruffled petals surrounding a rich brown cone		50-100h 50-100s	July Sept				H7			

## Helianthus (*'Sunflower'*) Tough, cheery plants for full sun and fertile well drained soil.

Great cut flower.

3-5  
per m<sup>2</sup>

<b>'Lemon Queen'</b> – dark green leaves compliment prolific pale yellow flowers		150-250h 50-100s	June Sept				H4			
--	--	---------------------	--------------	--	--	--	----	--	--	--

## Helleborus (*'Hellebore'*) Best in cool, humus-rich soil in part shade.

3-5  
per m<sup>2</sup>

<b>argutifolius (corsicus)</b> – mid to pale green evergreen toothed leaves, clusters of yellow-green flowers, prefers sheltered position		50-100h 50-100s	Mar April				H5			
<b>foetidus</b> – dark green deeply divided leaves, red margined pale green flowers		50-100h 10-50s	Mar May				H7			
<b>– Wester Flisk Group</b> – purple leaves, green bell shaped flowers edged with burgundy, striking red-tinted main stems and leaf stems, with the staining continuing up into the flower heads		50-100h 10-50s	Feb April				H7			





## Helleborus ('Hellebore')

Continued.

3-5  
per m<sup>2</sup>

<b>x hybridus (orientalis)</b> – mixed colours		10-50h 10-50s	Mar April				H7			
<b>x niger ('Christmas Rose')</b> – white blushed pink blooms over evergreen fingered leaves		10-50h 10-50s	Jan- Mar				H7			
<b>orientalis red hybrids</b> – glossy deep green semi-evergreen foliage topped with bowl shaped flowers in shades of red		10-50h 10-50s	Dec April				H7			
<b>x sternii</b> – variable in height, flower colour (ranging from green with a hint of pink to deep pink) and leaf shape but a very worthwhile plant, similar in habit to H. argutifolius		10-50h 10-50s	Mar May				H4			

## Hemerocallis ('Day Lily') Reliable and adaptable plants. Happiest in rich, heavy but well-drained soil in sun or part shade.

3-5  
per m<sup>2</sup>

<b>'Black Magic'</b> – deep ruby-mahogany with yellow throat		50-100h 10-50s	June Aug				H6			
<b>'Burning Daylight'</b> – fragrant, rich glowing orange flowers with ruffled edges		50-100h 10-50s	July Aug				H6			
<b>'Buzz Bomb'</b> – yellow throat radiating out into bright velvety red petals		50-100h 10-50s	June Aug				H6			
<b>'Catherine Woodbery'</b> – soft pink over pale green		50-100h 10-50s	July Aug				H6			
<b>'Cathy's Sunset'</b> – a Howard Nurseries Introduction. Discovered as a chance seedling amongst a group of H. 'Stella de Oro' by staff member Michael Foreman and named in honour of his daughter. The attractive yellow and terracotta bi-coloured flowers are held above compact growth making it useful for the front of the border, long flowering season		50-100h 50-100s	June Sept				H6			
<b>'Corky'</b> – many lemon yellow flowers, mahogany stalks		50-100h 10-50s	June July				H6			
<b>'Edge Ahead'</b> – stunning pink with raspberry ring and yellow throat		50-100h 10-50s	June Aug				H6			
<b>'Gentle Shepherd'</b> – white flowers with a light green centre		50-100h 100-150s	June Aug				H6			
<b>'Golden Chimes'</b> – small deep yellow flowers		50-100h 50-100s	June Aug				H6			
<b>'Hyperion'</b> – canary yellow, scented		50-100h 50-100s	June Aug				H6			
<b>'Joan Senior'</b> – pale lemon fading to soft white with pale green centre		50-100h 50-100s	July Sept				H6			
<b>'Lemon Bells'</b> – lemon yellow		50-100h 10-50s	June July				H6			





Hemerocallis 'Mallard'




Hemerocallis 'Mini Pearl'



Hemerocallis 'Stella de Oro'



Heuchera 'Blackberry Jam'



Heuchera 'Fire Chief' PRR

## Hemerocallis ('Day Lily')

Continued.

3-5  
per m<sup>2</sup>

<b>lilioasphodelus</b> – classical, very fragrant, lemon yellow		50-100h 50-100s	June Aug				H6			
<b>'Little Wine Cup'</b> – deep wine-red with yellow throat		50-100h 10-50s	June Aug				H6			
<b>'Mallard'</b> – a classic, deciduous foliage with large ruby-red flowers on strong stems		50-100h 10-50s	June July				H6			
<b>'Marion Vaughn'</b> – very fragrant, pale lemon-yellow flowers with white midribs		50-100h 10-50s	June Aug				H6			
<b>'Mini Pearl'</b> – melon to blush pink with lemon yellow to green throat, wide ruffled form, very floriferous		10-50h 10-50s	June Aug				H6			
<b>'Pardon Me'</b> – small but fragrant, bright red flowers with a yellow-green throat		50-100h 10-50s	July Aug				H6			
<b>'Pink Damask'</b> – deep pink reflexed flowers		50-100h 50-100s	June Aug				H6			
<b>'Snowy Apparition'</b> – apricot-white		50-100h 50-100s	July Aug				H6			
<b>'Stafford'</b> – deep red with orange-yellow throat		50-100h 10-50s	June Aug				H6			
<b>'Stella de Oro'</b> – dwarf, canary yellow flowers with orange throat		10-50h 10-50s	June Oct				H6			
<b>'Summer Wine'</b> – maroon red		50-100h 50-100s	June Aug				H6			


## Hesperantha ('Kaffir Lily')

Can be found under its previous genus Schizostylis



Our Peonia field in full flower





Heuchera 'Black Pearl' PBR



Heuchera 'Green Spice'



Heuchera 'Lime Marmalade'



Heuchera 'Obsidian' PBR



Heucherella 'Solar Eclipse'

**Heuchera** ('Coral Bells') Many varieties now available but all appreciate moist, well-drained soil in sun or part shade. Heucheras tend to lift themselves out of the ground. Lift and divide every 3 years in spring or late summer.

5-7  
per m<sup>2</sup>

<b>'Berry Smoothie' PBR</b> – ruffled mounds of pink-red foliage which darken with age, tall stems of small, bell-shaped, pale pink flowers appear from late spring		50-100h 10-50s	April July					H6			
<b>'Black Pearl' (Primo Series) PBR</b> – compact habit with stunning black leaves with scalloped, ruffled edges with white flowers with white calyxes		10-50h 10-50s	June Aug					H6			
<b>'Blackberry Jam'</b> – dark maroon-purple on ruffled foliage with a silvery overlay and contrasting dark veining		10-50h 10-50s	April July					H6			
<b>'Chocolate Ruffles' PBR</b> – large ruffled dark leaves with chocolate brown tips, delicate spikes of pale flowers		50-100h 10-50s	May Sept					H6			
<b>'Fire Chief' PBR</b> – deep burgundy wine foliage on a dense compact plant, pink and white flowers		10-50h 10-50s	May Aug					H6			
<b>'Green Spice'</b> – mid green leaves with silver overlay and dark maroon venation, tall spires of white flowers		10-50h 10-50s	May July					H6			
<b>'Key Lime Pie'</b> – compact habit with rich lime-green foliage and small cream flowers		10-50h 10-50s	April July					H6			
<b>'Lime Marmalade'</b> – a vigorous plant with deeply lobed and ruffled leaves, glowing lime to green all season		10-50h 10-50s	April July					H6			
<b>'Marmalade' PBR</b> – striking rich amber, ruffled foliage with contrasting pink undersides		10-50h 10-50s	May June					H6			
<b>'Obsidian' PBR</b> – glossy rounded dark purple-black foliage, chartreuse - white flowers		10-50h 10-50s	July Sept					H6			
<b>'Plum Pudding' PBR</b> – very deep red, dark marbled ruffled leaves, evergreen, tiny maroon and green flowers, one of the best dark varieties		10-50h 10-50s	May Aug					H6			

**x Heucherella** ('Foamybells') Great for ground cover. Prefers partial shade and humus rich soil.

5-7  
per m<sup>2</sup>

<b>'Kimono' PBR</b> – large palm shaped leaves of soft green with dark chocolate central stripe and a slight silvery overlay, foliage turning metallic rose in winter, masses of creamy white flowers		10-50h 10-50s	June Aug					H6			
<b>'Solar Eclipse'</b> – red-brown foliage edged with lime green margin, with small white fluffy flowers		10-50h 10-50s	June July					H5			
<b>'Stoplight' PBR</b> – large striking leaves of bright limey green with deep red central markings, colour intensifying with maturity producing really bold, brilliant plant, white flowers on short spires		10-50h 10-50s	May July					H6			
<b>'Tapestry' PBR</b> – deeply cut green foliage with deep purple veining that radiates out, small pink flowers are held on thin upright stems		10-50h 10-50s	April July					H6			














Hosta 'August Moon'



Hosta 'Big Daddy'



Hosta  
'Gold Standard' (fortunei)



Hosta 'Liberty' PBR



Hosta fortunei var. albopicta

## Hosta ('Plantain Lily' or 'Funkia')

Beautiful architectural plants for moist, well-drained, part-full shady position.  
Superb in large pots.

3-5  
per m<sup>2</sup>

<b>'August Moon'</b> – large golden-yellow leaves, mauve flower spikes		50-100h 50-100s	July Aug							
<b>'Big Daddy'</b> – large blue leaves that produce dense neat mounds, pale lavender flowers		50-100h 50-100s	July Aug							
<b>'Blue Cadet'</b> – blue heart shaped leaves, dark lavender flowers		50-100h 50-100s	July Aug							
<b>'Cherry Berry'</b> – narrow green foliage with dark-green margins and creamy-white centres, mauve-lilac tubular flowers on contrasting deep red flower stems		10-50h 50-100s	July Aug							
<b>'Fire and Ice'</b> – twisted leaves with bottle-green margins and splashes of pure white at the centre, lavender flowers		50-100h 50-100s	July Aug							
<b>'Francee' (fortunei)</b> – forest green leaves with bright white margins, lavender flowers		50-100h 50-100s	July Aug							
<b>'Frances Williams' (sieboldiana)</b> – puckered glaucous leaves with beige variegations, mauve flowers		50-100h 50-100s	June Aug							
<b>'Gold Standard' (fortunei)</b> – outstanding, yellow rimmed with green, pale lavender flowers		50-100h 50-100s	June Aug							
<b>'Great Expectations' (sieboldiana)</b> – very large and dramatic mounds of blue-green, slightly wavy and cupped foliage, boldly splashed in cream or yellow, near white flowers		10-50h 50-100s	June July							
<b>'Halcyon' (Tardiana Group)</b> – beautiful mound of silver-grey leaves, mauve flowers		10-50h 50-100s	July Aug							
<b>'June' (Tardiana Group) PBR</b> – medium sized mound of gold centred foliage with blue-green margin, pale lavender flowers		10-50h 10-50s	July Aug							
<b>'Krossa Regal'</b> – large glaucous grey-green leaves, spires of lilac flowers		100-150h 100-150s	July Aug							
<b>'Liberty' PBR</b> – blue-green variegated leaves with wide-streaked yellow margins which fade to creamy-white with lavender flowers		50-100h 50-100s	June July							
<b>'Patriot'</b> – a sport of 'Francee' differing in its thicker leaves with wider, white margins, lavender flowers		50-100h 50-100s	July Aug							
<b>'Purple Heart'</b> – vibrant mid-green leaves with a contrasting deep red-purple leaf base and stems, lavender-purple flowers		50-100h 50-100s	Aug Sept							
<b>'Sum and Substance'</b> – thick textured green-gold leaves, lavender flowers, lovely. Slug resistant - a must have!		50-100h 50-100s	June Aug							
<b>'Twilight' (fortunei)</b> – medium sized, high mound of green, oval leaves with a gold edge, pale lavender flowers		50-100h 50-100s	July Aug							
<b>'Wide Brim'</b> – ribbed blue-green leaves with wide, creamy-white margins, lavender flowers. Impressive!		10-50h 50-100s	July Aug							
<b>fortunei var. albopicta</b> – golden yellow leaves with a darker green margin, mauve flowers		50-100h 50-100s	July Aug							






Houttuynia 'Chameleon'



Inula magnifica



Iris 'Benton Caramel'



Iris 'Benton Daphne'



Iris 'Benton Dierdre'

## Hosta ('Plantain Lily' or 'Funkia')

Continued.

3-5  
per m<sup>2</sup>

<b>var. aureomarginata</b> – lilac flowers, golden edged leaves		50-100h 50-100s	July Aug			H7		
<b>plantaginea var. grandiflora</b> – large glossy light-green leaves, fragrant white tubular flowers		50-100h 50-100s	July Aug			H7		
<b>sieboldiana var. elegans</b> – forming a large clump of puckered, broad, blue-grey leaves with lilac-tinged white bell-shaped flowers in dense long stems		50-100h 50-100s	July Aug			H7		
<b>undulata var. undulata ('Mediovariegata')</b> – white variegated green leaves, light purple flowers		50-100h 10-50s	July Aug			H7		

## Houttuynia ('Chameleon Plant') Potentially invasive in ideal conditions of moisture and light soil, but attractive even if the roots smell foetid! Effective in a container.

3-5  
per m<sup>2</sup>

<b>cordata 'Chameleon'</b> – coloured leaf of green, cream and red, small white flowers		10-50h 50-100s	June Sept			H6		
---	--	-------------------	--------------	--	--	----	--	--

## Hylotelephium Can be found under its previous genus Sedum.

### Inula Rich moisture retentive soil in sun or partial shade.

1-3  
per m<sup>2</sup>

<b>magnifica</b> – large coarsely hairy toothed leaves, bold yellow flower heads		150-250h 50-100s	June July			H6		
--	--	---------------------	--------------	--	--	----	--	--

## Iris ('Cedric Morris, Benton Range') Some 70 years after the fine vintage Irises bred by Cedric Morris, we are introducing some of them back into commercial growing. Numbers, though, are still limited.

3-5  
per m<sup>2</sup>

<b>'Benton Apollo'</b> – clear rich yellow flowers, olive shading and a golden-orange beard		50-100h 10-50s	May June			H7		
<b>'Benton Caramel'</b> – flowers deep red-brown in colour with golden beards		50-100h 10-50s	May June			H7		
<b>'Benton Cordelia'</b> – purple buds open to pale pink tinged purple flowers, fading to palest pink. Beard tangerine		50-100h 10-50s	May June			H7		
<b>'Benton Daphne'</b> – cream standards heavily suffused dusky-pink, and falls cream with dusky-pink margins		50-100h 10-50s	May June			H7		
<b>'Benton Dierdre'</b> – reddish-pink standards, falls cream with margin of red-pink		50-100h 10-50s	May June			H7		
<b>'Benton Lorna'</b> – pansy-violet standards, white falls edged with the same pansy-violet		50-100h 10-50s	May June			H7		
<b>'Benton Menace'</b> – large rich red-violet flowers with a golden beard		50-100h 10-50ss	May June			H7		
<b>'Benton Olive'</b> – violet standards, falls deep violet with paler margin		50-100h 10-50s	May June			H7		
<b>'Benton Nigel'</b> – standards silvery olive, falls the same, with royal purple flush		50-100h 10-50s	May June			H7		





Iris 'Benton Pearl'



Iris 'Benton Susan'



Iris 'Cherry Garden'



Iris 'Actress'



Iris 'Black Swan'

## Iris ('Cedric Morris, Benton Range')

Continued.

3-5  
per m<sup>2</sup>

'Benton Pearl' – white standards, falls white with a bright rosy-mauve flush		50-100h 10-50s	May June				H7		
'Benton Storrington' – standards bishop's purple, falls the same velvety colour, but deeper		50-100h 10-50s	May June				H7		
'Benton Susan' – standards deep buff-yellow, falls white, margined buff-yellow with golden veining and orange beard		50-100h 10-50s	May June				H7		

## Iris (Dwarf Bearded)

Plant with top of rhizome just showing – all are perfect for rockery, front of border in full sun.

6-7  
per m<sup>2</sup>

'Austrian Sky' – sky blue with darker falls		10-50h 10-50s	April May				H7		
'Blue Pigmy' – scented rich purple-blue		10-50h 10-50s	April May				H7		
'Cherry Garden' – deep wine red with purple		10-50h 10-50s	April May				H7		
'Lilli-white' – pure white		10-50h 10-50s	April May				H7		
'Orange Caper' – golden yellow with orange beard		10-50h 10-50s	April May				H7		
'Pogo' – yellow with striking brown marks on falls		10-50h 10-50s	April May				H7		

## Iris (Tall Bearded and Intermediate Bearded)

Tall Bearded Iris prefer a hot, sunny and well-drained position. Plant with rhizome just showing. We have an enviable reputation for our Irises and hope that the more detailed descriptions will encourage you to share our enthusiasm. Scent and colours can be subjective and depend on weather and light.

3-5  
per m<sup>2</sup>

'Action Front' – soft scent. Large flowers, rich mahogany-red falls with cream veining, golden yellow beard and dusky brown-mauve standards. Subdued but delicious		50-100h 10-50s	May June				H7		
'Actress' – rich, warm scent. Masses of large broad amethyst blue flowers, ruffled falls paling towards centre, dark orange beard marvellous effect		50-100h 10-50s	May June				H7		
'Beverly Sills' – sweetly scented, soft creamy coral pink with a beard in the same tones plus a hint of tangerine, thick frilly petals, blooming in great profusion		50-100h 10-50s	May June				H7		
'Black Swan' – deep purple-black standards with velvety black falls, ochre tipped beard		50-100h 10-50s	May June				H7		
'Black Tie Affair' – large, broad flowers, deep purple-black throughout, at its most intense in the falls, shimmering, silky petals and black beard, lightly scented		50-100h 10-50s	May June				H7		
'Blue Rhythm' – uniform cornflower blue with orange tipped beard		50-100h 10-50s	May June				H7		





Iris 'Bold Print'



Iris 'Braithwaite'



Iris 'Chantilly'



Iris 'Deep Black'



Iris 'Foggy Dew'

## Iris (Tall Bearded and Intermediate Bearded)

Continued.

3-5  
per m<sup>2</sup>

<b>'Blue Shimmer'</b> – heavily scented. Incredibly free-flowering. Large beautifully proportioned flowers. Broad falls with heavy blue-mauve picotee blending into pure white centre, standards same blue, shot through with white		50-100h 10-50s	May June							
<b>'Bold Print'</b> – white standards and falls, delightfully edged with blue-purple, light blue beard		50-100h 10-50s	May June							
<b>'Braithwaite'</b> – fruity scent. Medium sized flowers, semi-reflexed falls of deep rich, velvety purple, bright yellow beard and contrasting pale blue standards		50-100h 10-50s	May June							
<b>'Carnaby'</b> – rosy apricot standards with large rosy purple falls with slight fading on the falls borders, orange beard		50-100h 10-50s	May June							
<b>'Carnival Time'</b> – scented. Complex colours, amber edged darkening to chestnut-red centre falls, overlaid with delicate velvety blue bloom. Compact, ruffled standards of coppery brown		50-100h 10-50s	May June							
<b>'Chantilly'</b> – scented. Beautifully shaped flowers, reflexed falls with crimped edges, pale mauve centres blending into yellow. Similar standards. Needs close inspection to appreciate full beauty		50-100h 10-50s	May June							
<b>'Deep Black'</b> – delicate scent. Deepest, richest velvety indigo. Semi-reflexed falls virtually black, standards indigo		50-100h 10-50s	May June							
<b>'Draco'</b> – very large deep black purple head, velvety and heady perfume, vigorous and prolific		50-100h 10-50s	May June							
<b>'Dusky Challenger'</b> – very large and incredibly rich purple heads, almost silk like in appearance, gorgeous perfume, numerous buds, flowers later than most varieties		50-100h 10-50s	June July							
<b>'Foggy Dew'</b> – standards white ground overlaid by pale lilac-blue staining and fringed dull gold, falls white subtly edged lilac-blue, beard white tipped with yellow, an exquisite combination		50-100h 10-50s	May June							
<b>'Harriette Halloway'</b> – scented. Very large, superb flower! Huge paddle shaped reflexed falls of Mediterranean blue, paler towards the centre and shot through with buff veins. Same clear blue standards. Elegant despite flower size and should be better known. Excellent alternative to I. 'Jane Phillips'!		50-100h 10-50s	May June							
<b>'Jane Phillips'</b> – very scented. Classic, large sky-blue flowers, reflexed falls. Elegant and deservedly popular.		50-100h 10-50s	May June							
<b>'Kent Pride'</b> – delicate scent. Sumptuous chestnut-burgundy falls with white and yellow blaze, golden beard. Burgundy standards. Leaf bases have attractive mauve staining		50-100h 10-50s	May June							
<b>'Langport Storm'</b> – pale mauve, suffused with hints of brown in the standards, falls similar but with brown blotch, scented		10-50h 10-50s	April May							






Iris 'Mer du Sud'



Iris 'Quechee'



Iris 'Rajah'



Iris 'Sable'



Iris 'Stepping Out'

## Iris (Tall Bearded and Intermediate Bearded)

Continued.

3-5  
per m<sup>2</sup>

<b>'Langport Wren'</b> – rich purple-maroon standards with similar falls with darker veins enhanced by dark yellow-brown beard		50-100h 10-50s	May June			H7		
<b>'Lemon Ice'</b> – creamy yellow standards, falls also creamy yellow at edge merging with white centre, yellow beard		50-100h 10-50s	May June			H7		
<b>'Lord Warden'</b> – delicious scent. Bold amber-bronze, slightly reflexed falls with darker picotee. Standards rich amber-gold. Very solid looking plant		50-100h 10-50s	May June			H7		
<b>'Love's Tune'</b> – ruffled white flowers with a hint of blue, soft pale blue beard		10-50h 10-50s	May June			H7		
<b>'Madeira Belle'</b> – flowers carried on sturdy well branched stems, emerging with a hint of green from bud to give a white of rare purity, beautifully ruffled with a white beard		50-100h 10-50s	May June			H7		
<b>'Mer du Sud'</b> – huge purple flower heads with a blue beard on strong stems, splendid perfume, numerous buds		50-100h 10-50s	May June			H7		
<b>'Ola Kalá'</b> – spicy scent. Nicely proportioned, golden yellow flowers shot through with amber		50-100h 10-50s	May June			H7		
<b>'Pink Charm'</b> – scented. Exquisite, large open peachy-pink falls, softer broad standards, bold tangerine beard. Massed flowers, almost congested		50-100h 10-50s	May June			H7		
<b>'Pirate's Quest'</b> – very large golden yellow flowers with a hint of white in the beards, wonderful fragrance, numerous buds		50-100h 10-50s	May June			H7		
<b>'Quechee'</b> – rich, orange chocolate scent. Large open flowers. Velvet burgundy-garnet falls, softer burgundy standards		50-100h 10-50s	May June			H7		
<b>'Rajah'</b> – rich, fruity, spicy scent. Amazing flower! Rich dark velvety burgundy falls shot through with yellow, topped by clearest bright butter-yellow standards		50-100h 10-50s	May June			H7		
<b>'Raspberry Blush'</b> – raspberry pink suffused with mauve on falls, rich orange beard		10-50h 10-50s	May June			H7		
<b>'Rocket'</b> – scented. Semi-reflexed amber and yellow falls with overlay of buff-pink. Buff-yellow standards. Beautiful! Sturdy		50-100h 10-50s	May June			H7		
<b>'Sable'</b> – scented, black-purple falls with purple standards. A lighter centre is highlighted by an orange tipped blue-purple beard		50-100h 10-50s	May June			H7		
<b>'Stepping Out'</b> – white falls with heavy margins of blue-purple, standards almost entirely deep blue-purple		50-100h 10-50s	May June			H7		
<b>'Sultan's Palace'</b> – simply stunning, very large rich copper red flowers with a hint of yellow, beautiful perfume, numerous buds		50-100h 10-50s	May June			H7		
<b>'Susan Bliss'</b> – lilac-purple falls with slightly paler standards and a yellow beard		50-100h 10-50s	May June			H7		






Iris 'Titan's Glory'



Iris 'Winter Olympics'



Iris chrysographes



Iris 'Rose Queen'



Iris x robusta 'Gerald Darby'

## Iris (Tall Bearded and Intermediate Bearded)

Continued.

3-5  
per m<sup>2</sup>

<b>'Titan's Glory'</b> – the name says it all, a true specimen, incredibly large and stunning purple flowers, scented depending on growing conditions, numerous buds		50-100h 10-50s	May June			H7		
<b>'White City'</b> – soft scent, palest cool blue you can imagine maturing to white		50-100h 10-50s	May June			H7		
<b>'Winter Olympics'</b> – ruffled edges to standards and falls, pure white including beard		50-100h 10-50s	May June			H7		
<b>'Wondrous'</b> – large, pale pink flowers, lovely scent if kept in the right conditions, numerous buds		50-100h 10-50s	May June			H7		

## Iris

(Various)

3-5  
per m<sup>2</sup>

<b>chrysographes</b> – violet, almost black flower heads with a slight golden streak, grey-green foliage		10-50h 10-50s	May June			H6		
<b>ensata</b> – mixed hybrids ranging through white, pink, blue and purple		50-100h 10-50s	June July			H6		
– <b>'Kumo-no-obi'</b> – light purple		50-100h 10-50s	June July			H6		
– <b>'Moonlight Waves'</b> – white with lime green centre diffusing into petals		50-100h 10-50s	June July			H6		
– <b>'Rose Queen'</b> – soft pink flowers, up to three flowers are produced per stem		50-100h 10-50s	May June			H6		
– <b>'Variegata'</b> – white striped leaves that remain handsome until late in the year, flowers are a rich purple		50-100h 10-50s	June July			H6		
<b>foetidissima</b> – decorative orange seed heads in autumn		50-100h 10-50s	June July			H6		
<b>lazica</b> – blue flowers, evergreen, broad glossy foliage		10-50h 10-50s	Oct Mar			H5		
<b>pallida (dalmatica)</b> – blue-grey foliage, lavender flowers		50-100h 10-50s	June July			H7		
– <b>'Argentea Variegata'</b> – soft blue scented flowers, white variegated glaucous foliage		50-100h 10-50s	June July			H7		
– <b>'Variegata' ('Aurea')</b> – blue scented flowers, golden variegated leaves		50-100h 10-50s	May June			H7		
<b>pseudacorus (Yellow Flag Iris)</b> – rich yellow flowers		100-150h 100-150s	June July			H7		
– <b>'Variegata'</b> – stunning golden variegated Yellow Flag Iris		100-150h 100-150s	June July			H7		
<b>x robusta 'Gerald Darby'</b> – violet-purple flowers with a splash of yellow and dark veining, new growth has a purple splash at the base of the plant		100-150h 10-50s	June July			H7		





Iris unguicularis



Iris 'Cambridge'



Iris 'Flight of Butterflies'



Iris 'Tropic Night'



Kalimeris 'Shogun'

## Iris

(Various)

3-5  
per m<sup>2</sup>

<b>unguicularis</b> ( <i>stylosa</i> ) – delicate, scented lavender-blue flowers, nestling amongst grass-like foliage throughout winter and spring. Best in hot position, poor soil		10-50h 10-50s	Dec Feb				H5			
---	--	------------------	------------	--	--	--	----	--	--	--

## Iris sibirica (Siberian Iris)

An adaptable group, suitable for planting near water or any reasonable soil.

3-5  
per m<sup>2</sup>

<b>sibirica 'Caesar's Brother'</b> – broad, deep purple flowers		50-100h 10-50s	June July				H7			
– <b>'Cambridge'</b> – light blue flowers with dark veining		50-100h 10-50s	June July				H7			
– <b>'Dreaming Yellow'</b> – white standards, pale cream falls, yellow at centre		50-100h 10-50s	June July				H7			
– <b>'Flight of Butterflies'</b> – swarms of small flowers, pale blue with darker veining		50-100h 10-50s	May July				H7			
– <b>'Melton Red Flare'</b> – red-purple flowers		50-100h 10-50s	June July				H7			
– <b>'Mountain Lake'</b> – deep blue broad flowers		50-100h 10-50s	June July				H7			
– <b>'Papillon'</b> – mid-blue flowers		50-100h 10-50s	June July				H7			
– <b>'Perry's Blue'</b> – large sky blue flowers		50-100h 10-50s	June July				H7			
– <b>'Persimmon'</b> – broad blue-purple		50-100h 10-50s	June July				H7			
– <b>'Silver Edge'</b> – large, broad flowers with blue standards and dark blue falls edged with white		50-100h 10-50s	June July				H7			
– <b>'Snowcrest'</b> – large, broad white flowers with yellow hafts		50-100h 10-50s	June July				H7			
– <b>'Sparkling Rosé'</b> – rose-purple flowers		50-100h 10-50s	June July				H7			
– <b>'Tropic Night'</b> – many mid blue-purple flowers, attractive veining		100-150h 50-100s	June July				H7			
– <b>'White Swirl'</b> – wide gold-centred pure white flowers		50-100h 10-50s	June July				H7			


## Kalimeris ('Japanese Aster')

Open border, pinching out promotes compact growth and more flowers.

5-7  
per m<sup>2</sup>

<b>yomena 'Shogun'</b> – violet-blue flowers, two-toned green leaves with cream edge		10-50h 10-50s	Aug Sept				H7			
--	--	------------------	-------------	--	--	--	----	--	--	--





Knautia macedonica



Kniphofia 'Bees Lemon'



Kniphofia 'Fiery Fred'



Kniphofia 'Ice Queen'



Kniphofia 'Timothy'

## Knautia ('Macedonian Scabious')

Great for attracting pollinators into the garden.

5-7  
per m<sup>2</sup>

<b>macedonica</b> – double dark crimson scabiosa-like flowers, loved by butterflies and bees		50-100h 10-50s	June Sept					
--	--	-------------------	--------------	--	--	--	--	--

## Kniphofia ('Red Hot Pokers') Ideal for sunny banks and borders. Good drainage preferred.

3-5  
per m<sup>2</sup>

<b>'Bees' Lemon'</b> – lemon-yellow pokers opening from green buds, noticeable toothed leaf edge		50-100h 50-100s	June Sept					
<b>'Bees' Sunset'</b> – spiky upright bluish-green foliage, glowing amber-cream pokers, very free flowering		100-150h 50-100s	July Oct					
<b>'Drummore Apricot'</b> – apricot pokers opening from green buds, bronzed stems		50-100h 50-100s	June Sept					
<b>'Fiery Fred'</b> – slender leaves, bright orange spikes arising from green buds, over a long season, matching the intensity and stamina of the cricketer after whom it was named		100-150h 100-150s	June Sept					
<b>'Ice Queen'</b> – green tinged buds open to a creamy yellow and fade to a creamy white as the flowers mature. Flowers are held on tall stems above narrow arching green foliage		100-150h 50-100s	June Aug					
<b>'Jenny Bloom'</b> – beautiful slender cream and pink pokers, grassy leaves		50-100h 10-50s	June Aug					
<b>'John Benary'</b> – coral-red pokers		150-250h 10-50s	June Sept					
<b>'Mango Popsicle'</b> <sup>PBR</sup> – vibrant orange flower spikes rise above attractive grassy foliage		50-100h 10-50s	June Aug					
<b>'Nancy's Red'</b> – short, slender dusky deep coral-red flowers, welcome colour and form		50-100h 10-50s	July Oct					
<b>'Percy's Pride'</b> – robust, yellow-green statuesque flowers		100-150h 50-100s	Aug Oct					
<b>'Redhot Popsicle'</b> <sup>PBR</sup> – deep red flower spikes rise above attractive grassy foliage		50-100h 10-50s	June Aug					
<b>'Tawny King'</b> – tawny apricot buds open to cream flowers from dark bronzed stems, long-flowering, vigorous		100-150h 50-100s	July Oct					
<b>'Tetbury Torch'</b> <sup>PBR</sup> – bright apricot-yellow pokers, very unique as it flowers for two seasons		50-100h 10-50s	June Sept					
<b>'Timothy'</b> – soft peach and cream flowers with flared ends, bronze stems		50-100h 10-50s	July Sept					
<b>'Toffee Nosed'</b> – tawny orange flowers fading to cream		50-100h 10-50s	June Sept					

## Lamium ('Dead Nettle') Adaptable ground cover plants for sun or full shade.

Trim with shears after flowering to maintain dense growth.

3-5  
per m<sup>2</sup>

<b>galeobdolon 'Hermann's Pride'</b> – attractive silver mottled dense, semi-evergreen foliage, yellow flowers, non invasive, good in shade		10-50h 50-100s	May July					
<b>maculatum 'Pink Pewter'</b> – silver leaves with crinkly green margins pale pink flowers		10-50h 50-100s	May June					





Lamium 'White Nancy'



Lathyrus vernus



Lavandula 'Little Lady'



Lavandula 'Grosso'



Leucanthemum 'Aglaia'

## Lamium ('Dead Nettle')

Continued.

3-5  
per m<sup>2</sup>

- 'White Nancy' – hooded white flowers over soft, silver leaves		10-50h 50-100s	May June				H7			
---	--	-------------------	-------------	--	--	--	----	--	--	--

## Lamprocapnos ('Bleeding Heart' or 'Lady in a bath')

Can be found under its previous genus Dicentra.

## Lathyrus ('Spring Pea')

An invaluable and easy woodlander

3-5  
per m<sup>2</sup>

vernus – clusters of blue-purple flowers on bushy plants		10-50h 10-50s	April May				H5			
--	--	------------------	--------------	--	--	--	----	--	--	--

## Lavandula ('Lavender') Hardly needs an introduction. Superb for the hot sunny border.

Trim spent flower stems in late summer. Pick for cut/dry flowers just before the blooms fully open.

3-5  
per m<sup>2</sup>

angustifolia 'Alba' – spikes of white flowers, compact evergreen foliage		50-100h 50-100s	July Aug				H5			
- 'Hidcote' – classic fragrant deep purple flowers, silver grey leaves		10-50h 50-100s	July Sept				H5			
- 'Little Lady' – compact, erect sage-green leaves, very free-flowering selection with mid violet flowers		10-50h 10-50s	July Sept				H5			
- 'Imperial Gem' – compact bushy variety, rich purple blooms, prolific flowerer		10-50h 10-50s	June Aug				H5			
- 'Melissa Lilac' PBR – strong, robust silver-green foliage, beautiful furry calyces, mellow purple flowers		50-100h 50-100s	July Sept				H5			
- 'Munstead' – neat growth, paler blue flowers		10-50h 50-100s	July Sept				H5			
- 'Thumbelina Leigh' PBR – dwarf form with silver-grey foliage and purple flowers		10-50h 10-50s	June Aug				H5			
- 'Twickel Purple' – grey-green foliage, large purple flowers with excellent fragrance		50-100h 50-100s	July Sept				H5			
intermedia 'Grosso' – long slender stems, topped with clusters of vivid violet flowers		50-100h 50-100s	July Aug				H5			
intermedia 'Phenomenal' PBR – robust form, strong foliage, tall stems		50-100h 50-100s	July Aug				H5			

## Leucanthemum ('Shasta Daisy')

Delightful daisies for the sunny border. Excellent cut flowers.

3-5  
per m<sup>2</sup>

'Shortstop' PBR – a compact Leucanthemum, semi double white daisy like flowers with yellow centres are held on short stems above low mounding green foliage		10-50h 10-50s	June Sept				H4			
x superbum 'Aglaia' – double white flowers with yellow centres		50-100h 10-50s	June Aug				H4			
- 'Alaska' – large, single white flower		50-100h 10-50s	June Aug				H4			
- 'Banana Cream' – upright stems of creamy-yellow daisy-like flowers with a yellow centre		10-50h 10-50s	June Oct				H4			





## Leucanthemum ('Shasta Daisy')

Continued.

3-5  
per m<sup>2</sup>

- <b>'Becky'</b> – double row of white petals with a large yellow centre		100-150h 50-100s	June Aug				H4			
- <b>'Christine' (Sweet Daisy Series)</b> – a compact, floriferous variety bearing large white single daisy like flowers with yellow centres on multiple stems		10-50h 10-50s	June Aug				H4			
- <b>'Engelina' PBR</b> – large fully double white flowers with golden yellow centres		10-50h 10-50s	June Aug				H4			
- <b>'Goldfinch' PBR</b> – semi-double creamy lemon yellow daisy like flowers with golden yellow centres. Flowers fade to ivory as the flowers age		10-50h 50-100s	June Aug				H4			
- <b>'Snowcap'</b> – a dwarf selection, prolific in its production of single white flowers		10-50h 10-50s	June Aug				H4			
- <b>'Spoonful of Sugar'</b> – a compact free flowing variety with large creamy white flowers held above low mounding foliage		10-50h 10-50s	June Aug				H4			
- <b>'T.E. Killin'</b> – beautiful flat, open, anemone centred white daisy		50-100h 10-50s	July Oct				H4			

## Lewisia 'Attractive evergreen foliage with a vibrant splash of flower colour in spring and summer.'

<b>cotyledon 'Safira Coral'</b> – a compact evergreen perennial with rosettes of semi-glossy foliage topped with clusters of coral pink flowers		10-50h 10-50s	April Oct				H6			
---	--	------------------	--------------	--	--	--	----	--	--	--

## Liatris ('Gay feather') For the sunny border. Improve drainage on heavy soils, attractive to butterflies and bees, also makes a good cut-flower.

3-5  
per m<sup>2</sup>

<b>spicata 'Floristan Violet'</b> – vibrant purple spikes		50-100h 10-50s	July Sept				H7			
- <b>'Floristan Weiss'</b> – impressive pure white spikes		50-100h 10-50s	July Sept				H7			
- <b>'Kobold'</b> – selected for its compact form, bold purple spikes		10-50h 10-50s	July Sept				H7			

## Libertia ('New Zealand Satin Flower') Attractive evergreen for sheltered sun or partial shade. Quite imposing. For well-drained soil.

3-5  
per m<sup>2</sup>

<b>grandiflora</b> – evergreen grassy leaves, topped by sprays of pure white saucer-shaped flowers		50-100h 50-100s	May Sept				H5			
--	--	--------------------	-------------	--	--	--	----	--	--	--

## Ligularia Preferring moist, free-draining soils these majestic plants will add drama to any planting.

3-5  
per m<sup>2</sup>

<b>'Britt Marie Crawford' PBR</b> – dark mahogany leaves, star-like dark orange flowers with dark centres		50-100h 50-100s	June Aug				H6			
<b>'The Rocket'</b> – bright yellow erect spikes, dark foliage		150-250h 50-100s	July Aug				H6			





Ligularia przewalskii




Limonium 'Robert Butler'



Liriope 'Big Blue'



Lobelia 'Compton Pink'



Lobelia 'Russian Princess'

## Ligularia

Continued.

3-5  
per m<sup>2</sup>

<b>'Zepter'</b> – deep orange-yellow flowers on black stems, well held above large rounded leaves		100-150h 50-100s	July Aug						
<b>dentata 'Desdemona'</b> – vivid orange flower heads, handsome large dark purple leaves		50-100h 50-100s	July Aug						
– <b>'Othello'</b> – heart-shaped dark red-green leaves, large orange flowers, loved by butterflies		50-100h 50-100s	July Aug						
<b>przewalskii</b> – yellow flowers on almost black stems arising from clumps of triangular, deeply divided leaves		150-250h 50-100s	July Aug						

**Limonium** ('Sea Lavender' or 'Statice') Happiest in a sunny, open border. Ideal cutdried flowers, cut just before flowers are fully open.

5-7  
per m<sup>2</sup>

<b>platyphyllum (latifolium)</b> – large dark green leaves, sprays of tiny lavender blue flowers		50-100h 10-50s	July Sept						
– <b>'Robert Butler'</b> – good foliage, intense violet blue flowers		50-100h 10-50s	June Aug						
– <b>'Violetta'</b> – dark green leaves with sprays of rich purple flowers		50-100h 10-50s	Aug Sept						

**Liriope** ('Lilyturf') An underrated evergreen for ground cover. Tolerant of dry soils and part shade but flowering best in sun.

5-7  
per m<sup>2</sup>

<b>muscaria</b> – clumps of evergreen grass-like leaves, plentiful spikes of lavender-blue		10-50h 10-50s	Aug Nov						
– <b>'Big Blue'</b> – slender, violet-brown stems rise above the deep green leaves, bearing loose spikes of long violet-blue bells		10-50h 10-50s	Aug Nov						
– <b>'Monroe White'</b> – one of the best-known species of Liriope forming dense clumps of deep green leaves. Violet-flushed stems bear dense spikes of large pure white flowers		10-50h 10-50s	Sept Oct						

**Lobelia** Happiest in moist, well-drained soils in sun. Apply protective mulch in the autumn.

3-5  
per m<sup>2</sup>

<b>Compton Pink</b> – spikes of pale pink flowers above luscious green foliage		50-100h 50-100s	Aug Oct						
<b>cardinalis 'Bee's Flame'</b> – spikes of large bright scarlet flowers above beetroot-red foliage		50-100h 10-50s	July Oct						
– <b>'Queen Victoria'</b> – scarlet flowers, dark purple-red foliage		50-100h 10-50s	July Aug						
– <b>'Russian Princess'</b> – deep magenta red flowers, dark crimson and green flecked foliage		50-100h 10-50s	Aug Sept						
<b>siphilitica</b> – light-green leaves, spikes of clear blue flowers		50-100h 10-50s	July Sept						






Lobelia 'Tania'



Lychnis Atrosanguinea Group



Lychnis 'White Robin'



Lysimachia 'Firecracker'



Lysimachia clethroides

## Lobelia

Continued.

3-5  
per m<sup>2</sup>

– f. <b>albiflora</b> 'Alba' – tall spikes of white flowers above mounds of green foliage		50-100h 10-50s	July Sept				H5			
x <b>speciosa</b> 'Dark Crusader' – velvety blood-red flowers		50-100h 10-50s	July Sept				H5			
– 'Hadspen Purple' <sup>PBR</sup> – striking vivid purple flowers on tall upright stems		50-100h 10-50s	July Sept				H5			
– 'Pink Elephant' <sup>PBR</sup> – tall showy spikes of pink tubular flowers		100-150h 10-50s	July Sept				H5			
– 'Sparkling Ruby' – clump forming with dark green foliage and rich, velvety deep ruby flowers		50-100h 10-50s	Aug Oct				H4			
– 'Tania' – crimson-purple flowers, hardy		50-100h 10-50s	July Sept				H5			

## Lychnis ('Campion') Any ordinary soil in sun/part shade.

Remove spent flower heads to prevent excessive seeding about. Good cut flower.

5-7  
per m<sup>2</sup>

<b>chalcidonica</b> – scarlet red heads set off with light green leaves		50-100h 10-50s	June Aug				H7			
<b>coronaria</b> 'Alba' – silvery leaved rosettes, pure white flowers		50-100h 10-50s	June Sept				H7			
– 'Angel's Blush' – pink flushed centres to white flowers held on tall branching stems		50-100h 10-50s	June Aug				H7			
– <b>Atrosanguinea Group</b> – blood red flowers		50-100h 10-50s	July Aug				H7			
<b>flos-cuculi</b> 'Jenny' – soft pink flowers on wiry stems over clumping foliage		50-100h 10-50s	May July				H6			
– 'White Robin' – pure white flowers with red stems, upright habit		50-100h 10-50s	May June				H7			


## Lysimachia ('Loosestrife')

Easy plants for any soil, sun or part shade


3-5  
per m<sup>2</sup>

<b>Candela</b> – ('Innlyscand') – elegant white flower spikes above compact mound of green foliage		10-50h 10-50s	May Sept				H6			
<b>ciliata</b> 'Firecracker' – yellow flowers, contrasting mahogany leaves		50-100h 10-50s	July Aug				H6			
<b>clethroides</b> – a graceful species, erect stems bearing slender, lance shaped, light green leaves, tapered spikes arching over in bud, straightening out as white flowers appear		50-100h 50-100s	July Aug				H6			
<b>punctata</b> 'Alexander' – robust clear yellow flowers, white variegated foliage with a red tinge in spring		50-100h 10-50s	June Aug				H6			





Lythrum salicaria 'Blush'



Lythrum virgatum 'Dropmore Purple'



Macleaya x kewensis 'Flamingo'



Monarda 'Aquarius'



Monarda 'Cambridge Scarlet'

**Lythrum** ('Purple Loosestrife') Easy and reliable for any soil, sun or part shade that does not dry out. Looks good near water.

3-5  
per m²

<b>salicaria 'Blush'</b> – spikes of blush pink		50-100h 10-50s	July Sept				H7		
– <b>'Feuerkerze' ('Firecandle')</b> – spikes of intense rose red		100-150h 10-50s	June Sept				H7		
– <b>'Robert'</b> – clear pink, compact growth, vigorous		50-100h 10-50s	June Sept				H7		
<b>virgatum 'Dropmore Purple'</b> – purple-red		100-150h 10-50s	July Aug				H6		
– <b>'The Rocket'</b> – deep rose pink		50-100h 10-50s	June Sept				H6		

**Macleaya** ('Plume Poppy') Magnificent plant for back of border.

1-3  
per m²

<b>x kewensis 'Flamingo'</b> – grey leaves, suffused pink with plumes of buff pink flowers		150-250h 100-150s	July Sept				H6		
<b>microcarpa 'Kelway's Coral Plume'</b> – plumes of coral-pink flowers, large blue-green leaves		150-250h 100-150s	June Aug				H6		

**Mathiasella bupleuroides** An unusual perennial with impressive nodding, green flowerheads.

<b>'Green Dream'</b> – nodding, jade-green, bell-like bracts gradually turning pink and persisting well into the Autumn		50-100h 50-100s	April Oct				H5		
---	--	--------------------	--------------	--	--	--	----	--	--

**Monarda** ('Bergamot')

Happiest in moist, well-drained soil in sun/part shade. Can become invasive.

3-5  
per m²

<b>'Aquarius'</b> – pale lilac flowers, aromatic, mildew resistant foliage		50-100h 10-50s	June Aug				H4		
<b>'Balance' (Libra)</b> – deep pink flowers, aromatic, mildew resistant foliage		50-100h 10-50s	Aug Sept				H4		
<b>'Beauty of Cobham'</b> – whorls of soft pink flowers surrounded by striking purple-pink bracts above aromatic foliage		50-100h 10-50s	June Sept				H4		
<b>'Cambridge Scarlet'</b> – bright scarlet		50-100h 10-50s	July Sept				H4		
<b>'Croftway Pink'</b> – whorls of tubular, rose pink flowers above green, aromatic foliage		50-100h 10-50s	July Sept				H4		
<b>'Fishes' (Pisces)</b> – pale pink flowers, aromatic, mildew resistant foliage		100-150h 10-50s	July Aug				H4		
<b>'Gardenview Scarlet'</b> – brilliant red flowers with pale green-pink tipped bracts and aromatic foliage		50-100h 10-50s	July Sept				H4		





Monarda 'Mohawk'



Monarda 'Schneewittchen'



Monarda 'Violet Queen'



Morina longifolia



Nepeta 'Blue Dragon'

## Monarda ('Bergamot')

Continued.

3-5  
per m<sup>2</sup>

<b>'Mahogany'</b> – very dark wine-red blooms		50-100h 10-50s	July Aug				H4		
<b>'Marshall's Delight'</b> – double magenta crimson flowers		50-100h 10-50s	June Aug				H4		
<b>'Mohawk'</b> – mauve purple flowers, mildew resistant foliage		50-100h 10-50s	Aug Sept				H4		
<b>'Prärienacht'</b> – whorls of tubular pink-purple flowers above green aromatic foliage		50-100h 10-50s	June Sept				H4		
<b>'Sagittarius'</b> – lilac flowers, aromatic, mildew resistant foliage		50-100h 10-50s	July Aug				H4		
<b>'Schneewittchen'</b> – whorls of white flowers surrounded by green bracts above aromatic foliage		50-100h 10-50s	June Sept				H5		
<b>'Scorpion'</b> (Scorpio) – purple flowers, aromatic, mildew resistant foliage		100-150h 10-50s	June Aug				H4		
<b>'Squaw'</b> – scarlet flowers, aromatic, mildew resistant foliage		100-150h 10-50s	July Aug				H4		
<b>'Violet Queen'</b> – soft violet flowers, purple-tinged foliage		50-100h 10-50s	June Aug				H4		
<b>didyma 'Bee-Bright'</b> – a compact variety with whorls of pure white flowers above aromatic mounded foliage		10-50h 10-50s	June Aug				H5		
– <b>'Bee-Happy'</b> <sup>PBR</sup> – a compact variety with whorls of deep red-pink flowers above aromatic mounded foliage.		10-50h 10-50s	June Sept				H5		
– <b>'Bee-Pure'</b> <sup>PBR</sup> – a compact variety with whorls of pink-purple flowers above aromatic mounded foliage		10-50h 10-50s	June Aug				H5		
– <b>'Melua Violet'</b> – a lower growing variety producing whorls of bright violet-purple flowers above green aromatic foliage		10-50h 10-50s	June Aug				H5		

## Morina ('Long-leaved Whorlflower') Best in very well drained soil and full sun.

5-7  
per m<sup>2</sup>

<b>longifolia</b> – stout stems of white hooded flowers, pink inside, prickly rosettes of thistle-like leaves		50-100h 10-50s	June Aug				H6		
---	--	-------------------	-------------	--	--	--	----	--	--

## Nepeta ('Catmint') Ideal complementary plant between Roses, Achilleas and Geraniums for sunny, well-drained position. Loved by butterflies and bees!

3-5  
per m<sup>2</sup>

<b>'Blue Dragon'</b> – a compact cultivar with upright spires of blue tubular flowers, held above a tight mound of aromatic foliage		50-100h 10-50s	June Sept				H6		
<b>'Cat's Pajamas'</b> – a low mounding Nepeta with spikes of indigo blue flowers above aromatic grey-green foliage		10-50h 10-50s	June Sept				H7		





Nepeta 'Bramdean'



Nepeta 'Snowflake'



Nepeta 'Walker's Low'



Nepeta subsessilis



Nepeta x faassenii

## Nepeta ('Catmint')

Continued.

3-5  
per m<sup>2</sup>

<b>'Leeds Castle' (longipes)</b> – lilac-purple flowers, grey-green leaves with purple stems		50-100h 50-100s	June Aug				H7			
<b>govaniiana</b> – spikes of small clear light yellow flowers, erect bushy habit, prefers shelter		50-100h 10-50s	July Sept				H6			
<b>grandiflora 'Bramdean'</b> – violet blue flowers on dark stems above grey green foliage		50-100h 10-50s	June Aug				H6			
– <b>'Dawn to Dusk'</b> – soft pink flowers, dark purple calyx, delightful and subtle,		50-100h 10-50s	July Sept				H6			
<b>nervosa 'Blue Moon'</b> – light blue-purple spikes		10-50h 10-50s	June Aug				H7			
<b>racemosa 'Little Titch'</b> – low growing lavender-blue flowers		10-50h 10-50s	June Aug				H7			
– <b>'Snowflake'</b> – clear white flower spikes, compact habit, best of the whites		10-50h 10-50s	June Sept				H7			
– <b>'Walker's Low'</b> – blue-mauve flowers, second crop if clipped over, one of the best		10-50h 10-50s	May Sept				H7			
<b>sibirica</b> – upright stems of rich blue trumpeted flowers, aromatic green foliage		50-100h 10-50	July Sept				H6			
– <b>'Souvenir d'André Chaudron'</b> ('Blue Beauty') – blue flowering spikes and aromatic leaves		10-50h 10-50s	June Aug				H6			
<b>'Six Hills Giant'</b> – strong, tall with lavender blue flowers		50-100h 50-100s	June Sept				H7			
<b>subsessilis</b> – unusually large bright blue flowers		50-100h 10-50s	June Sept				H6			
<b>x faassenii</b> – ever popular, mauve-blue		10-50h 10-50s	May Sept				H7			
– <b>'Blue Wonder'</b> – rich blue above mounding grey-green foliage		10-50h 10-50s	May June				H7			
– <b>'Crystal Cloud' PBR</b> – spikes of pale lilac flowers above grey green foliage		10-50h 10-50s	June Sept				H7			
– <b>'Kit Cat'</b> – short spikes of dark purple-blue flowers with grey-green foliage. Cut back spent flower heads to promote a second flush		50-100h 10-50s	June Sept				H7			
– <b>'Purrsian Blue' PBR</b> – mounds of aromatic silver-grey foliage covered in stems of densely packed blue flowers		10-50h 10-50s	June Sept				H7			





Oenothera speciosa 'Siskiyou'



Oenothera 'Summer Sun'



Omphalodes 'Starry Eyes'



Origanum 'Thumble's Variety'



Pachysandra terminalis  
'Green Carpet'

## Oenothera ('Evening Primrose')

Oenothera varieties previously classified as Gaura can be found under Gaura.

Flowers may be short-lived but make up with the number produced. Sun, most soils.

5-7  
per m<sup>2</sup>

<b>macrocarpa (missouriensis)</b> – huge lemon yellow flowers, low spreading growth		10-50h 10-50s	June Sept				H5			
<b>speciosa 'Siskiyou'</b> – stunning pink flowers deeply veined		10-50h 10-50s	June Sept				H5			
<b>'Summer Sun'</b> – deep red tipped leaves, yellow flowers		50-100h 10-50s	June Aug				H5			

## Omphalodes ('Navelwort')

Pretty, ground covering woodlanders.

5-7  
per m<sup>2</sup>

<b>cappadocica</b> – bright blue spring flowers, oval crinkled green leaves, good ground cover partial shade.		10-50h 10-50s	April May				H5			
– <b>'Cherry Ingram'</b> – bright blue forget-me-not like flowers held in short sprays over clumps of smooth, crumpled, lanceolate leaves.		10-50h 10-50s	April June				H5			
– <b>'Starry Eyes'</b> – stunning starry, white edged blue flowers		10-50h 10-50s	Mar June				H5			
<b>verna</b> – low clumps of heart-shaped leaves and clusters of brightest blue flowers, part shade preferred.		10-50h 10-50s	Mar May				H6			
– <b>'Alba'</b> – masses of white flowers, spear shaped lime green hairy foliage		10-50h 10-50s	Mar June				H6			

## Origanum ('Marjoram')

Full sun and perfect drainage. Ideally mulch with pea-shingle to avoid rotting.

Loved by bees and butterflies. Remove spent flower shoots.

5-7  
per m<sup>2</sup>

<b>laevigatum 'Herrenhausen'</b> – upright stems of tiny purple flowers with dark green aromatic leaves		10-50h 10-50s	Apr Sept				H4			
<b>vulgare 'Aureum'</b> – yellow, aromatic foliage, lilac-pink flowers		10-50h 10-50s	July Aug				H6			
– <b>'Thumble's Variety'</b> – white flowers over mounds of golden foliage		10-50h 10-50s	July Sept				H6			

## Pachysandra ('Carpet box')

This is a species of flowering plant in the boxwood family, Buxaceae, native to Japan, Korea and China.

Great groundcover.

3-5  
per m<sup>2</sup>

<b>terminalis 'Green Carpet'</b> – bright green, shiny, evergreen leaves, short stems of small white flowers		10-50h 50-100s	Mar April				H5			
--	--	-------------------	--------------	--	--	--	----	--	--	--







## Container production Howard Nurseries

**Most of our container production is made up of 2L and 9cm pots which are now produced from post-consumer plastic waste and are 100% recyclable after use.**


**We are now growing in a 100% PEAT FREE growing media.**

**We catch and recycle the water that falls onto the nursery and then re-use this for irrigation via our onsite reservoirs.**

**The energy generated by our solar panels will now be stored in two Tesla batteries and then re-used on site to power our buggies, potting machines and office computers.**







Paeonia lactiflora 'Agida'




Paeonia 'Bowl of Beauty'



Paeonia 'Bunker Hill'



Paeonia 'Edulis Superba'



Paeonia 'Madame Calot'

## Paeonia ('Peony') Classical show pieces of the traditional herbaceous border.

In limited supply, these choice plants will be offered mainly in pots but occasionally as open ground plants via our Availability Lists.

<b>'Coral Charm'</b> – striking coral pink semi-double flowers gently fade to peach and finally to a creamy yellow as they mature		50-100h 50-100s	April Aug						
<b>– 'Flame'</b> – an early flowering variety with single red-pink flowers and prominent yellow stamens above divided green foliage		50-100h 50-100s	April July						
<b>lactiflora 'Agida'</b> – semi-double carmine pink flowers with prominent yellow stamens, elegant and suitable for cutting, scented		50-100h 50-100s	June July						
<b>– 'Antwerpen'</b> – wavy, coral-pink guard petals darkening towards centre, large mass of bright creamy yellow staminodes, slightly fragrant		50-100h 50-100s	June July						
<b>– 'Border Gem'</b> – large double white with a hint of blush pink, excellent shape, golden yellow stamens		50-100h 50-100s	June July						
<b>– 'Bowl of Beauty'</b> – Japanese-flower form with very large fuchsia-rose guard petals and masses of creamy yellow staminodes, strong stems		50-100h 50-100s	June July						
<b>– 'Bunker Hill'</b> – semi double rather open blooms, deep cherry red petals, vigorous, fragrant		50-100h 50-100s	June July						
<b>– 'Duchesse de Nemours'</b> – classic double flowered peony, with large white bowl-shaped, fragrant flowers and hairless, red-brown stems carrying lance-shaped leaflets.		50-100h 50-100s	June July						
<b>– 'Edulis Superba'</b> – free flowering, classic cultivar, sweetly rose scented flowers, magenta-rose guard petals surround silver edged magenta-pink inner petals		50-100h 50-100s	May June						
<b>– 'Festiva Maxima'</b> – ethereal white peony from a bygone age, double flowers open pale pink, quickly fading to creamy-white, very fragrant		50-100h 50-100s	June July						
<b>– 'Immaculée'</b> – large, scented bowl shaped flower open with a pink blush and mature to a pure white		50-100h 50-100s	April July						
<b>– 'Inspecteur Lavergne'</b> – globe shaped flowers composed of small, deep, white rimmed crimson red petals surrounded by large crimson guard petals		50-100h 50-100s	June July						
<b>– 'Kansas'</b> – vibrant, watermelon red coloured, double flowers above green divided foliage. A good cutting variety with strong stems and lightly scented		50-100h 50-100s	June July						
<b>– 'Kelway's Glorious'</b> – masses of fragrant double white flowers with a creamy-yellow centre		50-100h 50-100s	June July						
<b>– 'Lord Kitchener'</b> – single, maroon-red flowers carried in clusters, golden yellow stamens		50-100h 50-100s	June July						
<b>– 'Madame Calot'</b> – prolific large, double flowers on strong stems, spicy fragrance, palest pink inner petals surrounded by creamy-white and pale flesh pink guard petals		50-100h 50-100s	June July						





Paeonia 'Sarah Bernhardt'



Paeonia 'White Wings'



Papaver 'Patty's Plum'



Penstemon 'Sour Grapes'



Perovskia 'Little Spire'

## Paeonia ('Peony')

Continued.

3-5  
per m<sup>2</sup>

– <b>'Sarah Bernhardt'</b> – a best seller, fragrant, fully double, apple blossom pink flowers, fading where exposed to the sun but deep pink in the depths, stems may be weak for flower weight		50-100h 50-100s	June July			H6			
– <b>'Shirley Temple'</b> – scented double flowers emerge pale pink and gently fade to white as they mature		50-100h 50-100s	June July			H6			
– <b>'Vogue'</b> – extremely beautiful, free flowering, fully double soft white-pink flowers, very large and fragrant, good for cut flowers		50-100h 50-100s	May June			H6			
– <b>'White Wings'</b> – single, pure white outer petals surrounding a mass of golden yellow stamens, slightly fragrant flowers		50-100h 50-100s	June July			H6			

**Papaver** ('Poppy') Spectacular early summer colour. Best on well-drained soil in full sun. Look good when planted with companions such as Nepeta, Stipa and Crocosmia.

3-5  
per m<sup>2</sup>

– <b>'Patty's Plum'</b> – exquisite, large plum coloured flowers		50-100h 50-100s	May July			H7			
--	--	--------------------	-------------	--	--	----	--	--	--

## Penstemon ('Beard Tongue')

Border penstemons are praised for their tubular late summer flowers in an array of dramatic colour.

5-7  
per m<sup>2</sup>

<b>'Garnet'</b> – reddish violet flowers, toning to a deep mauve, with a white throat and clear maroon pencilling		50-100h 10-50s	July Aug			H5			
<b>'Hewell's Pink'</b> – reddish stems, cerise tubes and lobes with white throat, deep carmine pencilling		50-100h 10-50s	July Sept			H4			
<b>'King George V'</b> – a striking variety which produces trumpet shaped flowers which have a scarlet striped mouth and white throat		50-100h 10-50s	June Sept			H3			
<b>'Sour Grapes'</b> – reddish violet flowers, toning to a deep mauve, with a white throat and clear maroon pencilling		50-100h 10-50s	July Sept			H3			
– <b>DAKOTA™ Burgundy</b> – compact. Glossy purple black leaves, violet flowers		50-100h 10-50s	July Aug			H4			
– <b>DAKOTA™ Verde</b> – compact habit with glossy green leaves, with lavender-violet flowers		50-100h 10-50s	July Aug			H4			

## Perovskia ('Russian Sage')

Now classified under the genus Salvia. Happiest in sunny, well-drained position. Cut back top growth in early spring to 20cm.

3-5  
per m<sup>2</sup>

<b>'Blue Spire'</b> – blue flower spikes, deeply cut greyish-white foliage with a sage aroma		100-150h 50-100s	Aug Sept			H5			
<b>'Little Spire'</b> – silver-grey leaves with upright spikes of tiny, violet-blue flowers		50-100h 50-100s	July Aug			H5			
<b>'Filigran'</b> – lavender-blue flower, spikes held above extra lacey silver-grey leaves		100-150h 50-100s	Sep Oct			H5			





Persicaria 'Darjeeling Red'



Persicaria amplexicaulis 'Alba'



Persicaria 'Atrosanguinea'



Persicaria 'Firetail'



Persicaria affinis 'Superba'

## Persicaria ('Knotweed' or 'Bistort')

Formerly Polygonum. Ideal for moist but well-drained soil in sun/part-shade.

3-7  
per m<sup>2</sup>

<b>'Pink Elephant'</b> – a shorter form with soft pink flower spikes on slender dark stems. Good for ground cover		50-100h 50-100s	June Oct				H5			
<b>affinis 'Darjeeling Red'</b> – dark pink spikes, spreading habit		10-50h 10-50s	June Sept				H7			
– <b>'Donald Lowndes'</b> – deep pink, effective ground cover		10-50h 10-50s	June Sept				H7			
– <b>'Superba' ('Dimity')</b> – pink pokers fading crimson, with colourful ground-hugging autumn foliage		10-50h 50-100s	June Sept				H7			
<b>amplexicaulis 'Alba'</b> – surprisingly elegant white spires above clumps of bold green leaves		50-100h 50-100s	June Sept				H7			
– <b>'Anne's Choice' ®</b> – long slender spikes of deep red flowers are carried above a mound of large, mid-green leaves		100-150 100-150	June Aug				H7			
– <b>'Atrosanguinea'</b> – leafy bushes with masses of ruby-red flower spikes		100-150h 50-100s	June Sept				H7			
– <b>'Blackfield' PBR</b> – long slender dark red flower spikes, mound of large mid-green leaves		100-150h 50-100s	July Oct				H7			
– <b>'Fascination'</b> – peachy-pink flowers on long stems above large bushy green foliage		100-150h 50-100s	June Sept				H7			
– <b>'Fat Domino' PBR</b> – large crimson flowers on long stems, large bushy foliage		100-150h 50-100s	July Oct				H7			
– <b>'Firetail'</b> – scarlet spikes		100-150h 50-100s	June Sept				H7			
– <b>'Inverleith'</b> – low growing with narrow leaves and purple-red flower heads, more restrained than other forms		100-150h 100-150s	June Sept				H7			
– <b>'JS Caliente' ®</b> – spires of fiery red, bottlebrush like flowers are held on slender stems above green mounding foliage which turns red during the autumn		50-100h 50-100s	June Aug				H7			
– <b>'JS Misty Morning' ®</b> – spires of pale pink-white, bottlebrush like flowers are held on slender stems above green mounding foliage		50-100h 50-100s	July Sept				H7			
– <b>'Orange Field' PBR</b> – tall and bushy selection with long spikes of coral-orange flowers		90-120h 50-100s	July Aug				H7			
– <b>'Rosea'</b> – masses of delicate light pink flowers		100-150h 50-100s	June Sept				H7			
– <b>'Taurus'</b> – deep red flowers on long stems above large bushy green foliage		100-150h 50-100s	June Sept				H7			
<b>bistorta subsp. carnea</b> – narrow leaf with pink flowers		50-100h 50-100s	May June				H7			
– <b>'Superba'</b> – clear pink bottle-brush flowers, vigorous		50-100h 50-100s	May June				H7			






Phlox 'Luc's Lilac'




Phlox 'Miss Lingard'



Phlox 'Natascha'



Phlox 'Bright Eyes'



Phlox 'David'

## Persicaria ('Knotweed' or 'Bistort')

Continued.

3-7  
per m<sup>2</sup>

<b>microcephala 'Red Dragon'</b> <sup>PBR</sup> – burgundy and green foliage with silver chevron, small white flower clusters		10-50h 50-100s	July Aug				H5			
---	--	-------------------	-------------	--	--	--	----	--	--	--

## Phlomis ('Turkish Sage')

A popular perennial offering a long flowering season and drought tolerance.

3-7  
per m<sup>2</sup>

<b>russeliana</b> – whorls of pale-yellow hooded flowers held on tall stems above large hearts shaped green foliage		50-100h 10-50s	June Sept				H6			
---	--	-------------------	--------------	--	--	--	----	--	--	--

**Phlox** Can provide plants for reliable colour in spring to mid-summer, plus no border is complete without Phlox *paniculata* for late summer colour and fragrance.  
Easy on moist well-drained soil in sun.

3-5  
per m<sup>2</sup>

<b>x arendsii 'Luc's Lilac'</b> – very large heads of small lilac flowers, highly scented, strong and upright		100-150h 50-100s	July Sept				H7			
<b>carolina 'Miss Lingard'</b> – spires of scented dazzling pure white flowers with yellow eye, purple spotted stems and glossy leaves		50-100h 10-50s	July Sept				H6			
<b>divaricata 'Clouds of Perfume'</b> – icy blue fragrant flowers with a darker eye with narrow notched petals		10-50h 10-50	April June				H5			
– <b>'White Perfume'</b> – fragrant, white flowers with bright green leaves, an attractive spreading, semi-evergreen plant that is ideal for planting along the edge of the border		10-50h 10-50s	May June				H5			
<b>maculata 'Alpha'</b> – tall cylindrical heads of scented rose-pink flowers with darker eye		50-100h 10-50s	July Sept				H6			
– <b>'Natascha'</b> – lilac-pink flowers with white markings		50-100h 10-50s	June Sept				H7			
– <b>'Omega'</b> – fragrant, cylindrical, pure white flowers with lilac eye		50-100h 10-50s	July Sept				H6			
– <b>'Rosalinde'</b> – clear pink flowers		50-100h 50-100s	July Sept				H6			
<b>paniculata 'Blue Paradise'</b> – blue flowers, paler towards centre, very fragrant, purple flushed foliage		100-150h 10-50s	July Sept				H7			
– <b>'Border Gem'</b> – violet-purple flowers, dark green-purple flushed leaves		50-100h 10-50s	July Sept				H7			
– <b>'Brigadier'</b> – salmon orange, red eye		50-100h 10-50s	July Sept				H7			
– <b>'Bright Eyes'</b> – scented pale pink flowers with red centre, strong		50-100h 10-50s	July Aug				H7			
– <b>'David'</b> – large heads of clear white flowers, excellent scent, vigorous		100-150h 50-100s	June Sept				H7			
– <b>'Eva Cullum'</b> – warm pink, darker eye, peppery scent, vigorous		50-100h 10-50s	July Aug				H7			





Phlox 'Eventide'



Phlox 'Mount Fuji'



Phlox 'Sandringham'



Phlox 'Uspek'



Phlox 'White Admiral'

## Phlox

Continued.

3-5  
per m<sup>2</sup>

– <b>'Eventide'</b> – scented lavender-blue, flushed lilac, later flowering		50-100h 10-50s	July Aug				H7			
– <b>'Franz Schubert'</b> – delicate scent, lilac blue on white, vigorous		100-150h 50-100s	July Sept				H7			
– <b>'Little Laura'</b> – violet-blue flowers with white eye		50-100h 50-100s	July Sept				H7			
– <b>'Monica Lynden-Bell'</b> – red buds, pale pink flowers with white eye		50-100h 10-50s	July Sept				H7			
– <b>'Mount Fuji' ('Fujiyama')</b> – pure white, late and tall		50-100h 10-50s	July Sept				H7			
– <b>'Norah Leigh'</b> – pale lavender flowers with variegated leaves		50-100h 50-100s	July Sept				H7			
– <b>'Othello'</b> – claret red, shoots dark green flushed purple		100-150h 50-100s	July Sept				H7			
– <b>'Prince of Orange'</b> – intense orange-scarlet, late flowering		50-100h 10-50s	July Sept				H7			
– <b>'Red Feelings'</b> – clusters of double, red scented bracts on erect stems		50-100h 50-100s	July Sept				H7			
– <b>'Sandringham'</b> – cyclamen pink with darker eye, lots of flowering side shoots		50-100h 50-100s	July Sept				H7			
– <b>'Starfire'</b> – best crimson-red, striking dark foliage, holds colour, vigorous		50-100h 10-50s	July Sept				H7			
– <b>'Tenor'</b> – red with scarlet glow, one of the first to flower		50-100h 50-100s	July Sept				H7			
– <b>'Uspek'</b> – arresting purple with white star centre, vigorous		100-150h 50-100s	July Sept				H7			
– <b>'White Admiral'</b> – strong, peppery scent, clear white		50-100h 10-50s	July Sept				H7			
– <b>'Windsor'</b> – carmine rose with magenta eye		50-100h 10-50s	July Sept				H7			
<b>subulata 'Amazing Grace'</b> – evergreen creeper with bright white flowers with a red centre		10-50h 10-50s	April June				H6			
– <b>'McDaniel's Cushion'</b> – evergreen creeper with an abundance of bright pink flowers		10-50h 10-50s	April Aug				H6			

**Phygelius** ('Cape Fushia' or 'Cape figwort') A genus of flowering plants in the Scrophulariaceae family, native to wet slopes and banks in southern Africa.


1-3  
per m<sup>2</sup>

<b>x rectus 'African Queen'</b> - soft-red elongates, tubular flowers with a yellow centre		100-150h 100-150s	July Sept				H5			
--	--	----------------------	--------------	--	--	--	----	--	--	--





Physostegia 'Vivid'



Physostegia var. speciosa 'Bouquet Rose'



Polemonium 'Northern Lights'



Polemonium caeruleum var. album



Potentilla 'Arc-en-ciel'

**Physostegia** ('Obedient Plant') Full sun or part-shade preferred. Doesn't like drying out. If individual flowers are pushed to one side, they will remain there, hence its common name.

3-5  
per m<sup>2</sup>

<b>virginiana 'Miss Manners'</b> – excellent clump forming white flowering form		50-100h 10-50s	July Sept				H7		
– <b>'Vivid'</b> – deep rose flower spikes, compact		10-50h 10-50s	Aug Oct				H7		
– <b>var. speciosa 'Bouquet Rose'</b> – spikes of pale lilac-pink flowers		50-100h 10-50s	July Sept				H7		
– <b>'Variegata'</b> – pale green leaves with white edging, contrasting pink flowers		50-100h 50-100s	Aug Oct				H7		

**Polemonium** ('Jacob's Ladder') Attractive spring bloomers, but may need shade in hottest summers.

3-5  
per m<sup>2</sup>

<b>'Northern Lights'</b> – lilac-blue flowers and mid-green leaves		10-50h 10-50s	June Sept				H7		
<b>caeruleum var. album</b> – clusters of white flowers with yellow anthers are held on upright stems above mid green pinnate foliage		50-100h 10-50s	June Aug				H7		
<b>caeruleum Brise d'Anjou</b> <sup>PBR</sup> – finely divided foliage with striking yellow edge, erect stems topped with violet-blue flowers, ideal for pot/border in sun or part shade, do not allow to dry out		50-100h 10-50s	May July				H7		
<b>reptans 'Stairway to Heaven'</b> <sup>PBR</sup> – violet-blue flowers, light green leaves, variegated with creamy white and flushed with pink in spring		50-100h 10-50s	May July				H7		
<b>yezoense var. hidakanum 'Bressingham Purple'</b> – violet-blue flowers with prominent yellow anthers, purple pinnate leaves		50-100h 10-50s	June July				H7		

**Polygonatum** ('Solomon's Seal') Happiest in cool, rich soil and shade. Ideal with Hostas and ferns.

5-7  
per m<sup>2</sup>


<b>biflorum</b> – strong arching stems, greenish white bell shaped flowers with a delicate scent		100-150h 10-50s	May June				H7		
<b>x hybridum (multiflorum)</b> – arching sprays of dangling white bells		100-150h 10-50s	May June				H7		

**Potentilla** ('Cinquefoil') Happiest in full sun and well-drained soil.

5-7  
per m<sup>2</sup>

<b>'Arc-en-ciel'</b> – large semi double red flowers with thin yellow margins		10-50h 10-50s	May Aug				H6		
<b>'Blazeaway'</b> – large, yellow-orange flowers, flecked and suffused with orange-red, carried on slender stems above slightly silvery foliage		10-50h 10-50s	May Aug				H7		
<b>'Esta Ann'</b> – bright yellow flowers with red centre, dark green leaves, trailing		10-50h 10-50s	July Aug				H7		





Potentilla 'Flambeau'



Potentilla x 'Gibson's Scarlet'



Potentilla megalantha



Primula beesiana



Primula veris

## Potentilla ('Cinquefoil')

Continued.

5-7  
per m<sup>2</sup>

<b>'Etna'</b> – semi-double, rich crimson flowers with dark centres, over silvery-green foliage		10-50h 10-50s	June Aug				H7			
<b>'Flambeau'</b> – clouds of double, dark red flowers on tall, slender stems		10-50h 10-50s	May Aug				H7			
<b>x 'Gibson's Scarlet'</b> – dazzling single, sharp red flowers		10-50h 50-100s	June Sept				H7			
<b>'Monsieur Rouillard'</b> – clusters of double or semi-double, rich red flowers		10-50h 50-100s	May Aug				H7			
<b>'William Rollisson'</b> – almost double, intense orange-flame flowers		10-50h 50-100s	June Sept				H7			
<b>atrosanguinea</b> – brilliant red flowers set off by silvery leaves		50-100h 50-100s	June July				H7			
<b>megalantha</b> – clear yellow with orange centre, silky grey green leaves		10-50h 10-50s	June Aug				H7			
<b>thurberi 'Monarch's Velvet'</b> – raspberry-red flowers with a deep red centre		10-50h 10-50s	June Aug				H7			
<b>x tonguei</b> – trailing sprays of small apricot flowers, blotched crimson		10-50h 10-50s	June Sept				H5			

## Primula

A large genus, preferring cool soil which doesn't dry out.

5-7  
per m<sup>2</sup>

<b>beesiana</b> – pink-purple candelabra flowers, yellow eye		10-50h 10-50s	May July				H6			
<b>bulleyana</b> – orange-yellow candelabra flowers		50-100h 10-50s	May July				H7			
<b>denticulata</b> – drum headed Primula in varying shades of purple		10-50h 10-50s	Mar May				H6			
<b>– var. alba</b> – pure white drum-heads		10-50h 10-50s	Mar May				H6			
<b>veris</b> (Cowslip) – golden-yellow, drooping, cup shaped flowers over grey green wrinkled leaves		10-50h 10-50s	Mar April				H5			
<b>vialii</b> – tall crimson budded flower spikes open into lilac flowers above a rosette of green foliage		10-50h 10-50s	June July				H5			
<b>x vulgaris</b> (acaulis) (Primrose) – upward facing, flat faced light yellow flowers arising from rosettes of mid green leaves		10-50h 10-50s	Mar April				H7			
<b>'Wanda'</b> – prolific, vivid purple flowers with golden centre		10-50h 10-50s	Mar April				H7			





Pulmonaria 'Blue Ensign'



Pulmonaria 'Mrs Kittle'



Pulmonaria  
'Sissinghurst White'



Pulsatilla Heiler hybrids



Rehmannia elata (angulata)

**Pulmonaria** ('Lungwort') Great for early colour, combined with spring bulbs and Helleborus.  
Remove spent flower stems to avoid seeding around.

3-5  
per m<sup>2</sup>

<b>'Blue Ensign'</b> – large rich-blue flowers, broad dark green unspotted leaves, upright stems		10-50h 10-50s	Mar April				H6			
<b>'Cotton Cool'</b> – entirely silvered leaf with blue flowers fading to pink, vigorous grower		10-50h 10-50s	Mar May				H6			
<b>'Moonshine'</b> PBR – light blue flowers with a good-sized clump of large, bright silver leaves edged with green		10-50h 10-50s	Mar May				H6			
<b>'Mrs Kittle'</b> – pink buds, flowers opening very pale pink and turning pale lavender		10-50h 10-50s	Feb April				H6			
<b>OPAL</b> – excellent semi-evergreen, well spotted leaves, flowers open from palest pink in buds turning luminous pale blue		10-50h 10-50s	April May				H6			
<b>'Roy Davidson'</b> – excellent semi-evergreen, rather narrow leaves, lightly spotted in silver, flowers pale to mid-blue borne in dense clusters		10-50h 10-50s	April May				H6			
<b>'Sissinghurst White'</b> – pretty white flowers, marbled spotted leaves		10-50h 10-50s	Mar May				H6			
<b>'Stillingfleet Meg'</b> – distinctive Pulmonaria from NCCPG collection holder Vanessa Cook. Prolific flower heads of clear pink maturing blue		10-50h 10-50s	Feb April				H6			
<b>longifolia</b> – elongated, dark green leaves with white spots, clusters of rich blue flowers		10-50h 10-50s	May July				H6			
<b>officinalis Cambridge Blue Group</b> – pale blue flowers, tinted pink in bud over spotted light green leaves		10-50h 10-50s	Mar May				H6			
<b>saccharata 'Dora Bielefeld'</b> – beautiful coral pink flowers with well developed spotted leaves		10-50h 10-50s	Feb April				H6			
<b>– 'Leopard'</b> – leaves regularly spotted in silver-white, flowers reddish-pink fading to lavender		10-50h 10-50s	April May				H6			

## Pulsatilla ('Pasque Flower')

Attractive flowers and seed heads, dislike winter wet.

5-7  
per m<sup>2</sup>

<b>vulgaris 'Alba'</b> – pure white bell shaped flowers, hairy young leaves, clump forming		10-50h 10-50s	April May				H5			
<b>– Heiler hybrids</b> – wide colour range, but mainly reds and blues		10-50h 10-50s	Mar June				H5			


## Rehmannia ('Chinese Foxglove')

Needs a sunny, sheltered spot. Foxglove-like flowers.

5-7  
per m<sup>2</sup>

<b>elata (angulata)</b> – mid green leaves, rosy purple flowers		100-150h 10-50s	June Aug				H3			
---	--	--------------------	-------------	--	--	--	----	--	--	--







Rheum 'Ace of Hearts'



Rhodiola rosea  
(Sedum rosea)



Rodgersia  
'Bronze Peacock'



Roscoeas beesiana



Rudbeckia fulgida deamii

**Rheum** ('Ornamental Rhubarb') Magnificent plants, appreciating an annual mulch of compost. Best in sheltered, rich, moist, well-drained soil in sun/part shade

1-3  
per m<sup>2</sup>

<b>'Ace of Hearts'</b> – red-purple heart shaped leaves, tall flower spikes of pale pink		100-150h 50-100s	May June			H6			
<b>palmatum</b> – large statuesque purple-red leaves, fading green after flowering, deep pink-red flower spikes		150-250h 150-250s	May June			H6			
– <b>'Atrosanguineum'</b> – rose-purple leaves, topside turns green, tall cherry-red flower spikes		150-250h 100-150s	May June			H6			
– <b>'Rubrum'</b> – red flowers, red foliage when young		150-250h 150-250s	May June			H6			

**Rhodiola** ('Rose Root')  
For sunny, well-drained position.

5-7  
per m<sup>2</sup>

<b>rosea (Sedum rosea)</b> – deep pink buds develop into starry yellow flowers, fleshy, glaucous foliage		10-50h 10-50s	July Aug			H6			
--	--	------------------	-------------	--	--	----	--	--	--

**Rodgersia** Beautiful architectural plants for moist, sheltered and shady position.  
May take a couple of years to establish.

1-3  
per m<sup>2</sup>

<b>aesculifolia</b> – a clump forming perennial, excellent for a bog garden or waterside situation. Fragrant pink-white flowers are carried as long sprays in mid summer. Foliage is crinkled and bronzed. A beautiful architectural plant		150-250h 100-150s	June Aug			H6			
– <b>'Bronze Peacock'</b> – tall pink flower spikes, reddish bronze foliage matures to green		50-100h 50-100s	July Aug			H6			
– <b>'Chocolate Wing'</b> – new foliage emerges a rich chocolate colour fading to bronze-green as it matures, contrasting dark pink flowers		50-100h 50-100s	June Aug			H6			
– <b>'Elegans'</b> – slightly tinted copper leaves, cream-white flower spikes		100-150h 50-100s	July Aug			H6			

**Roscoeas** ('Alpine Ginger') Ideal for rock gardens and woodland areas.

5-7  
per m<sup>2</sup>

<b>'Kew Beauty'</b> – slim stems bear narrow, deep-green leaves and elegant pale-yellow flowers		10-50h 10-50s	May July			H5			
<b>x beesiana</b> – pale yellow flowers with occasional hints of purple		10-50h 10-50s	June Aug			H5			
<b>purpurea</b> – violet-purple flowers		10-50h 10-50s	June Aug			H5			

**Rudbeckia** ('Cone Flower') Invaluable for their sunshine yellow flowers.  
Easy and reliable in sunny position.

3-5  
per m<sup>2</sup>

<b>fulgida var. deamii</b> – deep yellow, dark centre, strong and upright		50-100h 10-50s	July Sept				H6		
– <b>var. sullivantii 'Goldsturm'</b> – one of the best, compact, deep yellow with black centre		50-100h 10-50s	July Sept				H6		





Rudbeckia 'Juligold'



Rudbeckia o. 'Green Wizard'



Salvia 'Amethyst Lips' PBR



Salvia 'Hot Lips'



Salvia 'Jemima's Gem'

**Rudbeckia** ('Cone Flower') Invaluable for their sunshine yellow flowers.  
Easy and reliable in sunny position.

3-5  
per m<sup>2</sup>

<b>laciniata 'Goldquelle'</b> – double, deep yellow on strong stems		50-100h 10-50s	July Sept				H6			
– <b>'Herbstsonne'</b> – bright golden flowers with reflexed petals held high on tall, sturdy stems		150-250h 50-100s	July Sept				H6			
– <b>'Juligold'</b> – beautiful large reflexed golden-yellow flowers with raised green centre		150-250h 150-250s	July Sept				H6			
<b>maxima</b> – tall upright stems of black centred cone-flowers surrounded by yellow petals above blue-grey waxed foliage		150-250h 50-100s	July Sept				H6			
<b>occidentalis 'Green Wizard'</b> – strikingly different flowers with black cones surrounded by green bracts		100-150h 50-100s	July Sept				H7			
<b>subtomentosa 'Little Henry'</b> PBR – a shorter narrow upright form but still good for cut flowers, with narrow quilled, golden-yellow petals surrounding a red-brown centre		50-100h 50-100s	July Sept				H6			
<b>Summerina Yellow</b> PBR – a crown of deep green foliage and spikes of branched stems bearing large yellow flowers that fade to burnt orange		50-100h 50-100s	June Sept				H4			

**Salvia** ('Sage') Salvia varieties previously classified as Perovskia can be found listed under Perovskia.  
Long-flowering, sun-loving, drought resistant and magnet for bees. No sunny garden should be without one!

3-5  
per m<sup>2</sup>

<b>'Amethyst Lips'</b> PBR – similar in habit to Hot Lips, deep purple and white bicoloured flowers and aromatic foliage		50-100h 50-100s	June Aug				H4			
<b>'Amistad'</b> PBR – large rich purple tubular flowers on contrasting tall dark stems		100-150h 10-50s	May Oct				H3			
<b>'Blue Note'</b> PBR – spikes of small, blue pursed flowers above green, aromatic foliage		10-50h 10-50s	June Sept				H3			
<b>'Cherry Lips'</b> PBR – eye catching pink-purple and white bicoloured flowers and aromatic foliage		50-100h 50-100s	July Oct				H4			
<b>'Ember's Wish'</b> PBR – tall stems of tubular orange-red flowers on dark stems		50-100h 10-50s	July Oct				H3			
<b>'Hot Lips'</b> – unique opening red, maturing to scarlet-red and white two-toned flowers		50-100h 50-100s	June Oct				H5			
<b>'Jemima's Gem'</b> – striking velvety cerise-pink flowers		50-100h 50-100s	May Nov				H4			
<b>'Love and Wishes'</b> PBR – deep magenta flowers on dark stems atop aromatic foliage		50-100h 10-50s	July Oct				H3			
<b>'Pink Amistad'</b> – large soft pink tubular flowers open from deep pink buds on contrasting tall dark stems		150-250h 10-50s	June Sept				H3			
<b>'Royal Bumble'</b> – vibrant red flowers with purple-flushed stems		50-100h 50-100s	Aug Oct				H4			
<b>'Wendy's Wish'</b> PBR – tall stems of tubular magenta-pink flowers on dark stems		50-100h 50-100s	July Oct				H3			
<b>greggii 'Joy'</b> – bi-coloured coral and blush-pink flowers		50-100h 50-100s	May Nov				H3			





Salvia 'Black and Blue'




Salvia 'Marcus' PBR



Salvia 'Schwellenburg'



Salvia 'Mainacht'  
(May Night)



Sanguisorba 'Pink Brushes'

## Salvia

Continued.

3-5  
per m<sup>2</sup>

<b>guaranitica 'Black and Blue'</b> – long upright spikes of purple-blue flowers with black calyces		150-250h 100-150s	July Oct				H3			
– <b>'Blue Enigma' (ambigens)</b> – masses of deep blue sage-flowers, best in shelter		100-150h 50-100s	Aug Oct				H3			
<b>microphylla 'Aphrodite'</b> – spikes of soft peach-pink pursed flowers above aromatic green foliage		50-100h 50-100s	May Oct				H3			
<b>nemorosa 'Amethyst'</b> – spires of rich pink-purple flowers above bushy aromatic green foliage		50-100h 50-100s	June Sept				H7			
– <b>'Caradonna'</b> – violet-blue flowers on black-purple stems		10-50h 10-50s	June Aug				H7			
– <b>'Lubecca'</b> – massed, erect violet-purple spikes		10-50h 10-50s	June Sept				H7			
– <b>Marcus PBR</b> – intense purple flowers, compact		10-50h 10-50s	June Aug				H7			
– <b>'Ostfriesland' (East Friesland)</b> – rich spikes of deep purple-blue		10-50h 10-50s	June Sept				H7			
– <b>'Pink Beauty'</b> – a compact, free flowering variety with dense spikes of mauve-pink flowers		10-50h 10-50s	June Aug				H6			
– <b>'Schwellenburg'</b> – grey-green foliage with the rose-tinted, purple flowers		50-100h 10-50s	July Sept				H7			
<b>pratensis 'Indigo'</b> – long-flowering deep royal blue flowers. Drought resistant		50-100h 10-50s	July Sept				H7			
– <b>'Pink Delight' PBR</b> – bright pink flowers in erect sprays, strong growth and excellent mildew resistance		50-100h 10-50s	July Sept				H7			
<b>x superba</b> – spikes of violet-purple		50-100h 10-50s	June Sept				H7			
<b>x sylvestris 'Blauhügel' (Bluehill)</b> – massed spikes of light blue		10-50h 10-50s	July Sept				H7			
– <b>'Mainacht' (May Night)</b> – a classic, dark blue-purple compact flower heads		50-100h 10-50s	June Aug				H7			
– <b>'Rose Queen'</b> – erect, bright pink flowered spikes		50-100h 10-50s	June Sept				H7			
– <b>'Schneehügel' (Snowhill)</b> – compact spikes of white flowers		10-50h 10-50s	June Aug				H7			
– <b>'Viola Klose'</b> – richest dark violet blue flowers		10-50h 10-50s	May Sept				H7			
<b>uliginosa</b> – long stems of large sky-blue flowers and mid-green leaves		100-150h 50-100s	Aug Oct				H4			

## Sanguisorba ('Burnet') Graceful, vigorous and quietly stylish, for subtle late summer colour, often moisture loving.


3-5  
per m<sup>2</sup>

<b>'Pink Brushes'</b> – large fluffy rose pink cylindrical flowerheads are held on branching wiry stems above toothed green foliage		150-250h 10-50s	June Sept				H7			
---	--	--------------------	--------------	--	--	--	----	--	--	--





Sanguisorba canadensis



Sanguisorba 'Tanna'



Santolina  
chamaecyparissus (incana)



Saxifraga x urbium



Scabiosa 'Clive Greaves'

## Sanguisorba ('Burnet')

Continued.

3-5  
per m<sup>2</sup>

<b>canadensis</b> – very tall plant with large upright white slender bottle-brush flowers over green foliage		150-250h 50-100s	May Aug				H7		
<b>menziesii</b> – handsome species, blue-green leaflets, upright, egg shaped flower heads in deep purple-red		50-100h 10-50s	May Aug				H7		
<b>obtusa 'Alba'</b> – gently hanging, fluffy, white, bottlebrush like flowerheads are held on slender stems above divided green foliage		50-100h 50-100s	June Aug				H6		
<b>officinalis 'Japan'</b> – dark reddish-purple cylindrical flowerheads are held on branching wiry stems above toothed green foliage		100-150h 10-50s	June Sept				H7		
– <b>'Tanna'</b> – deep burgundy-red cylindrical flowerheads are held on slender, branching stems above blue-green crimped foliage		10-50h 10-50s	June Sept				H7		
<b>tenuifolia var. alba</b> – tall, elegant species with distinctive slender leaflets, catkin like spikes of white flowers with contrasting black anthers, held on willowy stems		150-200h 50-100s	July Sept				H7		
– <b>'Korean Snow'</b> – a tall, erect plant with lovely spikes of white flowers above clumps of deeply divided dark green leaves		150-250h 10-50s	June Sept				H7		

## Santolina ('Cotton Lavender') For hot, dry positions.

Cut back hard in April to keep compact.

3-5  
per m<sup>2</sup>

<b>chamaecyparissus (incana)</b> – neat growing silvery bush with compact yellow flowers		10-50h 50-100s	July Aug				H5		
<b>pinnata subsp. neapolitana 'Edward Bowles'</b> – neat compact silver foliage, yellow flowers		50-100h 50-100s	July Aug				H5		

## Saxifraga ('London's Pride')

Evergreen rosettes, good ground cover for sun or shade.

3-5  
per m<sup>2</sup>

<b>'Variegata' (x urbium)</b> – elegant wiry stems of small pink flowers, foliage splashed with gold		10-50h 10-50s	April May				H5		
<b>x urbium</b> – evergreen rosettes of low matt forming green scalloped foliage. Small pink flushed white flowers are held on slender branching stems		10-50 50-100	June Aug				H5		

## Scabiosa ('Pincushion Flower' or 'Scabious') Long-flowering plants for the sunny, chalky, well-drained border.

Magnet for bees and butterflies. Good cut flower.

3-5  
per m<sup>2</sup>

<b>'Butterfly Blue'</b> – low growing with grey-green leaves, impressively continuous displays of light lavender-blue flowers, ideal front of border or mass plantings		10-50h 10-50s	June Sept				H4		
<b>'Pink Mist'</b> – grey-green deeply cut leaves set off soft pink flower heads, paler in centre		10-50h 10-50s	June Sept				H4		
– <b>'Clive Greaves'</b> – a classic cultivar, soft lavender-blue and very free flowering		50-100h 10-50s	May Sept				H4		





Scabiosa 'Miss Willmott'




Schizostylis coccinea



Schizostylis 'Fenland Daybreak'



Scrophularia 'Variegata'



Sedum 'Bertram Anderson'

## Scabiosa ('Pincushion Flower' or 'Scabious')

Continued.

3-5  
per m<sup>2</sup>

– 'Miss Willmott' – scented ivory white		50-100h 10-50s	June Oct				H4		
– 'Perfecta Alba' – large white flowers with creamy pin-cushion like centres		50-100h 10-50s	June Oct				H4		
– 'Perfecta Blue' – large mid-blue flowers with creamy pin-cushion like centres		50-100h 10-50s	June Oct				H4		

## Schizostylis ('Kaffir Lily') Now classified under the genus Hesperantha.

Essential late flowering perennial. Best in cool, moist, well-drained soil in full sun.

5-7  
per m<sup>2</sup>

<b>coccinea</b> – spikes of crimson-red flowers, grassy leaves		50-100h 10-50s	Oct Nov				H4		
– 'Fenland Daybreak' – warm pink flowers, upright stems		50-100h 10-50s	Aug Nov				H4		
– 'Major' – large scarlet flowers, good for cutting		50-100h 10-50s	Oct Nov				H4		
– 'Mollie Gould' – beautiful cup-shaped flowers, warm pink with irregular deeper pink mottling		50-100h 10-50s	Aug Oct				H4		
– 'Sunrise' – large salmon-pink flowers, evergreen leaves		50-100h 10-50	Aug Oct				H4		
– 'Wilfred H. Bryant' ('Pink Princess') – soft pink buds open to large star shaped ice-pink flowers		50-100h 10-50s	Aug Oct				H4		
– f. 'Alba' – spikes of pure white starry shaped flowers		50-100h 10-50s	Oct Nov				H4		

## Scrophularia ('Water Figwort')

Prefers a sheltered, moist spot in semi-shade.

3-5  
per m<sup>2</sup>

<b>auriculata 'Variegata'</b> – stunning, brightly variegated cream and green leaves		50-100h 10-50s	July Aug				H7		
--	--	-------------------	-------------	--	--	--	----	--	--


## Sedum ('Ice Plant' or 'Stonecrop') Now classified under the genus Hylotelephium.

A must for the sunny, dry border. Magnet for butterflies and bees.

3-5  
per m<sup>2</sup>

<b>'Bertram Anderson'</b> – deep red flowers, blue-purple contrasting foliage		10-50h 10-50s	July Aug				H7		
<b>'Carl'</b> – excellent form, rose-pink flowers, blue-green leaves, sturdy		10-50h 10-50s	Aug Sept				H7		
<b>'Chocolate Cherry' PBR</b> – dark leaves with an upright habit and rosy-pink starry flowers		10-50h 10-50s	Aug Oct				H7		
<b>Herbstfreude Group 'Herbstfreude' (Autumn Joy)</b> – rose-salmon with enormous flower heads, showy		50-100h 10-50s	Aug Oct				H7		
– 'Indian Chief' – large dark red flower heads, strong grower		50-100h 10-50s	Aug Oct				H7		
<b>'Matrona'</b> – flat pink flower heads against dark foliage		50-100h 10-50s	Aug Sept				H7		
<b>'Red Cauli'</b> – oblong, toothed, dark green leaves with a dark purple-brown flush, distinctive red flower heads suggestive of its name		50-100h 10-50s	July Sept				H7		





Sedum 'Iceberg'



Sedum 'Purple Emperor'



Sidalcea candida



Sidalcea 'Party Girl'



Sisyrinchium 'Aunt May'

## Sedum ('Ice Plant' or 'Stonecrop')

Continued.

3-5  
per m<sup>2</sup>

<b>'Ruby Glow'</b> – ruby-red flowers, foliage purple-grey		10-50h 10-50s	July Aug				H5			
<b>'Vera Jameson'</b> – spreading purple foliage, purple-pink flowers, always in demand		10-50h 10-50s	Aug Oct				H5			
<b>cauticola 'Coca-Cola'</b> – trailing stems with grey-green leaves, buds green through pink, open to translucent pink stars		10-50h 10-50s	Aug Sept				H7			
<b>spectabile</b> – pale pink flowers, grey-green leaves		10-50h 10-50s	July Aug				H7			
<b>– 'Iceberg'</b> – heads of white flowers, pale green leaves		10-50h 10-50s	Aug Oct				H7			
<b>spurium 'Dragon's Blood' ('Schorbuser Blut')</b> – slow growing leaves are first green edged red, turning dark burgundy-bronze, brilliant red flowers		10-50h 10-50s	July Aug				H7			
<b>– 'Variegatum'</b> – a low matt forming variety with small green and white variegated foliage with a slight pink flush. Cluster of small pink star shaped flowers or produced during the summer		10-50h 10-50s	June Aug				H7			
<b>telephium 'Raspberry Truffle'</b> – large scalloped, deep purple leaves with rosy pink flowers		10-50h 10-50s	July Sept				H7			
<b>– Atropurpureum Group 'Purple Emperor'</b> – one of the best dark leaved Sedums, complementary red flowers, compact habit		10-50h 10-50s	July Sept				H7			

## Sidalcea ('Prairie Mallow')

Easy and reliable, long-flowering on stately spikes, ideal for the sunny border.

3-5  
per m<sup>2</sup>

<b>candida</b> – many spikes of small white flowers		50-100h 50-100s	July Aug				H7			
<b>'Loveliness'</b> – shell-pink flowers, compact		50-100h 10-50s	July Sept				H7			
<b>'Party Girl'</b> – bright pink flowers		50-100h 10-50s	June Aug				H7			
<b>'Rose Queen'</b> – long rose-pink spikes		50-150h 10-50s	June Aug				H7			
<b>'Sussex Beauty'</b> – glowing satin-pink flowers		50-100h 10-50s	June Aug				H7			
<b>'William Smith'</b> – warm salmon-pink flowers		50-100h 10-50s	July Sept				H7			
<b>'Wine Red'</b> – wine-red flowers		50-100h 10-50s	June Aug				H7			

## Sisyrinchium Likes a sunny well-drained soil. Will gently seed about.

3-5  
per m<sup>2</sup>

<b>striatum</b> – spikes of star-shaped pale yellow flowers, sword-like leaves		50-100h 10-50s	June July				H4			
<b>– 'Aunt May'</b> – striped cream and greenish-yellow sword shaped leaves, pale yellow flowers		10-50h 10-50s	June July				H4			







## Dispatch and transport at Howard Nurseries

With varying transport solutions available, no order is ever too big or too small for our dispatch team and transport facilities.

We work hard to ensure that every order reaches you in the best possible condition, whether it be on our own transport or via one of our trusted third-party transport companies.

Our plants are packaged in various ways depending on the size of order and type of stock required, ranging from trolleys for 'retail ready' stock to single loose boxes for smaller top up orders.

Plants will always include an identification batch label, with there also being the option to upgrade to bespoke colour labels for our entire range, available by request when placing the order.







**Solidago x luteus 'Lemore'**



**Stachys 'Primrose Heron'**



**Stokesia 'Klaus Jelitto'**



**Stokesia 'Mary Gregory'**



**Symphytum 'Hidcote Blue'**

**Solidago** ('Golden Rod') Reliable colour for mid-late summer, in sun or part shade. Remove spent flower stems to avoid seeding around.

3-5  
per m<sup>2</sup>

<b>'Cloth of Gold'</b> – yellow, free-flowering, dwarf		10-50h 10-50s	Aug Sept						
<b>'Ledsham'</b> – bright yellow		50-100h 10-50s	Aug Sept						
<b>x luteus 'Lemore'</b> – fluffy heads of lemon coloured flowers		50-100h 10-50s	July Sept						

**Stachys** ('Woundwort') Valued spreading perennials often with soft, silver foliage. Best in full sun and well-drained soil.

3-5  
per m<sup>2</sup>

<b>byzantina (olympica) ('Lamb's Ear')</b> – pink flowers, soft silver foliage, very attractive		10-50h 50-100s	July Aug						
– <b>'Big Ears'</b> – leaves can reach 25cm in length. Small purple-pink flowers		10-50h 50-100s	June Aug						
– <b>'Primrose Heron'</b> – leaves emerge pale yellow, maturing to yellowish grey-green		10-50h 50-100s	July Aug						
– <b>'Silver Carpet'</b> – good foliage ground cover, silver grey		10-50h 50-100s	July Aug						
<b>officinalis 'Hummelo'</b> – deep purple flowers on tall stems		50-100h 10-50s	June Aug						

**Stokesia** ('Stokes Aster') Happiest in well-drained sunny spot. Leaves are evergreen. All have cornflower-like flowers.

3-5  
per m<sup>2</sup>

<b>laevis 'Träumerei'</b> – white flowers with a touch of pink		10-50h 10-50s	July Oct						
– <b>'Blue Star'</b> – very large lavender-blue flowers		50-100h 10-50s	Aug Oct						
– <b>'Klaus Jelitto'</b> – robust clumps producing large blue-purple flowers		10-50h 10-50s	June Sept						
– <b>'Mary Gregory'</b> – excellent, large buttery, soft primrose yellow flowers on short stems		10-50h 10-50s	June Sept						
– <b>'Purple Parasols'</b> – the darkest form, with wonderful large, deep violet-purple flowers		10-50h 10-50s	June Sept						

**Symphyotrichum** Can be found under its previous genus Aster.

**Symphytum** ('Comfrey') Undemanding plants for moist soil and part shade. Bees delight in their flowers.


3-5  
per m<sup>2</sup>

<b>'Goldsmith'</b> – excellent ground cover, light blue flowers complement green hairy leaves with broad cream margins		10-50h 10-50s	April May						
<b>'Hidcote Blue'</b> – red buds opening to nodding pale blue flowers, colour richest at base diffusing to blue-white at mouth		10-50h 10-50s	Mar May						
<b>'Hidcote Pink'</b> – dark red-pink buds opening to pink flowers, will age with hints of cream, pink and blue		10-50h 10-50s	April May						





Synthyris stellata



Tanacetum 'Robinson's Red'



Tellima 'Forest Frost'



Thalictrum 'Nimbus Pink'



Thalictrum delavayi

## Symphytum

Continued.

3-5  
per m<sup>2</sup>

<b>ibericum</b> – buds brick-red opening to creamy-white flowers		10-50h 50-100s	April May					H6			
--	--	-------------------	--------------	--	--	--	--	----	--	--	--

## Synthyris ('Western Mountain Kittentails')

Shade lover whose bold foliage and flowers can still create delicate impact in woodland plantings.

5-7  
per m<sup>2</sup>

<b>missurica var. stellata</b> – rounded, kidney-shaped, deep green leaves form clumps: an excellent foil for abundant, dense spikes of bell shaped dark violet-blue flowers		10-50h 10-50s	Mar May					H5			
--	--	------------------	------------	--	--	--	--	----	--	--	--

## Tanacetum ('Pyrethrum' or 'Painted Daisy') Good garden plants for sun.

5-7  
per m<sup>2</sup>

<b>coccineum 'Bees' Pink Delight</b> – deep rich pink, semi-double flowers on sturdy stems		50-100h 10-50s	May June					H6			
– <b>Robinson's red-flowered</b> – single, bright red ray florets surround a yellow core		50-100h 10-50s	May July					H6			
– <b>'Snow Cloud'</b> – single, white		50-100h 10-50s	May July					H6			

## Tellima ('Fringe Cups') Good ground cover, best in partial shade and moist soil.

5-7  
per m<sup>2</sup>

<b>grandiflora 'Forest Frost'</b> – silvery leaves with red tints in winter, green-pink flowers		50-100h 10-50s	April June					H6			
– <b>'Rubra Group'</b> – deep green leaves tinted with bronze, maturing red-purple, green flowers fringed with pink		50-100h 10-50s	April June					H6			

## Thalictrum ('Meadow Rue') All enjoy a moist, well-drained soil in sun or part-shade.

3-5  
per m<sup>2</sup>

<b>'Black Stockings'</b> – fluffy lavender pink purple flowers on tall black stems above contrasting green scalloped foliage		150-250h 10-50s	June Aug					H7			
<b>'Nimbus Pink'</b> – upright dark stems topped with clouds of fluffy pale pink flowers amongst green ferny foliage. Shorter than many other varieties		50-100h 10-50s	June Aug					H5			
<b>'Splendide'</b> – mounding blue-green fern like foliage topped with clouds of small fragrant lilac purple flowers held on tall burgundy stems		100-150h 10-50s	June Aug					H6			
<b>aquilegifolium</b> – fluffy pink and white flowers		100-150h 10-50s	June July					H5			
<b>delavayi (dipterocarpum)</b> – long stems with clusters of small yellow centred lilac flowers, fern-like foliage		100-150h 10-50s	July Sept					H7			
– <b>'Album'</b> – tall stems of delicate, airy white flowers above lime green, fern-like foliage		100-150h 10-50s	July Sept					H7			
– <b>'Hewitt's Double'</b> – sprays of tiny double lilac flowers, upright and slender purple tinted stems		100-150h 10-50s	July Aug					H7			
<b>flavum subsp. glaucum</b> – glaucous grey foliage, fluffy primrose-yellow flowers		100-150h 10-50s	June Sept					H7			





Thermopsis var. montana



Tiarella 'Candy Striper' PBR



Tradescantia 'Innocence'



Tradescantia 'Purple Dome'



Tricyrtis Stolonifera Group

## Thermopsis ('False Lupin') Lupin-like flowers for the sunny, well-drained border.

<b>rhombifolia var. montana</b> – spikes of bright yellow flowers, divided mid green leaves		50-100h 50-100s	June July							
---	--	--------------------	--------------	--	--	--	--	--	--	--

## Tiarella ('Foam Flower') Good spreading ground cover for sun or shade.

5-7  
per m<sup>2</sup>

<b>'Candy Striper' PBR</b> – glossy maple shaped green leaves with a dark red contrasting central stripe. Pink flower buds open to produce white foamy like flowers on short stems		10-50h 10-50s	April July							
<b>'Spring Symphony' PBR</b> – lobed light-green foliage with purple mid-rib. Pink buds open to starry white flowers		10-50h 10-50s	May July							
<b>'Sugar and Spice' PBR</b> – compact mound of pretty mid-green foliage with heavily marked centres, spikes of pink flowers		10-50h 10-50s	May July							
<b>'Sunset Ridge' PBR</b> – glossy heart shaped foliage with red veining. Pink buds open to produce white foamy like flowers on short stems		10-50h 10-50s	April July							
<b>cordifolia</b> – airy, erect white spikes, flushed pale pink, pointed pale green leaves		10-50h 10-50s	May June							

## Tradescantia ('Spiderwort') A long-flowering period makes this a useful plant. Flowers deserve a close inspection.

3-5  
per m<sup>2</sup>


<b>Andersoniana Group 'Bilberry Ice'</b> – white with purple-red blotches, superb and compact		10-50h 10-50s	June Aug							
– <b>'Concord Grape'</b> – small rich purple flowers, bluish-green foliage		10-50h 10-50s	June Sept							
– <b>'Innocence'</b> – pure white		10-50h 10-50s	June Sept							
– <b>'Isis'</b> – large deep blue flowers		50-100h 10-50s	June Sept							
– <b>'Osprey'</b> – pure white flowers with fluffy blue centre		50-100h 10-50s	June Sept							
– <b>'Purple Dome'</b> – rich purple		10-50h 10-50s	June Aug							

## Tricyrtis ('Toad Lily') Exotic late-flowering perennials for a moist and shady position. Associates well with ferns and Hostas.

3-5  
per m<sup>2</sup>

<b>Hototogisu</b> – light mauve-purple flowers with unusual metallic blue tinge, non-spotted, strong grower. Name means Tricyrtis in Japanese!		50-100h 50-100s	Aug Oct							
<b>'White Towers'</b> – white orchid-like flowers, yellow ring at base, felted leaves, one of the first to flower, for part shade		50-100h 10-50s	Aug Oct							
<b>formosana Stolonifera Group</b> – glossy dark green leaves, flowers covered with dark purple spots		50-100h 10-50s	Aug Oct							





Tricyrtis 'Taiwan Atrianne'



Trollius 'Golden Queen'



Valeriana 'Aurea'



Verbascum 'Helen Johnson'



Verbascum 'Kynaston'

## Tricyrtis ('Toad Lily')

Continued.

3-5  
per m<sup>2</sup>

<b>hirta</b> – large white, heavily spotted purple flowers held in leaf axils along the stem, hairy leaves		50-100h 10-50s	Aug Oct				H7		
– ' <b>Albomarginata</b> ' – cream variegated leaves		50-100h 10-50s	Aug Oct				H7		
– ' <b>Miyazaki</b> ' – large pale lavender-white flowers, freckled with dusky lavender which converges at the petal bases to form a solid ring		50-100h 10-50s	Sep Oct				H7		
– ' <b>Taiwan Atrianne</b> ' – purple blue spotted white flowers		50-100h 10-50s	July Oct				H7		
<b>Hototogisu</b> – light mauve-purple flowers with unusual metallic blue tinge, non-spotted, strong grower. Name means Tricyrtis in Japanese!		50-100h 10-50s	Aug Oct				H7		
<b>'White Towers'</b> – white orchid-like flowers, yellow ring at base, felted leaves, one of the first to flower, for part shade		50-100h 10-50s	Aug Sept				H7		

## Trollius ('Globe Flower') Benefits from moisture retentive soil.

Ideal for bog gardens or pond margins.

5-7  
per m<sup>2</sup>

<b>chinensis 'Golden Queen'</b> – deep orange-yellow bowl shaped flowers above a mound of dark cut green foliage		50-100h 10-50s	July Aug				H7		
<b>x cultorum 'New Moon'</b> – dark upright green foliage with creamy yellow flowers,		50-100h 10-50s	April June				H7		

## Valeriana ('Valerian') For borders, naturalistic plantings and cottage gardens.

3-5  
per m<sup>2</sup>


<b>phu 'Aurea'</b> – stunning bright yellow foliage in spring, followed by heads of small white flowers		100-150h 10-50s	June Aug				H5		
---	--	--------------------	-------------	--	--	--	----	--	--

## Verbascum ('Mullien') Beautiful but usually relatively short lived 'statement' plants for sun and poor soil.

3-5  
per m<sup>2</sup>

<b>'Firedance'</b> <sup>PBR</sup> – spikes of intense blood-red flowers, simply beautiful variety and a must have for any border		50-100h 10-50s	June Aug				H6		
<b>'Helen Johnson'</b> – grey-green leaves, bold coppery-orange flowers. Ours is from the original clone!		50-100h 10-50s	June Sept				H6		
<b>'June Johnson'</b> – purple and apricot flowers		50-100h 10-50s	June Sept				H6		
<b>'Kynaston'</b> – sturdy plant producing strong spikes with flowers of the purest white petals complemented by orange anther and light purple stigmas		150-250h 100-150s	June Sept				H6		
<b>'Merlin'</b> <sup>PBR</sup> – bred by National Collection holders Vic Johnstone and Claire Wilson source of 'The Riverside Series', this selection stands out with its large pale purple flowers, held on stems of excellent form above soft grey foliage. Reliably hardy and perennial		50-100h 10-50s	June Aug				H6		





Verbasicum 'Cotswold Queen'



Verbasicum 'Mont Blanc'



Verbena rigida



Veronica gentianoides



Veronica 'Tissington White'

## Verbasicum ('Mullien')

Continued.

3-5  
per m<sup>2</sup>

<b>chaixii 'Album'</b> – white spikes, grey-green foliage		50-100h 10-50s	June Aug				H6			
<b>(Cotswold Group) 'Cotswold Beauty'</b> – flowers light copper-orange with a purple centre		100-150h 10-50s	July Aug				H6			
– <b>'Cotswold Queen'</b> – spikes of bright yellow-brown with purple centre		100-150h 10-50s	July Aug				H6			
– <b>'Gainsborough'</b> – soft primrose-yellow flowers, grey leaves, classic!		100-150h 10-50s	June Aug				H6			
– <b>'Mont Blanc'</b> – fine white spikes		100-150h 10-50s	June Aug				H6			
– <b>'Pink Domino'</b> – striking deep pink spikes		100-150h 10-50s	June Aug				H6			
<b>'Royal Highland'</b> – brown-yellow flowers		100-150h 10-50s	June Aug				H6			

## Verbena ('Vervain') Prefers sun, well-drained soil, not fully hardy.

Give protection over winter for containers.

3-5  
per m<sup>2</sup>

<b>bonariensis</b> – tall rigid stems topped with clusters of tiny mauve scented flowers		150-250h 10-50s	June Oct				H4			
– <b>'Lollipop'</b> <sup>PBR</sup> – a natural dwarf form of the species offering a short, mounding habit, delicate lavender flowers look simply wonderful at the front of a border throughout the summer		50-100h 50-100s	June Oct				H4			
<b>rigida</b> – stiff, upright stems carrying dense clusters of purple flowers		50-100h 10-50s	June Sept				H3			

## Veronica ('Speedwell')

Delightful and easy for an open sunny position.

5-7  
per m<sup>2</sup>

<b>austriaca subsp. teucrium 'Crater Lake Blue'</b> – erect stems of intense blue		10-50h 10-50s	June July				H6			
– <b>'Royal Blue'</b> – mid-green leaves, clusters of erect deep-blue flowers		10-50h 10-50s	June July				H6			
<b>gentianoides</b> – dainty pale-blue spikes above bright-green mats, looks 'ghostly' at twilight		10-50h 10-50s	April June				H7			
– <b>'Robusta'</b> – bold light-blue flowers		50-100h 10-50s	May June				H7			
– <b>'Tissington White'</b> – almost white flower spikes with blue veins over mat-forming foliage		10-50h 10-50s	May June				H7			
<b>longifolia 'Blauer Sommer'</b> – large spikes of blue flowers		50-100h 10-50s	June Aug				H7			
– <b>'First Glory'</b> <sup>PBR</sup> – Dense, slender spires of deep blue-purple star-shaped flowers above toothed green foliage		10-50h 10-50s	June Aug				H6			
– <b>'First Lady'</b> <sup>PBR</sup> – pure white flower spikes on pointed, long, glossy green leaves		10-50h 10-50s	June Aug				H7			





Veronica x media 'First Love'



Veronica 'Georgia Blue'



Veronicastrum 'Diane'



Veronicastrum 'Lavendelturm'



Vinca 'Gertrude Jekyll'

## Veronica

Continued.

5-7  
per m<sup>2</sup>

<b>x media 'First Love'</b> – clump forming perennial which produces deep rose pink flower spikes on pointed, long, glossy green leaves		10-50h 10-50s	June Aug				H6			
<b>spicata Ulster Blue Dwarf</b> – spikes of blue star shaped flowers, compact habit		10-50h 10-50s	June Aug				H6			
– <b>'Schneerisesin'</b> – upright stems of pure white flowers		50-100h 10-50s	June Aug				H6			
<b>spicata subsp. incana 'Silver Carpet'</b> – silver grey leaves, dark blue flowers		10-50h 10-50s	June Aug				H6			
<b>umbrosa 'Georgia Blue'</b> – dark blue, free flowering, evergreen Speedwell with purple bronze leaves		<10h 50-100s	Mar June				H6			

## Veronicastrum ('Culvers Root')

Tall, elegant plants for the back of late summer borders.

3-5  
per m<sup>2</sup>

<b>virginicum 'Apollo'</b> – long spikes of lilac-blue flowers, tipped with green buds		100-150h 50-100s	June Sept				H7			
– <b>'Diane'</b> – lance-shaped foliage, small white flowers		150h 50-100s	Aug Sept				H7			
– <b>'Erica'</b> – tall slender stems topped with spires of two-tone pale pink flowers emerge from red-pink buds		100-150h 50-100s	June Sept				H7			
– <b>'Fascination'</b> – spires of mauve-blue flowers are borne on tall, upright stems above whorls of green foliage		100-150h 50-100s	July Aug				H7			
– <b>'Lavendelturm'</b> – pale-lavender flower spikes on tall upright stems		150-250h 50-100s	July Sept				H7			
– <b>'Temptation'</b> – tall spires of purple-blue flowers above whorls of pointed green foliage		150-250h 50-100s	June Aug				H7			
– <b>f. roseum 'Pink Glow'</b> – spires of pale-pink flowers		100-150h 50-100s	Aug Oct				H7			

## Vinca ('Periwinkle') Attractive ground cover for sun or light shade.

3-5  
per m<sup>2</sup>

<b>minor 'Atropurpurea'</b> – single, purple flowers, dark green leaves		10-50h 100-150s	Mar May				H6			
<b>minor f. alba 'Gertrude Jekyll'</b> – evergreen plant which forms a neat carpet of lance-shaped dark green leaves and pure white flowers		10-50h 50-100s	April Sept				H6			

## Viola ('Violet') Happiest in moist well-drained soil in part shade. Let them seed around for best effect.

5-7  
per m<sup>2</sup>

<b>riviniana Purpurea Group (labradorica)</b> – dark lavender-blue flowers, with contrasting dark purple-green foliage		10-50h 10-50s	April June				H7			
--	--	------------------	---------------	--	--	--	----	--	--	--





Waldsteinia geoides



Zantedeschia 'Green Goddess'



Zantedeschia 'Marshmallow'



Asplenium Cristatum Group



Athyrum 'Red Beauty'

## Waldsteinia ('Barren Strawberry')

Great ground cover for shade or sun.

3-5  
per m<sup>2</sup>

<b>geoides</b> – compact, clumps of heart-shaped leaves with coarsely-toothed lobes, masses of yellow flowers		50-100h 100-150s	April June				H7			
<b>ternata</b> – sprays of bright-yellow flowers, thick mats of shiny evergreen leaves		10-50h 50-100s	April June				H7			

## Zantedeschia ('Arum Lily')

Great in container or moist sheltered and shady border. Good cut flower.

3-5  
per m<sup>2</sup>

<b>'Kiwi Blush'</b> – free flowering, white spathes are heavily flushed pink		50-100h 50-100s	April June				H4		
<b>aethiopica 'Crowborough'</b> – white hardy Arum, prolific flowering form		50-100h 10-50s	April June				H4		
– <b>'Green Goddess'</b> – green flowers with white throat		50-100h 10-50s	April June				H4		
– <b>'Marshmallow'</b> – scented, soft pink flowers		50-100h 10-50s	June Oct				H4		

# FERNS

3-7  
per m<sup>2</sup>

<b>Asplenium scolopendrium 'Angustatum'</b> ( <b>'Hart's Tongue Fern'</b> ) – evergreen, non-creeping rhizomes give rise to deep green, shiny, narrow strap shaped fronds		10-50h 10-50s				H6			
– <b>Cristatum Group</b> ( <b>'Crested Hart's Tongue Fern'</b> ) – evergreen fern, long bright green fronds with crested, ruffled tips		10-50h 10-50s				H6			
– <b>Undulatum Group ('Spleenwort')</b> – evergreen, somewhat dwarfer than the species with prettily waved fronds		10-50h 10-50s				H6			
<b>Athyrum filix-femina 'Frizelliae'</b> ( <b>'Tatting Fern'</b> ) – a unique looking deciduous fern, small rounded fronds with ruffled lace like edges		10-50h 10-50s				H6			
– <b>niponicum var. pictum 'Red Beauty' ('Japanese Painted Fern')</b> – gorgeous looking specimen, silver-green fronds grow from contrasting intense red stems		10-50h 10-50s				H6			
– <b>otophorum var. okanum ('The Okanum Fern')</b> – semi-evergreen, unusual dark grey- green lance shaped fronds		50-100h 10-50s				H4			





Cyrtomium Clivicola



Dryopteris 'Autumn fern'



Matteuccia 'Shuttlecock fern'



Osmunda 'The Royal Fern'



Polystichum 'David Howard'

## FERNS


3-7  
per m<sup>2</sup>

<b>Cyrtomium</b> <b>fortunei var. clivicola ('Fortune's Holly Fern') –</b> compact plant displaying matt-surfaced leaf foliage which is a pale yellow-green		10-50h 10-50s			H3			
<b>Dryopteris</b> <b>affinis 'Cristata' ('Cristata The King') –</b> semi-evergreen, known as king of male ferns, mature specimens can be impressive with huge amounts of cresting along edges of fronds and a large terminal crest		100-150h 100-150s			H5			
<b>– dilatata 'Crispa Whiteside' ('Broad Buckler Fern') –</b> broad, arching, fronds and finely toothed edges		50-100h 10-50s			H6			
<b>– erythrosora ('Autumn fern') –</b> deciduous, a striking oriental fern, new fronds of glossy copper and pink, maturing to a pale green		50-100h 10-50s			H6			
<b>– var. prolifica – ('Copper Shield Fern') –</b> compact, evergreen fern forming a neat tuft of light green, rather leathery, long fronds, often pink-tinged when young, and sometimes bearing bulbils		50-100h 10-50s			H4			
<b>– filix-mas –</b> upright bright green fronds. Semi-deciduous		100-150h 10-50s			H7			
<b>– Linearis Polydactyla – ('Linear Male Fern') –</b> hardy, robust semi-evergreen, forming a rosette of arching fronds, boldly forked and crested at the apex, the pinnae are also crested		100-150h 50-100s			H7			
<b>Matteuccia</b> <b>struthiopteris ('Shuttlecock fern') –</b> a dwarf fern of great charm, fresh bright green fronds burst forth in spring assuming an eventual vase shaped habit, decorative brown fertile fronds give winter interest, best in moist shade		100-150h 150-250s			H5			
<b>Osmunda</b> <b>regalis ('The Royal Fern')</b> hardy deciduous fern, the dainty fronds are coppery red when young		150-250h 50-100s			H6			
<b>Polystichum</b> <b>polyblepharum ('Japanese Tassel fern') –</b> broadly arching lance shaped fronds, light green and glossy, darkening with age, tips of unfurling fronds covered in masses of light sandy brown-gold hairs hence the common name		50-100h 50-100s			H7			
<b>– setiferum 'David Howard' –</b> hardy, evergreen attractive fern with a finely divided leaf		50-100h 50-100s			H7			
<b>– setiferum 'Plumosodensum' ('Mossy Soft Shield Fern') –</b> hardy, evergreen, an excellent and unusual dwarf fern with a finely divided leaf		50-100h 50-100s			H7			






Anemanthele lessoniana



Calamagrostis 'Overdam'



Calamagrostis brachytricha



Carex 'Everest' PBR



Carex testacea

## ORNAMENTAL GRASSES

**Anemanthele** ('New Zealand wind grass') Semi-evergreen grasses forming a clump of slender leaves of attractive, arching habit, with large feathery sprays of tiny reddish-brown flowers.

1-3  
per m<sup>2</sup>

<b>lessoniana</b> - soft arching habit with shades of copper, gold and bronze in the autumn		50-100h 100-150s	June Sept			H4			
---	--	---------------------	--------------	--	--	----	--	--	--

**Calamagrostis** ('Reed Grass') Prefers a sunny damp position. Architectural habit makes it a planners dream!

3-5  
per m<sup>2</sup>

<b>x acutiflora 'Avalanche'</b> - erect, slightly arching, slender clumps of narrow, stiff variegated foliage, showy purplish-green flowers that turn golden, good continuing winter interest		100-150h 50-100s	July Sept			H6			
- <b>'Karl Foerster'</b> - bolt upright habit, kept throughout winter, feathery red-brown flowers		100-150h 50-100s	July Sept			H6			
- <b>'Overdam'</b> - white striped foliage, pinkish flower head, more compact		50-100h 10-50s	July Sept			H6			
<b>brachytricha</b> - dense clumps of glossy grey-green leaves turning yellow in the autumn, forming a fountain of gently arching foliage. Tall stems carry narrow flower heads opening into airy, silver-grey plumes, tinged pink-purple. Good for drying		100-150h 50-100s	July Sept			H6			

**Carex** ('Sedge') Evergreens, happiest in damp/moist soils in full sun. Triangular stems and flowers are distinguishing features.

3-7  
per m<sup>2</sup>

<b>Milk Chocolate PBR</b> - milk chocolate coloured plumes of tiny brown flowers, narrow brown leaves with orange tints in the autumn		10-50h 10-50s	June Aug			H6			
<b>oshimensis 'Evergold'</b> - green with gold mid-rib, flower spikes in summer, deservedly popular		10-50h 10-50s	April June			H7			
- <b>'Everest' PBR</b> - a low mounding variety with narrow dark green leaves and distinctive white margins		10-50h 10-50s	April June			H7			
- <b>'J.S.Greenwell'</b> - small leafy grass, with round, compact, clump forming habit with spikes of tiny green or brown flowers		10-50h 10-50s	April June			H3			
<b>testacea</b> - a superb grass, with unusual narrow, orange tinged, olive green leaves. Graceful - great with Crocosmia		50-100h 50-100s	June July			H5			

**Chasmanthium** ('Spangle Grass') Woodland grass, best in moist fertile soil with good organic content and some shade.


3-5  
per m<sup>2</sup>

<b>latifolium (Uniola latifolia)</b> - clumps of bright green, bamboo like leaves, turning gold in autumn, arching stems bear flattened, oat like flowers, olive-green becoming bronze, dangling gracefully into winter		50-100h 10-50s	July Sept			H7			
---	--	-------------------	--------------	--	--	----	--	--	--





Deschampsia 'Bronzeschleier'



Elymus magellanicus



Festuca 'Intense Blue' PBR



Hakonechloa 'Nicolas'



Glyceria variegata

## ORNAMENTAL GRASSES

### Deschampsia ('Hair Grass')

Happiest in moist, well-drained soil in light shade.

5-7  
per m<sup>2</sup>

<b>cespitosa 'Bronzeschleier' (Bronze Veil)</b> – large panicles of florets tinted bronze in the summer		50-100h 10-50s	June July				H6			
– <b>'Goldtau' (Golden Dew)</b> – good tufted grass with dark leaves, fountains of flower stems turn from silver-purple to a gold haze late summer		50-100h 50-100s	June July				H6			

### Elymus ('Wheat Grass') Attractive grass for hot dry areas. Leaves retained in mild winters.

3-5  
per m<sup>2</sup>

<b>magellanicus</b> – lax clumps of semi-evergreen silver-sky blue leaves, dense purple blue flower heads turning straw coloured on erect stems		50-100h 10-50s	July Sept				H6			
---	--	-------------------	--------------	--	--	--	----	--	--	--

### Festuca ('Fescue') – Evergreens, best in light soils in full sun. Groom and trim in spring to remove dead growth and shape. Split every 2-3 years in spring to maintain vigour.

5-7  
per m<sup>2</sup>

<b>glauca 'Blaufuchs' (Blue Fox)</b> – steely blue foliage		10-50h 10-50s	June July				H5			
– <b>'Elijah Blue'</b> – icy blue foliage		10-50h 10-50s	June July				H5			
– <b>Intense Blue PBR</b> – mound of most intense steely-blue evergreen foliage		10-50h 10-50s	June July				H5			

### Glyceria ('Great Water Grass' or 'Sweet Hay')

Suitable in water and for any moisture retentive soil in sun.

3-5  
per m<sup>2</sup>

<b>maxima var. variegata</b> – bright yellow variegated foliage, moisture loving		50-100h 150-250s	April May				H6			
--	--	---------------------	--------------	--	--	--	----	--	--	--

### Hakonechloa Any reasonable soil in part shade. Cut back top growth in winter.

5-7  
per m<sup>2</sup>

<b>macra</b> – mounds of cascading narrow green foliage and sprays of fine green flowers		10-50h 10-50s	June July				H7			
– <b>'Aureola'</b> – mounds of golden coloured grass striped with green, soft flowers		10-50h 10-50s	July Aug				H7			
– <b>'Nicolas'</b> – green arching foliage becoming flushed with orange and red tints in late summer/early autumn		10-50h 10-50s	Aug Sept				H7			
– <b>'Sunflare' PBR</b> – Fresh-yellow foliage that develops contrasting deep crimson tips as the season progresses		10-50h 10-50s	June Aug				H7			

### Imperata ('Japanese Bimperllood Grass')

Likes sun or part shade.

5-7  
per m<sup>2</sup>

<b>cylindrica 'Rubra' ('Red Baron')</b> – blood red grass, colour increases as season advances		10-50h 10-50s	May June				H4			
--	--	------------------	-------------	--	--	--	----	--	--	--





Luzula nivea



Miscanthus 'Ferner Osten'



Miscanthus 'Gracillimus'



Miscanthus 'Hinjo'



Miscanthus 'Malepartus'

## ORNAMENTAL GRASSES

**Luzula** ('Snowy wood rush') Ideal complementary plant between Roses, Achilleas and Geraniums for a sunny, well drained position. Loved by butterflies and bees.

5-7  
per m<sup>2</sup>

<b>nivea</b> - hairy, grass-like evergreen foliage and clusters of small white flowers on arching stems		50-100h 10-50s	June July						
---	--	-------------------	--------------	--	--	--	--	--	--

**Miscanthus** ('Silver Grass') Some of the best ornamental grasses, requiring space to develop their true beauty, flowers lasting well into winter. Prefer a fertile soil in sun.

1-3  
per m<sup>2</sup>

<b>'Purpurascens'</b> – upright plant with greyish, slightly red tinged summer leaves turning to fiery autumn foliage, pink flushed flower heads		150-250h 50-100s	July Sept						
<b>sacchariflorus</b> – greyish green leaves with paler mid ribs, grown for foliage – sometimes called 'Elephant Grass'		150-250h 100-150s	Sept Oct						
<b>sinensis 'Adagio'</b> – pink flowers which turn white, narrow compact silver-grey foliage		100-150h 50-100s	Aug Oct						
<b>– 'China'</b> – broad leaves with white mid ribs, large red-brown flowers ageing to whitish-brown		100-150h 50-100s	Aug Oct						
<b>– 'Ferner Osten'</b> – intense deep red-pink flowers, narrow leaves with white tips and cream midrib, unusual winter colour, strong grower		100-150h 50-100s	Aug Sept						
<b>– 'Flamingo'</b> – very floriferous, drooping rose flower heads maturing to silver, well balanced erect habit, green leaves with white mid rib turning orange gold in autumn		100-150h 50-100s	Aug Oct						
<b>– 'Gnome'</b> – dwarf variety, pink plumes, mounds of narrow foliage		50-100h 50-100s	Aug Oct						
<b>– 'Gold Bar' PBR</b> – dwarf, dense foliage with dramatic yellow bands, burgundy flowers		100-150h 100-150s	Aug Oct						
<b>– 'Gracillimus'</b> – slender grass with upright narrow foliage curling as they lengthen		100-150h 50-100s	Aug Oct						
<b>– 'Graziella'</b> – slender grass with upright narrow foliage, pink flowers turning silver, free flowering		150-200h 50-100s	Sept Oct						
<b>– 'Hinjo'</b> – long leaves curving back to the ground with broad yellow cross bands like M. s.'Strictus' or 'Zebrinus' but smaller		50-100h 50-100s	Sept Oct						
<b>– 'Kleine Fontäne'</b> – narrow green leaves with median stripe, cascading flowers red-silver in lax plumes		100-150h 50-100s	Aug Sept						
<b>– 'Kleine Silberspinne'</b> – elegant, shorter with narrow leaves, white veined, vivid silvery silky flower heads		100-150h 10-50s	Aug Oct						
<b>– 'Malepartus'</b> – dense grower with thick bamboo-like canes, large leaves and stiff upright flowers the colour of old port, good autumn effect		150-250h 100-150s	Aug Oct						
<b>– 'Morning Light'</b> – thin green leaves margined with creamy-white, narrow arching habit		100-150h 50-100s	Aug Oct						
<b>– 'Nippon'</b> – dwarf, thin feathery flowers held at varying heights, stiff upright habit		100-150h 10-50s	Aug Sept						






Miscanthus 'Rotsilber'



Miscanthus 'Variegatus'



Miscanthus 'Zebrinus'



Molinia 'Karl Foerster'



Molinia 'Moorhexe'

## ORNAMENTAL GRASSES

### Miscanthus

Continued.

1-3  
per m<sup>2</sup>

- <b>'Purple Fall'</b> – green foliage with white mid-veins maturing to reddish-purple in Autumn. Pink flowers turn silver		100-150h 100-150s	July Oct				H5			
- <b>'Rotsilber'</b> – reddish-coppery leaves, silver-brown flower plumes		100-150h 50-100s	Aug Sept				H6			
- <b>'Silberfeder' (Silver Feather)</b> – free flowering, tall with arching silvery plumes		150-250h 100-150s	Aug Oct				H6			
- <b>'Strictus'</b> – similar to M. s. 'Zebrinus' but more upright, transverse cream bands appear earlier than other varieties, buff, flushed pink flowers, good for winter		150-250h 10-50s	Oct Nov				H6			
- <b>'Variegatus'</b> – green and white variegated leaves		150-250h 100-150s	Aug Oct				H6			
- <b>'Yakushima Dwarf'</b> – pink-brown flower plumes, ageing to silver, short thin foliage		50-100h 10-50s	Aug Oct				H6			
- <b>'Zebrinus'</b> – long arching green leaves with large cream bands, erect buff silver flower plumes		100-150h 50-100s	Aug Sept				H6			
- <b>var. condensatus 'Cabaret'</b> – cream central leaf variegation, bright green edge, broad leaves		150-250h 100-150s	Aug Sept				H6			

### Molinia ('Purple Moor Grass')

Tolerate most soils except very chalky and dry. Full sun.


3-5  
per m<sup>2</sup>

<b>arundinacea 'Karl Foerster'</b> - upright, golden brown arching flower stems		100-150h 50-100s	Aug Oct				H7			
<b>caerulea subsp. caerulea 'Dauerstrahl'</b> - a British native variety, upright stems of dark purple flowers above mounds of green foliage		100-150h 50-100s	Aug Oct				H7			
- <b>'Edith Dudsus'</b> - narrow mid green leaves, good colour through winter		10-50h 10-50s	Aug Sept				H7			
- <b>'Heidebraut'</b> – erect, straw coloured flower stems, good for winter effect		100-150h 10-50s	Aug Sept				H7			
- <b>'Moorhexe'</b> – shorter form with narrow, very dark grey panicles, greyish-green upright leaves		10-50h 10-50s	Aug Oct				H7			
- <b>'Poul Petersen'</b> – strong clumps of tufted green foliage mature to golden brown during the autumn. Purplish flowers are held on tall upright stems followed by seed heads offering great winter interest		10-50h 10-50s	June Sept				H7			
- <b>'Strahlenquelle'</b> – purple flowers, narrow panicles held high above green foliage		50-100h 50-100s	Aug Sept				H7			
- <b>'Transparent'</b> – tall arching purplish plumes of airy flower spikes turn a warm butter yellow in autumn		150-250h 100-150s	July Oct				H7			
- <b>'Windspiel'</b> – strong upright stems glowering in shades of honey		150-250h 50-100s	Aug Oct				H7			
- <b>'Variegata'</b> – forms neat clumps of arching striped leaves, erect flower stems, beautiful		50-100h 10-50s	Aug Oct				H7			





Ophiopogon 'Nigrescens'



Panicum v. 'Cheyenne Sky'



Panicum 'Northwind'



Panicum 'Shenandoah'



Pennisetum 'Red Head'

## ORNAMENTAL GRASSES

### Ophiopogon ('Mondo Grass')

Dependable evergreen, low ground cover.

5-7  
per m<sup>2</sup>

<b>planiscapus 'Nigrescens'</b> – spikes of insignificant pink flowers, purple-black foliage, black berries, enjoys humus rich soil and partial shade		10-50h 10- 50s	Aug Sept				H6			
---	--	-------------------	-------------	--	--	--	----	--	--	--

### Panicum ('Switch Grass or 'Panic Grass')

A charismatic grass! Upright, free-flowering with spectacular autumnal leaves.

3-5  
per m<sup>2</sup>

<b>virgatum 'Cheyenne Sky'</b> – a striking introduction with blue-green foliage developing a deep purple-red flush to the tips later in the season. Airy sprays of small red-purple flowers are held above the foliage on slender stems from mid-summer		50-100h 10-50s	June Sept				H5			
– <b>'Dallas Blues'</b> – broad leaved blue grass, small purple-pink spikelets are borne in late summer		100-150h 50-100s	Aug Sept				H5			
– <b>'Heiliger Hain'</b> – soft pink-beige flowers, blueish green foliage turns a very deep burgundy red in the autumn		50-100h 50-100s	Aug Sept				H5			
– <b>'Heavy Metal'</b> – delightfully light, purple-grey flowers, broad grey leaves		50-100h 50-100s	Aug Sept				H5			
– <b>'Northwind'</b> – blue grey foliage that turns yellowy orange in the autumn		100-150h 50-100s	Aug Sept				H5			
– <b>'Prairie Sky'</b> – blue-grey leaves aging to amber brown in the autumn, blue-green spikelets		100-150h 50-100s	Aug Sept				H5			
– <b>'Purple Breeze'</b> <sup>PBR</sup> – green narrow leaves, maturing to a deep purple-red as the season progresses, spikes of purple green flowers		50-100h 10-50s	Aug Sept				H5			
– <b>'Shenandoah'</b> – leaves tipped with deep purple in summer turning burgundy - red to purple black		50-100h 50-100s	Aug Sept				H5			
– <b>'Squaw'</b> – strong red autumnal leaves topped by airy panicles in autumn		100-150h 50-100s	Aug Sept				H5			
– <b>'Warrior'</b> – bronze flushed autumn leaves, airy panicles		50-100h 50-100s	Aug Sept				H5			

**Pennisetum** ('Fountain Grass') *Pennisetum* is a highly decorative ornamental grass. The plant will give almost all year- round interest in the garden. It is a low maintenance plant which quickly forms a clump, so is ideal for filling gaps in perennial and shrub borders.


3-5  
per m<sup>2</sup>

<b>alopecuriodes 'Hameln'</b> – rounded mounds of deep green foliage are topped with creamy white bottlebrush like flowers which take on a slight purple tinge as the flowers mature		50-100h 50-100s	June Sept				H3			
– <b>'Red Head'</b> – flowers open red fading through purple shades to beige		50-100h 50-100s	Aug Sept				H3			
– <b>f. viridescens'</b> – rounded mounds of deep green foliage are topped with deep purple bottlebrush like flower heads.		50-100h 50-100s	June Sept				H3			





Phalaris picta



Schizachyrium  
'Twilight Zone' PBR



Sesleria caerulea



Sporobolus heterolepis



Stipa tenuissima

## ORNAMENTAL GRASSES

### Phalaris ('Reed Canary Grass' or 'Gardener's Garters')

Spectacular but may become invasive. Adaptable to almost any soil or position including wet.

3-5  
per m<sup>2</sup>

<b>arundinacea var. picta</b> – bright white striped leaves, makes dense clump for all but driest soils,		50-100h 100-150s	June July				H7			
--	--	---------------------	--------------	--	--	--	----	--	--	--

### Schizachyrium ('Little Bluestem')

A useful mounding prairie grass for a sunny position.

5-7  
per m<sup>2</sup>

<b>scoparium 'Smoke Signal' PBR</b> – upright stems are grey-blue in spring intensifying to deep red-purple in the autumn. Tan coloured seed heads top the stems from late summer		50-100h 10-50s	Aug Oct				H6			
<b>'Twilight Zone' PBR</b> – upright stems are grey-blue in spring intensifying to an almost iridescent silvery-mauve colour from mid-summer with stronger purple highlights during the autumn summer		50-100h 10-50s	Aug Oct				H6			

### Sesleria ('Moor Grass')

An excellent groundcover choice for sun or partial shade.

5-7  
per m<sup>2</sup>

<b>autumnalis</b> – low mounding yellowish-green semi-evergreen foliage topped with thin stems of creamy white flowers during the summer from late summer		50-100h 10-50s	June Aug				H7			
<b>caerulea</b> – semi-evergreen clump forming Blue Moor Grass. Foliage is blue on the surface, dark green on the underside, dark purple blooms, an attractive ground cover highlights during the autumn summer		10-50h 10-50s	April June				H7			

### Sporobolus ('Prairie grass') A graceful, slow growing, durable, long lived and refined prairie grass producing mounds of mid-green foliage topped with very graceful airy heads.

5-7  
per m<sup>2</sup>

<b>heterolepis</b> – elegant airy flowerheads and fine mid green foliage, provides good autumn colour		50-100h 50-100s	July Sept				H7			
---	--	--------------------	--------------	--	--	--	----	--	--	--

### Stipa ('Feather Grass') Easy in most reasonable soils and sun.

5-7  
per m<sup>2</sup>

<b>gigantea</b> – tall and magnificent, very elegant, bearing ephemeral oat-like yellow plumes		150-250h 50-100s	June July				H4			
<b>tenuissima (tenuifolia)</b> – one of the most graceful grasses. Bright green clumps with fluffy plumes, fading to beige. Always moving in the wind. Wonderful planted in drifts		50-100h 10-50s	June Sept				H4			



## TERMS OF BUSINESS


**This is a shortened version, for the full version please go to the website at:  
[www.howardnurseries.co.uk/policies/business-terms](http://www.howardnurseries.co.uk/policies/business-terms)**

1. Please clearly state your full invoice address, delivery address (if different from invoice address), contact name, telephone number and e-mail address where possible.
2. Please check the order confirmation and if any changes or additions are needed, please make those before the order is scheduled for delivery. As soon as we have started lifting your order it cannot be amended again.
3. Prices are subject to the VAT rate at the time (currently 20%).  
Payment becomes due, net at 30 days from invoice date. Accounts not settled within this period will be subject to a credit charge of 5% after 30 days. We are able to accept payment via credit and debit card and BACS payment.
4. We offer either of the following discounts for payment within **15 days** of the invoice date, however this does not apply if other discounts have been agreed.
  1. 2.5% on goods delivered.
  2. 5% on goods collected from the nursery.
  3. **Any discount not taken will only be repaid, if claimed, within 60 days of invoice date.**
5. All deliveries are subject to a carriage charge for which an estimate can be provided. The actual cost will be invoiced and might differ from the estimate.
6. We would appreciate three or more working days' notice where possible for collection of orders from the nursery. We generally give one week's notice of a delivery date during our Autumn/Winter period.  
When ordering please state whether you would like a delivery or whether you will be making a collection, a specific time you would prefer delivery or collection and lastly whether substitutes are acceptable or not acceptable. This will help us when entering your order on our system.
7. **Collection days are Thursday and Friday only.**  
**We regret we no longer offer walkabouts on the nursery.**
8. No order is too small for our attention but due to the size of the nursery, all 9cm and open ground orders fewer than twelve of any variety will be subject to a charge of 45p per plant.
9. Individual colour labels are available upon request at 15p each. This will be a self-printed, high-quality plastic label. These can include the plant name, picture, description, your company logo, and colour scheme. We are happy to provide a sample of these by request. Please note a batch label identifying the variety will be supplied automatically at no extra charge.
10. Both our open ground and pot grown orders are generally lifted and supplied between the months of October and April. However, our pot grown varieties are offered all year round (subject to availability). Our main 2 litre perennial season is between March and August.
11. We do require all new customers to provide payment prior to dispatch of an initial order.
12. We reserve the right to charge up to 50% of the value on cancelled orders.
13. Generally, quotations are valid for one month unless **stock is sold**.
14. Please ensure any complaints are made within **SEVEN DAYS** of dispatch.
15. All goods shall remain the property of Howard Nurseries Ltd until payment has been received in full.
16. The full version of our terms and conditions can be found on the website or sent by email on request.



## HOW TO FIND US

**Howard Nurseries  
Limited  
Wortham, Diss  
Norfolk, IP22 1PX**



/// What3words  
reversed  
scorecard  
chapters



**Tel: 01379 898529**

**Email: [sales@howardnurseries.co.uk](mailto:sales@howardnurseries.co.uk)**

**Website: [www.howardnurseries.co.uk](http://www.howardnurseries.co.uk)**





***Howard Nurseries Limited***

Tel: **01379 898 529**

Email: **sales@howardnurseries.co.uk**

Website: **www.howardnurseries.co.uk**

